ORIGINAL

Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

Page 1 of 3

7/31/2017

Class: SUV 4x4

Body Code: K8

PASS UTIL MEDIUM AWD PATROL

Representative Models: 1: FORD

INTERCEP UTIL

2: DODGE

DURANGO

3

INTERCEPTOR

MAKE	FORD MODEL: UTILITY	OEM MOD	EL#: K8A	TRIM LEVEL: P.I.	OEM CODE:	500A
S	ANDARD SPECIFICATIONS:	OEM CODE	E INDICATE ACTUA	AL DEALER SPECIFICATIONS	A Company	-474
103	PASS: 5 PERSONS MIN.	K8A	POLICE INTE	ERCEPTOR UTILITY		
111	DOORS: 4 FULL SIZE SIDE DOORS	111	FOUR FULL S	SIZE DOORS		
810	PKG POLICE AWD UTILITY (Attachmt)	810	AWD POLICE	E PACKAGE - UTILIT	Y	
910	PRIMARY FUEL: UNLEADED	910	REGULAR UN	NLEADED FUEL		
991	STD WRNTY - BUMPER TO BUMPER 3/36	991	3YR/36K MIL	E BUMPER TO BUMP	ER WARRA	NTY

STANDARD VEHICLE BASE PRICE \$ 35,550.00

/AILABLE OPTIONS;	OEM CO	DEACTUAL/COMMENTS	PRICE
NON-STD ENGINE OPTION A:	99R	3.7L V6 Ti-VCT FLEX FUEL	(3130.00)
CNG PREP PACKAGE	252	NOT AVAILABLE	N/A
ALT FUEL - OEM BI FUEL SPECIFY TANK LOC	254	ALT FUEL - OEM BI FUEL NOT AVAILABLE	N/A
ALT FUEL - OEM DEDICATED SPEC TANK LOC	255	ALT FUEL - OEM DEDICATED NOT AVAILAB	LE N/A
E85 - OEM B) FUEL	99R	MUST ORDER 3.7L V6 FOR E85 FUEL	(3130.00)
PUSH BUMBER PB400	286	PUSH BUMPER - INSTALLED	450.00
PUSH BUMP PB400 W/PB5 FENDER PROTECTO	287		
TWO-WHEEL DRIVE: FRONT	413		
TWO-WHEEL DRIVE: REAR	414		
ENGINE BLOCK HEATER	41H	ENGINE BLOCK HEATER	90.00
EPACT AFV CREDIT: Specify	472	EPACT AFC CREDIT NOT AVAILABLE	N/A
RIGHT SPOTLIGHT WITH A RED LENS	505	RIGHT SPOTLIGHT - RED	450.00
RIGHT SPOTLIGHT WITH A CLEAR LENS	507	RIGHT SPOTLIGHT - CLEAR	425.00
PACKAGE: LIGHT BAR (attchmt not installed)	528	LIGHT BAR PACKAGE - NOT INSTALLED	1560.00
WIRING, ROOF LIGHTING WITH HOLE	533	WIRING, ROOF LIGHTING W/ HOLE	225.00
INSIDE REAR DOOR HANDLES OPERATIONAL	_52H	INSIDE REAR HANDLES OPER.	140.00
HYBRID GAS/ELECTRIC	608	HYBRID GAS/ELECTRIC - NOT AVAILABLE	N/A
UNDERCOVER LIGHT PKG K7 & K8 (attchmt)	663	UNDERCOVER LIGHTING PACKAGE - K8	2750.00
LIGHTBAR INSTALL	<u>6</u> 83	LIGHTBAR INSTALL	300.00
DELETE PKG #810	_D758	DELETE PACKAGE #810	(1950.00)
PHEV (PLUG IN HYBRID ELEC VEH)	763	PHEV - PLUG IN HYBRID - NOT AVAILABLE	N/A
DELETE LEFT SPOTLIGHT	D51Y	DELETE DRIVERS SIDE SPOTLIGHT	(204.00)
DELETE REVERSE SENSE SYS (INTER ONLY)	D76R	DELETE REVERSE SENSING SYSTEM	(261.00)
FLOOR MATS FRONT AND REAR	<u>8</u> 00	FLOOR MATS - FR/RR	138.00
	NON-STD ENGINE OPTION A: CNG PREP PACKAGE ALT FUEL - OEM BI FUEL SPECIFY TANK LOC ALT FUEL - OEM DEDICATED SPEC TANK LOC E85 - OEM BI FUEL PUSH BUMBER PB400 PUSH BUMP PB400 W/PB5 FENDER PROTECTC TWO-WHEEL DRIVE: FRONT TWO-WHEEL DRIVE: REAR ENGINE BLOCK HEATER EPACT AFV CREDIT: Specify RIGHT SPOTLIGHT WITH A RED LENS RIGHT SPOTLIGHT WITH A CLEAR LENS PACKAGE: LIGHT BAR (attchmt not installed) WIRING, ROOF LIGHTING WITH HOLE INSIDE REAR DOOR HANDLES OPERATIONAL HYBRID GAS/ELECTRIC UNDERCOVER LIGHT PKG K7 & K8 (attchmt) LIGHTBAR INSTALL DELETE PKG #810 PHEV (PLUG IN HYBRID ELEC VEH) DELETE REVERSE SENSE SYS (INTER ONLY)	NON-STD ENGINE OPTION A: CNG PREP PACKAGE ALT FUEL - OEM BI FUEL SPECIFY TANK LOC ALT FUEL - OEM DEDICATED SPEC TANK LOC EBS - OEM BI FUEL PUSH BUMBER PB400 PUSH BUMP PB400 W/PB5 FENDER PROTECTC TWO-WHEEL DRIVE: FRONT TWO-WHEEL DRIVE: REAR ENGINE BLOCK HEATER EPACT AFV CREDIT: Specify RIGHT SPOTLIGHT WITH A RED LENS RIGHT SPOTLIGHT WITH A CLEAR LENS PACKAGE: LIGHT BAR (attchmt not Installed) WIRING, ROOF LIGHTING WITH HOLE S33 INSIDE REAR DOOR HANDLES OPERATIONAL HYBRID GAS/ELECTRIC UNDERCOVER LIGHT PKG K7 & K8 (attchmt) CHARLES OF THE STORY PHEV (PLUG IN HYBRID ELEC VEH) DELETE REVERSE SENSE SYS (INTER ONLY) D76R	NON-STD ENGINE OPTION A: 99R 3.7L V6 Ti-VCT FLEX FUEL NOT AVAILABLE ALT FUEL - OEM BI FUEL SPECIFY TANK LOC 254 ALT FUEL - OEM BI FUEL NOT AVAILABLE ALT FUEL - OEM DEDICATED NOT AVAILABLE ALT FUEL - OEM DEDICATED NOT AVAILABLE BES - OEM BI FUEL 99R MUST ORDER 3.7L V6 FOR E85 FUEL PUSH BUMBER PB400 286 PUSH BUMPER - INSTALLED PUSH BUMPP B400 W/PB5 FENDER PROTECTC TWO-WHEEL DRIVE: FRONT 413 TWO WHEEL DRIVE - FRONT - NOT AVAILABLE PUSH BUMPER WITH FENDER PROTECTION TWO-WHEEL DRIVE: REAR 414 TWO WHEEL DRIVE - REAR - NOT AVAILABLE ENGINE BLOCK HEATER EPACT AFV CREDIT: Specily 472 EPACT AFC CREDIT NOT AVAILABLE RIGHT SPOTLIGHT WITH A RED LENS 505 RIGHT SPOTLIGHT - RED RIGHT SPOTLIGHT - CLEAR PACKAGE: LIGHT BAR (altichmt not Installed) WIRING, ROOF LIGHTING WITH HOLE INSIDE REAR DOOR HANDLES OPERATIONAL HYBRID GAS/ELECTRIC 608 HYBRID GAS/ELECTRIC - NOT AVAILABLE UNDERCOVER LIGHT PKG K7 & K8 (altichmi) ELIGHTBAR INSTALL DELETE PKG #810 PHEV (PLUG IN HYBRID ELEC VEH) DELETE PROVERS SENSE SYS (INTER ONLY) DELETE REVERSE SENSING SYSTEM

Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

4:

Page 2 of 3 7/31/2017

Class: SUV 4x4

Body Code: K8

PASS UTIL MEDIUM AWD PATROL

Representative Models: 1: FORD

FORD INTERCEP UTIL

2: DODGE

DURANGO

3:

INTERCEPTOR

MAKE:	FORD MODEL: UTILITY	OEM MO	DEL #: K8A TRIM LEVEL: P.I. OEM CODE:	500A
AV	AILABLE OPTIONS:	OEM CO	DEACTUAL / COMMENTS	PRICE
812	DELETE REAR MIRROR CAMERA (INTER ONLY)	87R	VIEWABLE IN CENTER STACK	0.00
813	DELETE SYNC (INTERCEPTOR ONLY)	D53M	MUST ORDER 61R FOR REMAP, SWITCHES	(280.00)
814	DELETE BLIS (INTERCEPTOR ONLY)	D55B	DELETE BLIS	(517.00)
887	BEV (BATTER/ELECTRIC)	<u>887</u>	BATTERY ELECTRIC - NOT AVAILABLE	N/A
888	STANDARD ENGINE	99R	3.7L V6 Ti-VCT FFV	(3130.00)
889	ROOF RACK RAILS	68Z	ROOF RACK SIDE RAILS	155.00
890	65U (INTERCEPTOR ONLY)	65U	INTERIOR UPGRADE PACKAGE	390.00
961	MN-Star SO-2200 & SO-2201 (FORD ONLY)	961	UNINSTALLED (INST \$1125.00)	750.00
982	EXT WARRANTY - POWER TRAIN 5/100,000	982	5YR/100K MILE POWERTRAIN WARRANTY	0.00

Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS**

Dealers Invitation to Bid

Body Code: K8

PASS UTIL MEDIUM AWD PATROL

Class: SUV 4x4

7/31/2017

Representative Models: 1: FORD INTERCEP UTIL 2: DODGE **DURANGO** INTERCEPTOR UTILITY MAKE: FORD OEM MODEL #: K8A TRIM LEVEL: P.I. MODEL: 500A OEM CODE: AVAILABLE COLORS: Please attach manufacturer color chart OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please attach separate sheet if necessary) PRICE OTHER OPTIONS ARE AVAILABLE. CONTACT MIKE CROSS FOR ADDITIONAL INFO. STANDARD FACTORY WARRANTY (Attach detailed description): **MILES** MONTHS 36,000 Bumper to Bumper 36 Drive Train 100,000 60 Other 60,000 60 ROADSIDE ASSISTANCE OPTIONAL FACTORY WARRANTY (Attach detailed description): MILES MONTHS PRICE MU;TIPLE OPTIONS AND TERMS ARE AVAILABLE - CONTACT MIKE CROSS FOR INFO EPA FUEL RATING: 15 M.P.G CITY, M.P.G HIGHWAY OEM MINIMUM FUEL RATED OCTANE: 85 REGULAR UNLEADED DELIVERY: 90-120 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 90 DAYS) **IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS:** DEALER NAME: LARRY H. MILLER FORD LAKEWOOD BIDDER'S NAME: MICHAEL CROSS DEALER PHONE: 720-481-2418

SIGNATURE:

Page 25 of 52

#810 - PACKAGE: POLICE AWD UTILTIY

MINIMUM SPECIFICATIONS FOR 2018 MODEL YEAR "K8" MEDIUM-SIZE, 4 DR, AWD, UTILTIY PATROL VEHICLES

2018 V-6, Medium-size, 4-door, All Wheel drive, utility type certified patrol vehicle: Ford Police Interceptor Utility – K8A 500A

SPECIFICATIONS

Comply (circle Y or N)					
Air Bags	(A) N	Front seat side airbags, plus Safety canopy system with side curtain airbags and rollover sensor.			
Air Conditioning:	YN	Factory-installed air conditioning.			
Alternator System:	YN	High-output, 220 amp maximum, heavy-duty alternator			
Battery:	YN	Heavy duty maintenance free battery 750 CCA with battery saver.			
Back Up Camera:	YN	Viewable in 4" centerstack			
Blis (55B):	YN	Blind spot monitoring with cross traffic alert			
Bluetooth:	YN	SYNC Hands free voice activated communication system			
Brakes:	YN	4 wheel heavy-duty disc with heavy-duty front and rear calipers. Police Calibrated.			
Console mounting:	YN	Console mounting plate			
Console:	YN	23" Havis console, includes cup holder. Includes brackets to accommodate a Motorola APEX 6500 VHF & DTR and Whelen lighting controller.			
Cooler, Engine Oil:	Y)N	Auxiliary engine oil cooler.			
Cooler, Transmission Oil:	M	External air-to-oil transmission oil cooler.			
Courtesy Light (43D):	YN	Dark car feature-Disable courtesy light when door is opened			
Cruise Control:	YN	Cruise control system with tilt steering wheel.			
Defroster, Rear Window:	Y) N	Electric rear window defroster / defogger.			
Differential:	YN	Axle ratio to be approximately 3.65 to 1.			
Engine (99T):	YN	3.5L V-6 EcoBoost (Police calibrated)			
Emergency Lighting Packages 66A, 66B, 66C, 60A, 85R, 52P, 18X:	⊘ N	(66A)-Front Headlamp lighting, (66B)-Tail Lamp Lighting, (66C)-Rear lighting. (60A) Pre-wiring for grille lamp, siren and speaker (85R) – Rear console plate – contours through 2nd row; channel for wiring – Grille linear LED Lights (Red / Blue) – (18X) 100-Watt Siren / Speaker – Wiring Harness: Two (2) light cables –Supports up to six (6) lights (engine compartment) Two (2) grille light cables, Two (2) 50 amp battery and ground circuits-power distribution junction block behind 2 nd row passenger seat floorboard, One (1) 10 amp Siren / Speaker circuit to engine cargo area. (52P) Hidden Door-Lock Plunger / Rear-Door Handles Inoperable.			
Foot Pedals	YN	Power adjustable gas and brake pedals			
Flooring:	YN	Heavy duty vinyl flooring. Delete floor mats.			
Lighting Controller	Ϋ́N	Whelen CanTrol siren and lighting control system. System to include a remote mounted photo cell that will be direct wired to the			

Page 26 of 52

CanTrol inputs as per CSP/Whelen specs. CanTrol system to have interface cable pre wired from the rear of the vehicle to the console area for the CANCTL1 control head to be attached. Part number CanTrol CANWC1 w/ Control Head # CANCTL1, Photo Cell part number CANL1TEB Controller not installed. Locks, Power (595) (593) and Windows, Power (18W): Single key locking system (different key for each vehicle) with remote keyless entry key fob. Power door locks controlled from drivers and passenger position, outside rear door handles to remain operational, inside handle inoperable. Global lock/Unlock feature. Power windows. Rear window power delete, operable from front driver side switch Mirrors, Outside: WN Left and right outside heated mirrors, power electric remote, manual folding with integrated spotter. Radio Suppression Package (60R) Radio AM/FM: WN OEM AM/FM Radio Reverse Sensing (76R): Seats: WN Heavy duty power front bucket cloth seats. 2nd row seat to be vinyl scenario and control and con			
remote keyless entry key fob. Power door locks controlled from drivers and passenger position, outside rear door handles to remain operational, inside handle inoperable. Global lock/Unlock feature. Power windows. Rear window power delete, operable from front driver side switch Mirrors, Outside: Mirrors, Outside: W N Left and right outside heated mirrors, power electric remote, manual folding with integrated spotter. Radio Suppression Package (60R) Radio AM/FM: Reverse Sensing (76R): Seats: W N Heavy duty power front bucket cloth seats. 2 nd row seat to be vinyl Speedometer: W N Speedometer to be calibrated and certified to be within 2% accuracy at all speeds. Spotlight: W N One, driver's-side spot light, cowl or post mounted, 5" in diameter. Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 94012-0002 with sealed beam bulb, or equivalent. Dealer installed Steering: W N Heavy duty electric power assisted steering (EPAS) Suspension System: W N Heavy duty electric power assisted steering wheel. Wheel (61S): W N Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: W N Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission:			area for the CANCTL1 control head to be attached. Part number CanTrol CANWC1 w/ Control Head # CANCTL1, Photo Cell part
manual folding with integrated spotter. Radio Suppression Package (60R) Radio AM/FM: Reverse Sensing (76R): Seats: YN Heavy duty power front bucket cloth seats. 2nd row seat to be vinyl Speedometer: YN Speedometer: YN Speedometer to be calibrated and certified to be within 2% accuracy at all speeds. Spotlight: YN One, driver's-side spot light, cowl or post mounted, 5" in diameter. Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 94012-0002 with sealed beam bulb, or equivalent. Dealer installed Steering: YN Heavy duty electric power assisted steering (EPAS) Suspension System: YN Independent front and rear suspension. Switcher, Steering Wheel (61S): Tires and Wheels: YN Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: YN Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: YN Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated	(593) and Windows,	Y) N	remote keyless entry key fob. Power door locks controlled from drivers and passenger position, outside rear door handles to remain operational, inside handle inoperable. Global lock/Unlock feature. Power windows. Rear window power delete, operable from front
Package (60R) Radio AM/FM: Reverse Sensing (76R): Seats: Y N Heavy duty power front bucket cloth seats. 2nd row seat to be vinyl Speedometer: Y N Speedometer to be calibrated and certified to be within 2% accuracy at all speeds. Spotlight: Y N One, driver's-side spot light, cowl or post mounted, 5" in diameter. Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 94012-0002 with sealed beam bulb, or equivalent. Dealer installed Steering: Y N Heavy duty electric power assisted steering (EPAS) Suspension System: Y N Heavy duty electric power assisted steering wheel. Four programmable switches in the steering wheel. Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: Y N Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: Y N Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated	Mirrors, Outside:	YN	
Reverse Sensing (76R): Seats: YN Heavy duty power front bucket cloth seats. 2nd row seat to be vinyl Speedometer: YN Speedometer to be calibrated and certified to be within 2% accuracy at all speeds. Spotlight: YN One, driver's-side spot light, cowl or post mounted, 5" in diameter. Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 94012-0002 with sealed beam bulb, or equivalent. Dealer installed Steering: YN Heavy duty electric power assisted steering (EPAS) Suspension System: YN Independent front and rear suspension. Switcher, Steering Wheel (61S): Tires and Wheels: YN Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: YN Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: YN Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated		YN	Radio Interference Suppression Package – Bonding straps
Seats: YN Heavy duty power front bucket cloth seats. 2nd row seat to be vinyl Speedometer: YN Speedometer to be calibrated and certified to be within 2% accuracy at all speeds. Spotlight: YN One, driver's-side spot light, cowl or post mounted, 5" in diameter. Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 94012-0002 with sealed beam bulb, or equivalent. Dealer installed Steering: YN Heavy duty electric power assisted steering (EPAS) Suspension System: YN Independent front and rear suspension. Switcher, Steering Wheel (61S): YN Four programmable switches in the steering wheel. YN Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: YN Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: YN Heavy-duty minimum of 6-speed automatic transmission with overdrive. Police calibrated	Radio AM/FM:	YN	OEM AM/FM Radio
Speedometer: YN Speedometer to be calibrated and certified to be within 2% accuracy at all speeds. Spotlight: One, driver's-side spot light, cowl or post mounted, 5" in diameter. Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 94012-0002 with sealed beam bulb, or equivalent. Dealer installed Steering: YN Heavy duty electric power assisted steering (EPAS) Suspension System: YN Independent front and rear suspension. Switcher, Steering Wheel (61S): Tires and Wheels: YN Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: YN Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: YN Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated		Ϋ́Ν	Reverse sensing system.
accuracy at all speeds. Spotlight: One, driver's-side spot light, cowl or post mounted, 5" in diameter. Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 94012-0002 with sealed beam bulb, or equivalent. Dealer installed Steering: YN Heavy duty electric power assisted steering (EPAS) Suspension System: YN Independent front and rear suspension. Switcher, Steering Wheel (61S): Tires and Wheels: YN Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: YN Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: YN Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated	Seats:	YN	Heavy duty power front bucket cloth seats. 2 nd row seat to be viny!
Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 94012-0002 with sealed beam bulb, or equivalent. Dealer installed Steering: YN Heavy duty electric power assisted steering (EPAS) Suspension System: YN Independent front and rear suspension. Switcher, Steering Wheel (61S): Tires and Wheels: YN Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: YN Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: YN Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated	Speedometer:	YN	
Suspension System: Switcher, Steering Wheel (61S): Tires and Wheels: YN Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: YN Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: YN Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated	Spotlight:	₩ N	Head to be mounted on door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of spotlight and tilt steering wheel. White lens to have a minimum of 160,000 candle-power. Unity 94012-0002 with sealed beam bulb, or
Switcher, Steering Wheel (61S): Tires and Wheels: N Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: N Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: N Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated	Steering:	YN	Heavy duty electric power assisted steering (EPAS)
Wheel (61S): Tires and Wheels: N Five heavy-duty 18" steel wheels and five Goodyear tires (P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: N Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: N Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated		YN	Independent front and rear suspension.
(P245/55R18) all season BSW. Tire pressure monitoring system included. Traction Control: YN Advance Trac with RSC (Roll Stability Control) police tuned gyroscopic sensors work with ABS. Transmission: YN Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated		M	Four programmable switches in the steering wheel.
gyroscopic sensors work with ABS. Transmission: YN Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated			(P245/55R18) all season BSW. Tire pressure monitoring system
drive. Police calibrated	Traction Control:	M M	
Wheel Covers (65L): YN 18" full face wheel cover.	Transmission:	Y)N	Heavy-duty minimum of 6-speed automatic transmission with over-drive. Police calibrated
	Wheel Covers (65L):	YN	18" full face wheel cover.

THE WARRANTY IS TO GO INTO EFFECT ON THE DATE THE VEHICLE IS PUT INTO SERVICE, NOT THE PURCHASE DATE. END USER WILL BE RESPONSIBLE FOR NOTIFING THE MANUFACTURER OF THE IN SERVICE DATE.

Delivery to be made to the Colorado State Patrol at 15203 W. 12th Ave., Golden, CO 80401. Per State Fleet Management instructions.

Page 27 of 52

OTHER

Please list a description of any additions and/or deletions to your factory's POLICE PACKAGE from the above listed specs or list next to the item directly on the attached sheets described above:

Body Code: K8A

ATTACH A COPY OF THIS FORM TO THE "DEALER'S INVITATION TO BID" FOR BODY CODE K8 WHICH HAS OPTION PACKAGE #810.

Since this Package is part of the Standard Specification for body code K8, the total cost for this package must be included in the "Standard Vehicle Base Price" as listed on page 1 of the Vehicle Specs for this body code.

Page 19 of 52

#528 - Package Light Bar

Attach one copy of this form to each body code specification sheet that has an Available Option #528 in the following body codes:

A5, A7, A8, A9, F6, K2, K7, K8

Bid equipment for vehicle model being bid.

The LIGHT BAR PACKAGE must include the following:

- (Non-OEM) Whelen Liberty 2 Model IW8CSP1
 - FRONT (Driver-Passenger)
 - RED Linear 12 diode LED corner module, RED Linear 6 diode LED outboard module, RED Linear-6 diode LED inboard module, (2) 12 Diode LED Take Down Lights, BLUE Linear-6 diode LED inboard module, BLUE Linear-6 diode LED outboard module, BLUE Linear-12 diode LED corner module.
 - o REAR (Driver-Passenger);
 - RED Linear 12 diode LED corner module, RED Linear 6 diode LED outboard module, RED Linear-6 diode LED inboard module, RED Linear 6-diode LED inboard module, Blue Linear 6-diode LED inboard module, BLUE Linear-6 diode LED inboard module, BLUE Linear-6 diode LED outboard module, BLUE Linear-12 diode LED corner module
 - SIDES (Driver-Passenger)
 - Single 3-LED Vertical LED Alley Light Modules
- Light Bar Width
 - 48"- Charger, Durango, Interceptor Sedan and Utility
 - o 55"- Tahoe, Expedition and Trucks
- Lenses
 - All lenses shall be clear in color

List the make and model of Light Bar that is bid:

- Mounting kit
 - Mounting kit to match vehicle application from bid award.
- Delivery
 - Light bar to be delivered in factory shipping box and placed in the trunk of the new vehicle when delivered to Colorado State Patrol Garage (No Installation).

	-					
Make	WHELEN	_ Model	LIBERTY	2 IW8CSP1		
List ar	ny additions and/or deletions of	your bid	from the LIC	GHT BAR PAC	KAGE spec	's listed above:
Total	Price for PACKAGE: LIGHT BAI	R: \$ 156		or Body Code	K8	

Page 21 of 52

rivit.

#663 - Undercover Lighting Package

Attach one copy of this form to each body code specification sheet that has an Available Option #663 in the following body codes:

K7, K8

Bid equipment for vehicle model being bid.

The UNDERCOVER LIGHTING PACKAGE must include the following:

- (Non-OEM) Whelen FST WeCAN Series Front Inner-Edge:
- Front Inner-Edge(Driver-Passenger)
 - o DUO RED/WHITE LED module X6, DUO BLUE/WHITE LED module X6
 - o Two Piece Design
 - Whelen WeCan Controlled Programming
- ISFW08X Ford Expedition
- ISFW34X Ford Interceptor Utility
- ISFW44X Dodge Durango
- ISFW45X Chevy Tahoe
- (Non-OEM) Whelen Rear Traffic Advisor TAZ86RB:

Same model for the Expedition and Durango vehicle types.

- (Non-OEM) Whelen RST WeCAN Series Rear Inner-Edge:
- Rear RTX Inner-Edge(Driver-Passenger)
 - o Red LED Warning module X5, AMBER T/A module X10, Blue warning module X5.
 - o T/A to function separately from Red/Blue lights.
 - o Whelen WeCan Controlled Programming
- IS348 Ford Interceptor Utility
- IS458 Chevy Tahoe
- Delivery
 - Lighting and siren/lighting/traffic advisor to be delivered in factory shipping box and placed in the trunk of the new vehicle when delivered to Colorado State Patrol Garage (No Installation).

List the make and model of Lighting Package that is bid:

Make	WHELEN	_ Model	IW34UFX
Make	WHELEN	_ Model	IS348
List ar	ny additions and/or deletions of y above:	our bid	from the UNDERCOVER LIGHTING PACKAGE spec's
	Price for UNDERCOVER LIGHT	ING PA	CKAGE: \$ 2750.00

2018 POLICE INTERCEPTOR UTILITY **COLOR & TRIM AVAILABILITY**

PROPRIETARY

Police Interceptor Utility	Police Interceptor Utility	Interior Color Charcoal Black	
Cloth Front Buckets / Vinyl Rear	Front – Unique Heavy-Duty Cloth, Front Bucket Seats Driver 6-way Power track (fore/aft.up/down, tilt with manual recline, 2-way manual tumbar) Passenger – 2-way manual track (fore/aft. with manual recline) Rear – 60/40 Split Vinyl.	9W	
Cloth Front Buckets / Cloth Rear	Front - Unique Heavy-Duty Cloth, Front Bucket Seats Driver 6-way Power track (fore/aft.up/down, tilt with manual recline, 2-way manual lumbar). Passenger - 2-way manual track (fore/aft. with manual recline) Rear - 60/40 Split Cloth	FW	

COLOR OFFERINGS

EXTERIOR COLOR		Charcoal Black Availability	
POLICE	Order Code		
Medium Brown Metallic	BU	S.Freekister (A)	
Arizona Beige Metallic Clearcoat	E3		
Vermillion Red	E4		
*Blue Metallic	FT		
Shadow Black	G1		
Smokestone Metallic	HG		
Kodiak Brown Metallic	J1		
Dark Toreador Red Metallic	J.		
Norsea Blue Metallic	KR		
Dark Blue	LK		
Royal Blue	LM		
Light Blue Metallic	LN		
Silver Grey Metallic	TN		
Sterling Grey Metallic	W.		
Ingot Silver Metallic	UX		
Medium Titanium Metallic	YG		
Oxford White	YZ	Name and the state of the state	

VINYL WRAP COLOR TREATMENT OFFERINGS*

Vinyl Wrap Color	Accent Order Code
Police White NOTE: Not available with exterior paint Oxford White (YZ)	YZ
* Accent Color Wrap for Vinyl Packages 91A, 91C, 91D	