

Colorado State Fleet Management
2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

ORIGINAL

Class: Large Van

Body Code: C3

CARGO VAN 3/4 TON

Representative Models: 1: FORD
3: NISSAN

T250VAN
NV2500

2: CHEVROLET G2500 VAN
4: RAM PROMASTER 2500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL#: CG23405 TRIM LEVEL: _____ OEM CODE: _____

STANDARD SPECIFICATIONS:	OEM CODE	INDICATE ACTUAL DEALER SPECIFICATIONS
100 PASS: 2 PERSONS MIN.	STANDARD	
113 SLIDING, RIGHT-SIDE DOOR	YA2	
115 TWO, SWING-OUT, REAR DOORS	STANDARD	
140 TIRES: ALL SEAS M&S RADIAL	STANDARD	
146 FULL SIZE SPARE TIRE	STANDARD	
161 WINDOW REAR & SIDE DOOR (VAN)	ZW3	
179 WHEELBASE: 125.0 IN. MIN	135"	
196 ENG MIN CYL: 6	LV1 6 CYL	
236 GVW RATING: 8500 MIN	8600	
298 CRUISE CONTROL/TILT	INCLUDED	
300 AIR CONDITIONING - R134a	STANDARD	
302 RADIO: AM/FM	STANDARD	
307 POWER BRAKES & POWER STEERING	STANDARD	
308 ABS BRAKES	STANDARD	
310 SEATS: CLOTH SEATS	STANDARD	
322 FLOORING: FRT-RUBBER, REAR-PAINT	RFM	
340 AIR BAG- DRIVER SIDE	STANDARD	
350 BTD ENG: SPECIFY	LV1 6 CYL	
400 MIRRORS: RIGHT AND LEFT	STANDARD	
404 INTERMITTENT WIPERS	STANDARD	
410 TRANSMISSION: AUTOMATIC	STANDARD	
752 AXLE RATIO: SPECIFY	GU6 3.42	
853 REAR WH OR FRT WH DR SPECIFY	REAR	
863 BACKUP CAMERA	STANDARD	
910 PRIMARY FUEL: UNLEADED	STANDARD	
991 STD WRNTY- BUMPER TO BUMPER 3/36	STANDARD	

STANDARD VEHICLE BASE PRICES 21,081

AVAILABLE OPTIONS:	OEM CODE	ACTUAL/ COMMENTS	PRICE
114 DOUBLE SWING SIDE DOOR	E24		NO CHARGE
118 EXTENDED BODY IN CARGO AREA	CG23705		1860

Colorado State Fleet Management
 2018 VEHICLE SPECIFICATIONS
 Dealers Invitation to Bid

8/25/2017

Class: Large Van

Body Code: C3

CARGO VAN 3/4 TON

Representative Models: 1: FORD T250VAN 2: CHEVROLET G2500 VAN
 3: NISSAN NV2500 4: RAM PROMASTER 2500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL#: CG23405 TRIM LEVEL: _____ OEM CODE: _____

AVAILABLE OPTIONS:	OEM CODE	ACTUAL / COMMENTS	PRICE
133 BACK UP ALARM	8S3		138
143 TIRES: OPTION #1, LIST SIZE:		NOT AVAILABLE	
160 WINDOWS ALL AROUND (VAN)	ZW6		315
162 WINDOW REAR DOOR ONLY (VAN)	ZW2	CREDIT	-50
165 DELETE ALL WINDOWS	STANDARD	CREDIT	-150
216 NON-STD ENGINE OPTION A:	L96	6.0	995
217 ENG OPTION: DIESEL	LWN	2.8 TURBO DIESEL	3715
239 GVW OPTION: SPECIFY	CG33405	9600 GVWR	3350
244 AXLE RATIO (MIN) 4.10		NOT AVAILABLE	
248 GVW RATING: 9600	CG33405	9600 GVWR	3320
249 AXLE RATIO OPTION: SPECIFY		NOT AVAILABLE	
252 CNG PREP PACKAGE	LC8	6.0 GASEOUS CNG/LPG INCLUDED IN 255	1295
254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC		NOT AVAILABLE	
255 ALT FUEL - OEM DEDICATED SPEC TANK LOC		POWER SOLUTIONS OEM SEE NOTES PAGE 4	13255
256 E85 - OEM BI FUEL	L96	6.0	
262 DARKEST LEGAL TINT AVAIL	AJ1	ON BASE CONFIG ONLY CALL FOR OTHERS	120
264 REMOTE KEYLESS ENTRY	ATG		170
305 AUXILIARY AIR CONDITIONING	C69	INCLUDES 306	860
306 AUXILIARY HEATING	C36		295
311 SEATS: VINYL SEATS	93W		NO CHARGE
331 BULKHEAD			460
336 BULKHEAD - WALK THROUGH			553
337 PLUMBING, HVAC INTERIOR PACKAGE		ON BASE WHEELBASE	2665
338 ELECTRICAL, GAS APPL REPAIR INTERIOR		ON BASE WHEELBASE	2707
403 REAR WINDOW DEFROSTER	C49	REQUIRES 262 AND 426	155
408 REAR AXLE - ANTI SPIN	G80		320
415 FOUR-WHEEL DRIVE	QUIGLEY		12370
426 SWING OUT GLASS	A19		160
429 TRAILER BRAKE CONTROL - ELECTRIC		AFTERMARKET	220
430 PKG: TOWING/RCVR HITCH (Atchmt)	Z82		280
443 PKG: STROBE LIGHT (Attachment)			280
444 ENGINE BLOCK HEATER	K05		100
454 AUXILIARY BATTERY	TP2	770 CCA WITH 600 CCA \$165 VAL 770 CCA	60
472 EPACT AFV CREDIT: Specify		NOT AVAILABLE	
520 POWER LOCKS		STANDARD	

2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

Class: Large Van

Body Code: C3

CARGO VAN 3/4 TON

Representative Models: 1: FORD
3: NISSAN

T250VAN
NV2500

2: CHEVROLET G2500 VAN
4: RAM PROMASTER 2500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL#: CG23405 TRIM LEVEL: _____ OEM CODE: _____

AVAILABLE OPTIONS:	OEM CODE ACTUAL / COMMENTS	PRICE
526 POWER MIRRORS	DE5	115
530 POWER WINDOWS	STANDARD	
541 DELETE DAYTIME/AUTO HEADLIGHTS	DEALER	230
594 CARGO VINYL FLOOR COVERING	RFM	90
599 AM/FM CD PLAYER	US8 U18 FACTORY NAVIGATION \$1025	150
608 HYBRID GAS/ELECTRIC	NOT AVAILABLE	
622 STABILITY CONTROL SYSTEM	STANDARD	
632 INSULATION PACKAGE	ON BASE WHEELBASE CALL FOR OTHERS	2375
633 HD CHARGING SYSTEM	KG3 KW5 220 AMP \$150 150 AMP	75
643 ADD DAYTIME RUNNING LIGHTS	STANDARD	
652 LADDER RACK	2 BAR SEVERAL OTHERS AVAILABLE CALL	339
658 EXTRA KEYS & REMOTES	REMOTE \$107 AND KEY \$41	
749 CARGO AREA, ALUM, DIAMOND FLOOR	ON BASE WHEELBASE CALL FOR OTHERS	1390
763 PHEV (PLUG IN HYBRID ELEC VEH)	NOT AVAILABLE	
845 BLIND SPOT NOTIFICATION	WPD REQUIRES 216	2315
854 MEDIUM ROOF	ON BASE WHEEL BASE	3400
855 HIGH ROOF	ON BASE WHEEL BASE	3600
887 BEV (BATTERY/ELECTRIC)	NOT AVAILABLE	
982 EXT WARRANTY - POWER TRAIN 5/100,000	STANDARD	INCLUDED NO CHARGE

2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

Class: Large Van

Body Code: C3

CARGO VAN 3/4 TON

Representative Models: 1: FORD
3: NISSAN

T250VAN
NV2500

2: CHEVROLET G2500 VAN
4: RAM PROMASTER 2500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL#: CG23405 TRIM LEVEL: _____ OEM CODE: _____

AVAILABLE COLORS: Please attach manufacturer color chart

OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please attach separate sheet if necessary) PRICE
254 - 3 TANK AFT AXLE MIDSHIP SEE ATTACHED BROCHURE - INCLUDES LINE 252

STANDARD FACTORY WARRANTY (Attach detailed description):

	MILES	MONTHS
Bumper to Bumper	<u>36K</u>	<u>36</u>
Drive Train	<u>100K</u>	<u>60</u>
Other	_____	_____

OPTIONAL FACTORY WARRANTY (Attach detailed description):

	MILES	MONTHS	PRICE
<u>SEVERAL OTHERS AVAILABLE CALL FOR DETAILS</u>	_____	_____	_____

EPA FUEL RATING: N/A M.P.G CITY, N/A M.P.G HIGHWAY

OEM MINIMUM FUEL RATED OCTANE: 85

DELIVERY: APPROX 60 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 90 DAYS)

IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS:

DEALER NAME: JOHN ELWAY CHEVROLET

BIDDER SNAME: MARK MCMUNN

DEALER PHONE: 720.284.5255

SIGNATURE: 

PROPRANE


Vehicle Description	Engine	Tank Location	GGE	GVW
3500HD Truck 2WD & 4WD	6.0 L	Back of Cab	36	10,001-14,000
G3500 Express Cutaway	6.0 L	All Axle & Midship	62	10,001-14,000
G4500 Express Cutaway	6.0 L	All Axle & Midship	62	14,000-33,000
2500HD Truck 3WD & 4WD	6.0 L	Back of Cab	36	8501-10,000
3500 Low Cab Forward	6.0 L	Multiple Configurations Available		
4500 Low Cab Forward	6.0 L	Multiple Configurations Available		

NATURAL GAS

Vehicle Description	Engine	Tank Location	GGE	GVW
G3000 Passenger Van	6.0 L	All Axle & Midship	16	8501-10,000
G3500 Passenger Van	6.0 L	All Axle & Midship	16	10,001-14,000
3500HD Truck 2WD & 4WD	6.0 L	Back of Cab	21	10,001-14,000
G3500 Express Cutaway	6.0 L	All Axle & Midship	16	10,001-14,000
G4500 Express Cutaway	6.0 L	All Axle & Midship	16	14,000-33,000
3500 Cab Chassis 2WD & 4WD	6.0 L	Back of Cab	21	10,001-14,000
2500HD Truck 2WD & 4WD	6.0 L	Back of Cab	21	8501-10,000
G2500 Cargo Van	6.0 L	All Axle & Midship	16	8501-10,000
G3500 Cargo Van	6.0 L	All Axle & Midship	16	8501-10,000
3500 Low Cab Forward	6.0 L	Multiple Configurations Available		
4500 Low Cab Forward	6.0 L	Multiple Configurations Available		



POWER SOLUTIONS
INTERNATIONAL



PSI-GM SPECIALTY VEHICLE
MODIFIER (SVM)



POWER SOLUTIONS
INTERNATIONAL

201 Mittel Drive, Wood Dale, IL 60191
630.350.9400 www.psiengines.com

CURRENT GM APPLICATIONS



SILVERADO 6 SIERRA
2500/3500 HD PICKUPS



EXPRESS 6 SAVANA
2500/3500 VANS
3500, 4500 CUTAWAYS




LOW CAB FORWARD
3500/4500 HD TRUCKS



HOW IT WORKS

- PSI performs alternative fuel conversions including natural gas and propane on a range of GM vehicles.
- GM customers can seamlessly order and take delivery from any GM dealerships.
- GM will supply vehicles equipped with specialized version 6.0L V-8 engine to PSI, which in turn will provide the fuel system and integration hardware.
- All PSI Alternative fuel conversions are covered by PSI's 3-year/36,000-mile warranty in addition to Chevrolet and GMC's five-year/60,000-mile limited powertrain warranty a considerable value that no other aftermarket provider can offer.



GM DEALERS



FLEETS



BODY BUILDERS



OEMs

A NEW GENERATION FOR PROPANE


Bi-Phase Gen II maintains the heat resisting benefits of coaxial fuel lines up near the engine where it is hottest, while utilizing simpler and more common materials and components in the vehicle length fuel lines and in the LP tank.

Bi-Phase Gen II has the unique and effective Bi-Phase Liquid LP injector and fuel rails.

- MORE ECONOMICAL
- SIMPLIFIED INTEGRATION
- HIGHER RELIABILITY

PROPANE

1. Fuel Distribution Block
Configurable for Many Engines
2. Pressure Test Port
Easily Accessible for Tech
3. Coaxial Fuel Pipe
Supplies Fuel to Injectors & Returns Fuel to Tank
4. Supply and Return Ports
Easily Accessible for Assembly Line
5. Fuel Press/Temp Sensor
Engine Mounted for Better Accuracy
6. Fuel Rail Assembly
Configurable for Many Engines



NATURAL GAS

1. Fuel Pressure Regulator
6 Bar Set Point
2. Fuel Rail Assembly
Configurable for Many Engines
3. Bosch NGIZ-CP GIG Injector
Excellent Fuel Metering Control



**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 4 of 52

#430 - PACKAGE: OEM TOWING OPTION

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

**C2,C3,C4,D1,D2,D3,D5,D8,E2,E3,E4,E8,F2,F3,F4,F8,K1,K2,K3,K5,K6, T1,T4,
T5**

An installed OEM TOWING OPTION PACKAGE should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
 - Heavy duty engine cooling
 - Transmission cooling (automatic only)
 - Trailer wiring harness
 - HD turn signal flasher
 - Handling package (describe: _____)
-
- HD battery and Alternator.
 - Price to include complete installation.
 - All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's OEM TOWING OPTION package from the above listed specs:

Total Price for OEM TOWING PACKAGE:

\$

For Body Code:

Total Price for T1 - OEM TOWING PACKAGE:

\$

Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 7 of 52

#443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

The **STROBE LIGHT PACKAGE** must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- Base must be aluminum, not plastic.
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with locations as follows:
- **Location for strobe light on pickups:**
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- **Location for strobe light on vans and sport utilities:**
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make CODE 3 Model LSS222CA

List any additions and/or deletions of your bid from the **STROBE LIGHT PACKAGE** specs listed above:

Total Price for **STROBE LIGHT PACKAGE**:

\$

	280
--	-----

Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 8 of 52

For Body
Code:

C3