

Colorado State Fleet Management
 2018 VEHICLE SPECIFICATIONS
 Dealers Invitation to Bid

ORIGINAL

Class: Large Van

Body Code: D2

PASS VAN 6-PASSENGER

Representative Models: 1: FORD
 3: NISSAN

T250 VAN
 NV2500

2: CHEVROLET G2500 VAN
 4: RAM PROMASTER 2500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL #: CG23406 TRIM LEVEL: LS OEM CODE: _____

STANDARD SPECIFICATIONS:

OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS

113 SLIDING, RIGHT-SIDE DOOR	YA2
115 TWO, SWING-OUT, REAR DOORS	STANDARD
131 PASS: 8 PERSONS MIN.	ZX5 12 PASSENGER
140 TIRES: ALL SEAS M&S RADIAL	STANDARD
146 FULL SIZE SPARE TIRE	STANDARD
160 WINDOWS ALL AROUND (VAN)	STANDARD
186 WHEELBASE: 117.0 IN, MIN	135"
198 ENG MIN CYL: 6	LV1 6 CYL
235 GVW RATING: 7200 MIN	8600
298 CRUISE CONTROL/TILT	INCLUDED
300 AIR CONDITIONING - R134a	STANDARD
302 RADIO: AM/FM	STANDARD
305 AUXILIARY AIR CONDITIONING	STANDARD
307 POWER BRAKES & POWER STEERING	STANDARD
308 ABS BRAKES	STANDARD
310 SEATS: CLOTH SEATS	STANDARD
327 FLOORING: FRONT & REAR RUBBER	STANDARD
340 AIR BAG - DRIVER SIDE	STANDARD
350 STD ENG: SPECIFY	LV1 4.3 V6
400 MIRRORS: RIGHT AND LEFT	STANDARD
410 TRANSMISSION: AUTOMATIC	STANDARD
414 TWO-WHEEL DRIVE: REAR	STANDARD
752 AXLE RATIO: SPECIFY	GU6 3.42
863 BACKUP CAMERA	STANDARD
991 STD WRNTY - BUMPER TO BUMPER 3/36	STANDARD

STANDARD VEHICLE BASE PRICE \$ 24,481

AVAILABLE OPTIONS:

OEM CODE ACTUAL / COMMENTS

PRICE

114 DOUBLE SWING SIDE DOOR	E24	NO CHARGE
126 EXTENDED BODY	CG33706	GVWR GOES TO 9,900 AND 12 PASSENGER 885
133 BACK UP ALARM	AFTERMARKET	138

2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

Class: Large Van

Body Code: D2

PASS VAN 8-PASSENGER

Representative Models: 1: FORD
3: NISSAN

T250 VAN
NV2500

2: CHEVROLET G2500 VAN
4: RAM PROMASTER 2500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL #: CG23406 TRIM LEVEL: LS OEM CODE: _____

AVAILABLE OPTIONS:

AVAILABLE OPTIONS:	OEM CODE	ACTUAL / COMMENTS	PRICE
143 TIRES: OPTION #1, LIST SIZE:		NOT AVAILABLE	
218 NON-STD ENGINE OPTION A:	L96	6.0 V8	995
217 ENG OPTION: DIESEL	LWN	2.8 TURBO DIESEL	3715
239 GVW OPTION: SPECIFY	CG33406	9,900#	2295
244 AXLE RATIO (MIN.) 4.10		NOT AVAILABLE	
252 CNG PREP PACKAGE	LC8	6.0 GASSEOUS CNG/LPG INCLUDED IN 255	1295
254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC		NOT AVAILABLE	
255 ALT FUEL - OEM DEDICATED SPEC TANK LOC		POWER SOLUTIONS OEM SEE NOTES PAGE 4	13255
256 E85 - OEM BI FUEL		REQUIRES 216	
261 DUAL REAR WHEELS		AFTERMARKET QUIGLEY	7170
262 DARKEST LEGAL TINT AVAIL		AFTERMARKET	650
263 FACTORY DEEP TINT WINDOWS		STANDARD	
284 REMOTE KEYLESS ENTRY	ATG		170
311 SEATS: VINYL SEATS	AR7	NO CHARGE	
320 FLOORING: CARPET	B30		185
330 SECURITY CAGE:LIST DESIGN/LOCA		AFTERMARKET	785
403 REAR WINDOW DEFROSTER	C49		155
408 REAR AXLE - ANTI SPIN	G80		325
430 PCKG:TOWING/RCVR HITCH(Atchml)	Z82		280
438 HEAVY DUTY COOLING		STANDARD	
461 RAISED ROOF		AFTERMARKET- ON BASE BID WHEELBASE	3400
472 EPACT AFV CREDIT: Specify		NOT AVAILABLE	
520 POWER LOCKS		STANDARD	
526 POWER MIRRORS	DE5		115
530 POWER WINDOWS	R8J		100
541 DELETE DAYTIME/AUTO HEADLIGHTS		DEALER	230
599 AM/FM CD PLAYER	US8		150
608 HYBRID GAS/ELECTRIC		NOT AVAILABLE	
620 UPPER TRIM LEVEL PKG: SPECIFY	LT		1825
622 STABILITY CONTROL SYSTEM		STANDARD	
643 ADD DAYTIME RUNNING LIGHTS		STANDARD	
658 EXTRA KEYS & REMOTES		REMOTE \$107 KEY \$41	
763 PHEV (PLUG IN HYBRID ELEC VEH)		NOT AVAILABLE	
800 FLOOR MATS FRONT AND REAR	B30		185
845 BLIND SPOT NOTIFICATION		REQUIRES 620 AND 216	2315

Colorado State Fleet Management
2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

Class: Large Van

Body Code: D2

PASS VAN 8-PASSENGER

Representative Models: 1: FORD
3: NISSAN

T250 VAN
NV2500

2: CHEVROLET G2500 VAN
4: RAM PROMASTER 2500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL #: CG23406 TRIM LEVEL: LS OEM CODE: _____

AVAILABLE OPTIONS:	OEM CODE/ACTUAL / COMMENTS	PRICE
854 MEDIUM ROOF	SEE 461	3400
855 HIGH ROOF	SEE 461	3600
887 BEV (BATTER/ELECTRIC)	NOT AVAILABLE	
882 EXT WARRANTY - POWER TRAIN 5/100,000	STANDARD	INCLUDED AT NO CHARGE

AVAILABLE COLORS: Please attach manufacturer color chart

OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please attach separate sheet if necessary) PRICE
255 - TANK LOCATION AFT AXLE & MIDSHIP - INCLUDES 252

STANDARD FACTORY WARRANTY (Attach detailed description):

	MILES	MONTHS
Bumper to Bumper	<u>36K</u>	<u>36</u>
Drive Train	<u>100K</u>	<u>60</u>
Other	_____	_____

OPTIONAL FACTORY WARRANTY (Attach detailed description):

MILES	MONTHS	PRICE
<u>SEVERAL AVAILABLE CALL FOR DETAILS</u>	_____	_____

EPA FUEL RATING: 11 M.P.G CITY, 16 M.P.G HIGHWAY

OEM MINIMUM FUEL RATED OCTANE: 85

DELIVERY: APPROX 60 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G, 90 DAYS)

IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS:

255 - TANK LOCATION 3 TYPE 1 AFT AXLE & MIDSHIP - INCLUDES LINE 252

DEALER NAME: JOHN ELWAY CHEVROLET

BIDDER'S NAME: MARK MCMUNN

DEALER PHONE: 720.284.5255

SIGNATURE: 

PROpane

Vehicle Description	Engine	Tank Location	GGE	GVW
3500HD Truck 2WD & 4WD	6.0L	Back of Cab	36	10,001 - 14,000
G3500 Express Cutaway	6.0L	Aft Axle & Midship	62	10,001 - 14,000
G4500 Express Cutaway	6.0L	Aft Axle & Midship	62	14,000 - 33,000
2500HD Truck 2WD & 4WD	6.0L	Back of Cab	36	8501 - 10,000
3500 Low Cab Forward	6.0L	Multiple Configurations Available		
4500 Low Cab Forward	6.0L	Multiple Configurations Available		

NATURAL GAS

Vehicle Description	Engine	Tank Location	GGE	GVW
45500 Passenger Van	6.0L	Aft Axle & Midship	16	8501 - 10,000
G5500 Passenger Van	6.0L	Aft Axle & Midship	16	10,001 - 14,000
3500HD Truck 2WD & 4WD	6.0L	Back of Cab	21	10,001 - 14,000
G3500 Express Cutaway	6.0L	Aft Axle & Midship	16	10,001 - 14,000
G4500 Express Cutaway	6.0L	Aft Axle & Midship	16	14,000 - 33,000
3500 Cab Chassis 2WD & 4WD	6.0L	Back of Cab	21	10,001 - 14,000
2500HD Truck 2WD & 4WD	6.0L	Back of Cab	21	8501 - 10,000
G2500 Cargo Van	6.0L	Aft Axle & Midship	16	8501 - 10,000
G3500 Cargo Van	6.0L	Aft Axle & Midship	16	8501 - 10,000
3500 Low Cab Forward	6.0L	Multiple Configurations Available		
4500 Low Cab Forward	6.0L	Multiple Configurations Available		




POWER SOLUTIONS
INTERNATIONAL

201 Mittel Drive Wood Dale, IL 60191
630 350.9400 www.ips engines.com



POWER SOLUTIONS
INTERNATIONAL



PSI-GM SPECIALTY VEHICLE
MODIFIER (SVM)

CURRENT GM APPLICATIONS




SILVERADO 5 SIERRA
2500/3500 HD PICKUPS



EXPRESS 5 SAVANA
2500/3500 VANS
3500/4500 CUTAWAYS




LOW CAB FORWARD
3500/4500 HD TRUCKS



HOW IT WORKS

- PSI performs alternative fuel conversions including natural gas and propane on a range of GM vehicles.
- GM customers can seamlessly order and take delivery from any GM dealerships.
- GM will supply vehicles equipped with specialized version 6.0L V-8 engine to PSI, which in turn will provide the fuel system and integration hardware.
- All PSI Alternative fuel conversions are covered by PSI's 3-year/36,000-mile warranty in addition to Chevrolet and GMC's five-year/50,000-mile limited powertrain warranty and a considerable value that no other aftermarket provider can offer.



GM DEALERS



FLEETS



BODY BUILDERS



OEMs

A NEW GENERATION FOR PROPANE


B1-Phase Gen II maintains the heat resisting benefits of coaxial fuel lines up near the engine where it is hottest, while utilizing simpler and more common materials and components in the vehicle length fuel lines and in the LP tank.

B1-PhaseGen II has the unique and effective B1 Phase Liquid LP injector and fuel rails.

- MORE ECONOMICAL
- SIMPLIFIED INTEGRATION
- HIGHER RELIABILITY


PROPANE

- Fuel Distribution Block Configurable for Many Engines
- Pressure Test Port Easily Accessible for Tech
- Coaxial Fuel Pipe Supplies Fuel to Injectors & Returns Fuel to Tank
- Supply and Return Ports Easily Accessible for Assembly Line
- Fuel Press/Temp Sensor Engine Mounted for Better Accuracy
- Fuel Rail Assembly Configurable for Many Engines



NATURAL GAS

- Well Pressure Regulator & Bar Set Point
- Fuel Rail Assembly Configurable for Many Engines
- Bosch NG2-CP Nozzle - Chair Excelsior Fuel Metering Control



**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 4 of 52

#430 - PACKAGE: OEM TOWING OPTION

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

C2, C3, C4, D1, D2, D3, D5, D8, E2, E3, E4, E8, F2, F3, F4, F8, K1, K2, K3, K5, K6, T1, T4, T5

An installed **OEM TOWING OPTION PACKAGE** should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
 - Heavy duty engine cooling
 - Transmission cooling (automatic only)
 - Trailer wiring harness
 - HD turn signal flasher
 - Handling package (describe: _____)
-
- HD battery and Alternator.
 - Price to include complete installation.
 - All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's OEM TOWING OPTION package from the above listed specs:

Total Price for OEM TOWING PACKAGE: \$

For Body Code:

Total Price for T1 - OEM TOWING PACKAGE: \$

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 7 of 52

#443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

The **STROBE LIGHT PACKAGE** must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- **Base must be aluminum, not plastic.**
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with locations as follows:
- **Location for strobe light on pickups:**
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- **Location for strobe light on vans and sport utilities:**
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make CODE 3 Model LSS222CA

List any additions and/or deletions of your bid from the STROBE LIGHT PACKAGE specs listed above:

Total Price for STROBE LIGHT PACKAGE:

\$

280

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 8 of 52

For Body
Code:

D2