

Dealers Invitation to Bid

8/25/2017

**ORIGINAL**

Class: PU - 4x2

Body Code: E8

3/4 I GV CAB 4X2

Representative Models: 1: FORD  
3: RAM

F250 PU  
2500PU

2: CHEVROLET 2500 PU  
4: GMC 2500PU

MAKE: CHEVY MODEL: SILVERADO OEM MODEL#: CC25943 TRIM LEVEL: WT OEM CODE: \_\_\_\_\_

| STANDARD SPECIFICATIONS:             | OEM CODE | INDICATE ACTUAL DEALER SPECIFICATIONS |
|--------------------------------------|----------|---------------------------------------|
| 104 PASS: 6 PERSONS MIN.             |          | STANDARD                              |
| 111 DOORS: 4 FULL SIZE SIDE DOORS    |          | STANDARD                              |
| 121 LONGBED                          |          | STANDARD                              |
| 140 TIRES: ALL SEAS M&S RADIAL       |          | STANDARD                              |
| 148 FULL SIZE SPARE TIRE             |          | STANDARD                              |
| 184 WHEELBASE: 152.0 IN. MIN         |          | 167.7                                 |
| 197 ENG MIN CYL: 8                   |          | STANDARD                              |
| 237 GVW RATING: 8800 MIN             |          | 9500                                  |
| 298 CRUISE CONTROL/TLT               |          | STANDARD                              |
| 300 AIR CONDITIONING- R134a          |          | STANDARD                              |
| 302 RADIO: AM/FM                     |          | STANDARD                              |
| 307 POWER BRAKES & POWER STEERING    |          | STANDARD                              |
| 311 SEATS: VINYL SEATS               |          | H2Q                                   |
| 321 FLOORING: RUBBER                 |          | STANDARD                              |
| 340 AIR BAG - DRIVER SIDE            |          | STANDARD                              |
| 350 STD ENG: SPECIFY                 |          | L96 6.0 V8                            |
| 400 MIRRORS: RIGHT AND LEFT          |          | STANDARD                              |
| 404 INTERMITTENT WIPERS              |          | STANDARD                              |
| 410 TRANSMISSION: AUTOMATIC          |          | STANDARD                              |
| 414 TWO-WHEEL DRIVE: REAR            |          | STANDARD                              |
| 459 STEP BMPR-500#TONGUE,5000#TRLR   |          | STANDARD                              |
| 752 AXLE RATIO: SPECIFY              |          | STANDARD                              |
| 883 BACKUP CAMERA                    |          | STANDARD                              |
| 910 PRIMARY FUEL: UNLEADED           |          | STANDARD                              |
| 991 STD WNTY - BUMPER TO BUMPER 3/38 |          | STANDARD                              |

STANDARD VEHICLE BASE PRICES 26,257

| AVAILABLE OPTIONS:               | OEM CODE | ACTUAL/ COMMENTS | PRICE |
|----------------------------------|----------|------------------|-------|
| 122 SHORTBED                     | CC25743  | CREDIT           | -120  |
| 133 BACK UP ALARM                | 8S3      |                  | 138   |
| 143 TIRES: OPTION #1, LIST SIZE: | QXT      | 265/70R17E       | 200   |

2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

Class: PU - 4x2

Body Code: EB

3/4 T CW CAB 4X2

Representative Models: 1: FORD  
2: RAM

F250PU  
2500PU

2: CHEVROLET 2500 PU  
4: GMC 2500 PU

MAKE: CHEVY MODEL: SILVERADO OEM MODEL #: CC25943 TRIM LEVEL: WT OEM CODE: \_\_\_\_\_

| AVAILABLE OPTIONS:                          | OEM CODE | ACTUAL / COMMENTS                    | PRICE        |
|---|----------|--------------------------------------|--------------|
| 144 TIRES: OPTION #2, LIST SIZE:            | QGM      | 265/70R18E REQUIRES 18" WHEEL        | \$295<br>200 |
| 216 NON-STD ENGINE OPTION A:                | LC8      |                                      | 400          |
| 217 ENG OPTION: DIESEL                      | L5P      | 6.6 DURAMAX                          | 7889         |
| 218 NON-STD ENGINE OPTION B:                |          | NOT AVAILABLE                        |              |
| 239 GVW OPTION: SPECIFY                     | C7A      | 10,000# REQUIRES 217                 |              |
| 244 AXLE RATIO (MIN.) 4.10                  |          | STANDARD                             |              |
| 249 AXLE RATIO OPTION: SPECIFY              | GT4      | 3.73                                 | 100          |
| 252 CNG PREP PACKAGE                        | LC8      |                                      | 400          |
| 254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC |          | POWER SOLUTIONS OEM SEE NOTES PAGE 3 | 11330        |
| 255 ALT FUEL - OEM DEDICATED SPEC TANK LOC  |          | POWER SOLUTIONS OEM SEE NOTES PAGE 3 | 10860        |
| 256 E85 - OEM BI FUEL                       |          | STANDARD                             |              |
| 284 REMOTE KEYLESS ENTRY                    | PCR      |                                      | 360          |
| 310 SEATS: CLOTH SEATS                      | H2R      |                                      | NO CHARGE    |
| 401 MRRS:REC/CMPR FOR TWNG (7'x9')          | DPN      | POWER REQUIRES 284 \$350             | DF2 70       |
| 408 REAR AXLE - ANTI SPIN                   | G80      | STANDARD                             |              |
| 411 TRANSMISSION: MANUAL W/OVERDRV          |          | NOT AVAILABLE                        |              |
| 423 TOOL BOX - ACROSS BED BOX(attachment)   |          |                                      | 366          |
| 424 TOOL BOX - SIDE BED BOX(attachment)     |          |                                      | 348          |
| 430 PKG:TOWING/RCVR HITCH(Atchmt)           | Z82      |                                      | 300          |
| 436 HEAVY DUTY COOLING                      |          | STANDARD                             |              |
| 443 PKG: STROBE LIGHT (Attachment)          |          |                                      | 280          |
| 444 ENGINE BLOCK HEATER                     | K05      |                                      | 100          |
| 468 SPRAY IN BEDLINER                       |          |                                      | 450          |
| 472 EPACT AFV CREDIT: Specify               |          | NOT AVAILABLE                        |              |
| 520 POWER LOCKS                             | PCR      | INCLUDES 526 AND 530                 | 360          |
| 526 POWER MIRRORS                           | PCR      | INCLUDES 520 AND 530                 | 360          |
| 530 POWER WINDOWS                           | PCR      | INCLUDES 520 AND 526                 | 360          |
| 541 DELETE DAYTIME/AUTO HEADLIGHTS          | DEALER   |                                      | 230          |
| 608 HYBRID GAS/ELECTRIC                     |          | NOT AVAILABLE                        |              |
| 620 UPPER TRIM LEVEL PKG: SPECIFY           | LT       |                                      | 5335         |
| 643 ADD DAYTIME RUNNING LIGHTS              |          | STANDARD                             |              |
| 658 EXTRA KEYS & REMOTES                    |          | REMOTE \$80 KEY \$41                 |              |
| 693 MEETS 2010 FED EMISSIONS DIESEL ENG     |          | INCLUDED                             |              |
| 894 DIESEL ENG B20 COMPLIANT                |          | STANDARD                             |              |
| 763 PHEV (PLUG IN HYBRID ELEC VEH)          |          | NOT AVAILABLE                        |              |

Colorado State Fleet Management  
 2018 VEHICLE SPECIFICATIONS  
 Dealers Invitation to Bid

8/25/2017

Class: PU - 42

Body Code: ER

3/4 T CW CAB 4X2

Representative Models: 1: FORD  
 3: RAM

F250PU  
 2500PU

2: CHEVROLET 2500 PU  
 4: GMC 2500PU

MAKE: CHEVY MODEL: SILVERADO OEM MODEL#: CC25943 TRIM LEVEL: WT OEM CODE: \_\_\_\_\_

| AVAILABLE OPTIONS:                          | OEM CODE | ACTUAL / COMMENTS     | PRICE |
|---|----------|-----------------------|-------|
| 780 UPFITTER SWITCHES                       | 9L7      |                       | 125   |
| 781 TOPPER FIBERGLASS 3 WINDOW (Attachment) |          |                       | 1567  |
| 845 BLIND SPOT NOTIFICATION                 | UD5      | REQUIRES 620          | 2510  |
| 887 BEV (BATTER/ELECTRIC)                   |          | NOT AVAILABLE         |       |
| 982 EXT WARRANTY- POWER TRAIN 5/100,000     | STANDARD | INCLUDED AT NO CHARGE |       |

AVAILABLE COLORS: Please attach manufacturer color chart

| OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please attach separate sheet if necessary) | PRICE |
|--|-------|
| 254 TANK LOCATED BEHIND CAB  |       |
| 255 TANK LOCATED BEHIND CAB  |       |

STANDARD FACTORY WARRANTY (Attach detailed description):

|                  | MILES | MONTHS |
|------------------|-------|--------|
| Bumper to Bumper | 36K   | 36     |
| Drive Train      | 100K  | 60     |
| Other            |       |        |

OPTIONAL FACTORY WARRANTY (Attach detailed description):

|                                    | MILES | MONTHS | PRICE |
|------------------------------------|-------|--------|-------|
| SEVERAL AVAILABLE CALL FOR DETAILS |       |        |       |

EPA FUEL RATING: N/A M.P.G CITY, N/A M.P.G HIGHWAY

OEM MINIMUM FUEL RATED OCTANE: 85

DELIVERY: APPROX 60 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 90 DAYS)

IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

DEALER NAME: JOHN ELWAY CHEVROLET  
 DEALER PHONE: 720.284.5255

BIDDER'S NAME: MARK MCMUNN  
 SIGNATURE: 

## PROPRANE

| Vehicle Description    | Engine | Tank Location                     | GGE | GVW             |
|------------------------|--------|-----------------------------------|-----|-----------------|
| 3500HD Truck 2WD & 4WD | 6.0L   | Back of Cab                       | 36  | 10,001-14,000   |
| G3500 Express Cutaway  | 6.0L   | All Axle & Midship                | 62  | 10,001-14,000   |
| G4500 Express Cutaway  | 6.0L   | All Axle & Midship                | 62  | 14,000 - 33,000 |
| 2500HD Truck 2WD & 4WD | 6.0L   | Back of Cab                       | 36  | 8501-10,000     |
| 3500 Low Cab Forward   | 6.0L   | Multiple Configurations Available |     |                 |
| 4500 Low Cab Forward   | 6.0L   | Multiple Configurations Available |     |                 |

## NATURAL GAS

| Vehicle Description        | Engine | Tank Location                     | GGE | GVW             |
|----------------------------|--------|-----------------------------------|-----|-----------------|
| G2500 Passenger Van        | 6.0L   | All Axle & Midship                | 16  | 8501-10,000     |
| G3500 Passenger Van        | 6.0L   | All Axle & Midship                | 16  | 10,001-14,000   |
| 3500HD Truck 2WD & 4WD     | 6.0L   | Back of Cab                       | 21  | 10,001-14,000   |
| G3500 Express Cutaway      | 6.0L   | All Axle & Midship                | 16  | 10,001-14,000   |
| G4500 Express Cutaway      | 6.0L   | All Axle & Midship                | 16  | 14,000 - 33,000 |
| 3500 Cab Chassis 2WD & 4WD | 6.0L   | Back of Cab                       | 21  | 10,001-14,000   |
| 2500HD Truck 2WD & 4WD     | 6.0L   | Back of Cab                       | 21  | 8501-10,000     |
| G2500 Cargo Van            | 6.0L   | All Axle & Midship                | 16  | 8501-10,000     |
| G3500 Cargo Van            | 6.0L   | All Axle & Midship                | 16  | 8501-10,000     |
| 3500 Low Cab Forward       | 6.0L   | Multiple Configurations Available |     |                 |
| 4500 Low Cab Forward       | 6.0L   | Multiple Configurations Available |     |                 |




POWER SOLUTIONS  
INTERNATIONAL

201 Mt. Pel Drive, Wood Dale, IL 60191  
630.350.9400 · www.psiengines.com



POWER SOLUTIONS  
INTERNATIONAL



PSI-GM SPECIALTY VEHICLE  
MODIFIER (SVM)

## CURRENT GM APPLICATIONS



SILVERADO & SIERRA

2500/3500 HD PICKUPS



EXPRESS & SAVANA

2500/3500 VANS  
3500/4500 CUTAWAYS



LOW CAB FORWARD

3500/4500 HD TRUCKS

## HOW IT WORKS

- PSI performs alternative fuel conversions including natural gas and propane on a range of GM vehicles.
- GM customers can seamlessly order and take delivery from any GM dealerships.
- GM will supply vehicles equipped with specialized version 6.0L V-8 engine to PSI, which in turn will provide the fuel system and integration hardware.
- All PSI Alternative fuel conversions are covered by PSI's 3-year/36,000-mile warranty in addition to Chevrolet and GMC's five-year/60,000-mile limited powertrain warranty a considerable value that no other aftermarket provider can offer.



GM DEALERS



FLEETS



BODY BUILDERS



OEMs

## A NEW GENERATION FOR PROPANE


Bi-Phase Gen II maintains the heat resisting benefits of coaxial fuel lines up near the engine where it is hottest, while utilizing simpler and more common materials and components in the vehicle length fuel lines and in the LP tank.

Bi-Phase Gen II has the unique and effective Bi-Phase Liquid LP injector and fuel rails.

- MORE ECONOMICAL
- SIMPLIFIED INTEGRATION
- HIGHER RELIABILITY


### PROPANE

1. Fuel Distribution Block  
*Configurable for Many Engines*
2. Pressure Test Port  
*Easily Accessible for Tech*
3. Coaxial Fuel pipe  
*Supplies Fuel to Injectors & Returns Fuel to Tank*
4. Supply and Return Ports  
*Easily Accessible for Assembly Line*
5. Fuel Press/Temp Sensor  
*Engine Mounted for Better Accuracy*
6. Fuel Rail Assembly  
*Configurable for Many Engines*



### NATURAL GAS

1. Fuel Pressure Regulator  
*G Bar-Set Point*
2. Fuel Rail Assembly  
*Configurable for Many Engines*
3. Bosch NG12-CP CNG Injector  
*Excellent Fuel Metering Control*



Colorado State Purchasing Office (per SFM)  
LIST AND EXPLANATIONS OF VEHICLE PACKAGES  
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 2 of 52

**#423 - PACKAGE: TOOLBOX - ACROSS BED BOX**

Attach one copy of this form to each body code specification sheet that has an Available Option #423 including the following body codes:

**E1,E2,E3,E4,E8,F1,F2,F3,F4,F8**

An installed **TOOLBOX - ACROSS BED BOX PACKAGE** should include the following:

- Delta brand or equivalent
- Either a gull-wing, double lid or chest-style, full-hinged, single lid crossover toolbox
- Painted white with all steel construction
- Torsion bar lift on lid(s)
- Removable tray
- Weather stripping around lid(s)
- A lock on each lid with key
- Price to include complete installation.

**Total Price for TOOL BOX- ACROSS BED BOX PACKAGE:**

- A gull-wing, double lid, tool box:

\$

- a chest-style, full-hinged, single lid crossover toolbox:

\$

**For Body Code:**

**Colorado State Purchasing Office (per SFM)  
LIST AND EXPLANATIONS OF VEHICLE PACKAGES  
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 3 of 52

**#424 - PACKAGE: TOOL BOX - SIDE BED**

Attach one copy of this form to each body code specification sheet that has an Available Option #424 including the following body codes:

**E1,E2,E3,E4,E8,F1,F2,F3,F4,F8**

An installed **TOOLBOX- SIDE BED (Rail Mount) PACKAGE** should include the following:

- Delta Brand Rail Mount Box or equivalent
- A quantity of one, side-bed, rail mount, utility, tool box
- Toolbox must sit on top of the truck bed side rail
- Painted white with all steel construction
- A lock on the lid with key
- Removable tray
- Weather stripping around lid
- Price to include complete installation, rearward of an optional across bed box.

**Total Price for 48" TOOLBOX- SIDE BED PACKAGE:**

\$ 

|     |
|-----|
| 348 |
|-----|

**Total Price for 60" TOOLBOX - SIDE BED PACKAGE:**

\$ 

|     |
|-----|
| 384 |
|-----|

**For Body Code:**

|    |
|----|
| E8 |
|----|

**Colorado State Purchasing Office (per SFM)  
LIST AND EXPLANATIONS OF VEHICLE PACKAGES  
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 4 of 52

**#430 - PACKAGE: OEM TOWING OPTION**

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

**C2,C3,C4,D1,D2,D3,D5,D8,E2,E3,E4,E8,F2,F3,F4,F8,K1,K2,K3,K5,K6,T1,T4,  
T5**

An installed OEM TOWING OPTION PACKAGE should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
- Heavy duty engine cooling
- Transmission cooling (automatic only)
- Trailer wiring harness
- HD turn signal flasher
- Handling package (describe: \_\_\_\_\_)
  
- HD battery and Alternator.
- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's OEM TOWING OPTION package from the above listed specs:

---

---

---

Total Price for OEM TOWING PACKAGE:

\$

300

For Body  
Code:

E8

Total Price for T1 - OEM TOWING  
PACKAGE:

\$



**Colorado State Purchasing Office (per SFM)  
LIST AND EXPLANATIONS OF VEHICLE PACKAGES  
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 7 of 52

**#443 - STROBE LIGHT**

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

**All C's, D's, E's, F's, G's, H's & K's, P4, PE**

The **STROBE LIGHT PACKAGE** must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- Base must be aluminum, not plastic.
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with locations as follows:
- **Location for strobe light on pickups:**
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- **Location for strobe light on vans and sport utilities:**
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make CODE 3 Model LSS222CA

List any additions and/or deletions of your bid from the STROBE LIGHT PACKAGE specs listed above:

\_\_\_\_\_  
\_\_\_\_\_

**Total Price for STROBE LIGHT PACKAGE:**

\$ 

|  |     |
|--|-----|
|  | 280 |
|--|-----|

**Colorado State Purchasing Office (per SFM)  
LIST AND EXPLANATIONS OF VEHICLE PACKAGES  
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 8 of 52

**For Body  
Code:**

E8

Colorado State Purchasing Office (per SFM)  
LIST AND EXPLANATIONS OF VEHICLE PACKAGES  
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 9 of 52

**#462 – GOOSENECK TRAILER HITCH**

Attach one copy of this form to each body code specification sheet that has an Available Option #462 including the following body codes:

**E3,E4,E8,F3,F4,F8, T1, T4,T5**

The **GOOSENECK TRAILER PACKAGE** must include the following:  
**ONE 5<sup>TH</sup> WHEEL HITCH WITH FOLDING BALL (2 5/16") MOUNTED IN BED**

- Must be retractable ball mount that allows for a clear and smooth pickup bed when not in use
- Capacity: 5000 lbs maximum vertical load
- 25,000 max gross trailer weight
- Weld two ½" steel cross plates (approx. 38" by 4") under the pickup floor and bolt the 5<sup>th</sup> wheel hitch to these cross pieces
- Weld two more ½" steel plates (approx. 3" by 10") at right angles under the tow cross plates and bolt these pieces to the frame
- Trailerwiring harness– 7way
- HD turn signal flasher
- Handling package (describe: \_\_\_\_\_)
- \_\_\_\_\_
- HD battery
- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's Gooseneck trailer package from the above listed specs:

\_\_\_\_\_

\_\_\_\_\_

Total Price for OEM TOWING PACKAGE: \$

For Body Code:

**Colorado State Purchasing Office (per SFM)  
LIST AND EXPLANATIONS OF VEHICLE PACKAGES  
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 18 of 52

**#791 – TOPPER FIBERGLASS 3 WINDOW**

Attach one copy of this form to each body code specification sheet that has an Available Option #791 including the following body codes:

**E1,E2,E3,E4,E8,F1,F2,F3,F4,F8**

The TOPPER FIBERGLASS 3 WINDOW PACKAGE must include the following:

- Astro CR 1800 Topper or Approved Equals
- Construction shall be cab height, fiberglass topper
- Front shall be solid with full width, non-tinted front glass window
- Sides shall be solid with tinted glass windows on each side, sixty (60) inches to seventy (70) inches length (plus or minus one (1) inch and fourteen (14) inches height (plus or minus one half (1/2) inch). Side windows must be centered from front to back of topper with locks and flip up and stay up with one hand operation
- Rear shall be locking, flip up, full width and full height with tinted glass door in the rear. Door must open, remain up and close with one hand operation, to include gas props.
- Keys shall be the same key which must flip side and rear flip up windows. Two keys shall be provided for each truck topper
- Topper shall include 3<sup>rd</sup> brake light
- Topper color must match truck color
- Warranty min. 3 years on structure, paint and lock cylinder, 5 years on gas props part and labor

List any additions and/or deletions on your bid from the HYDRAULIC LIFT GATE PACKAGE specs listed above:

---

---

**Total Price for TOPPER  
FIBERGLASS W/3 WINDOWS:**

1567

**For Body  
Code:**

E8