Colorado Stata Fleat Management 2018 VEHICLE SPECIFICATIONS

Dealers invitation to Bid

Class: P/LI - 4x4

BodyCode;F4

1 T4X4THUCK

Representative Models; 1: CHEVROLET

3500 PU

2: FORD

F350 PU

3; RAM

3500 PU

4; GMC

3500PU

MAKE: CHEVY MODEL: SILVERADO	OEM MODEL 8: _CK35903_ TRIM LEVEL:WT DEM CDDE:
STANDARD SPECIFICATIONS:	DEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS
101 PASS: 3 PERSONS MIN.	STANDARD
110 DOORS; 2 SIDE DOORS	STANDARD
121 LONGBEO	STANDARD
140 TIRES: ALL SEAS MAS RADIAL	STANDARD
146 FULL SIZE SPARE TIRE	STANDARD
183 WHEELBASE: 131.0 IN. MIN	133.6
238 GVW RATING: 10000 MIN	10,700
250 SINGLE REAR WHEELS	STANDARD
298 CRUISE CONTROL/TILT	STANDARD
300 AIR CONDITIONING - R1348	STANDARD
302 FIADIO: AMFM	STANDARD
307 POWER BRAKES & POWER STEERING	STANDARD
308 ABS BRAKES	STANDARD
310 SEATS: CLOTH SEATS	STANDARD
321 FLOORING; RUBBER	STANDARD
340 AIR BAG - DRIVER SIDE	STANDARD
350 STD ENG: SPECIFY	L96 6.0 V8
400 MIRRORS: RIGHT AND LEFT	STANDARD
404 INTERMITTENT WIPERS	STANDARD
410 TRANSMISSION: AUTOMATIC	STANDARD
415 FOUR-WHEEL DRIVE	STANDARD
418 AUTOMATIC LOCKING FRONT HUBS	STANDARD
436 HEAVY DUTY COOLING	STANDARD
459 STEP BMPR-500//TONGUE,5000//TRLR	STANDARD
752 AXLE RAYIO: SPECIFY	GT5 4.10
863 BACKUP CAMERA	STANDARD
910 PRIMARY FUEL: UNLEADED	STANDARD
991 STD WANTY- BUMPER TO BUMPER 3/36	STANDARD

STANDARD VEHICLE BASE PRICE 5 25,320

8/25/2017

Colorado State Fieet Menagement 2016 VEHICLE SPECIFICATIONS

Ceziers invitation to Bid

Class- P/U - 4x4

Body Code: F4

114X4IBUCK

Representative Models: 1: CHEVROLET

3500 PU

2; FORD

F350PU

3 RAM 3500 PU 4;GMC 3500PU

MAKE	CHEVY MODEL: SILVERADO	DEMMODEL#: _CK35903 TRM LÉVEL: WT_ DEMCODE:	The order in the owner of
A\	ALABLE OPTIONS:	DEM CODEACTUAL/ COMMENTS	PRICE
097	CREW CAB (4 DOORS): SPECIFY CA		3729
098	EXT CAB LONG BED 3 OF 4 DOOR	CK35953-55-24"	2316
099	EXT CAS SHORT BED 3 OR 4 DOOR	NOT AVAILABLE	
122	SHORT BED	NOT AVAILABLE	
133	BACK UP ALARM	_853	138
141	TIRES:ALL-TERRAIN, LIST SIZE;	OGM_265/70R18F	200
143	TIRES: OPTION #1, LIST SIZE:	NOT AVAILABLE	
152	SPILT BENCH 40/20/40 FULL CONSOLE	AZ3	435
215	NON-STO ENGINE OPTION A	LC8	400
217	ENG OPTION; DIESEL	_L5PDURAMAX	7889
218	NON-STD ENGINE OPTION B:	NOT AVAILABLE	
229	HEAVY DUTY SUSPENSION SPECIFY TYPE;	STANDARD	
239	GVW OPTION; SPECIFY	C7V 11.600# REQUIRES 217	
244	AXLE FIATIO (MIN.) 4.10	STANDARD	
249	AXLE FIATIO OFTION: SPECIFY	_GT43.73	100
252	CNG PREP PACKAGE	LC8	400
254	ALT FUEL-CEMBI FUELSPECIFYTANKLOC	POWER SOLUTIONS OFM SEE NOTES PAGE 4	11330
255	ALT FUEL- DEM DEDICATED SPEC TANK LOC	POWER SOLUTIONS OEM SEE NOTES PAGE 4	10860
256	E8S - CIEM BI FUEL	STANDARD	
261	DUALREARWHEELS	9G4 DRW CHANGES GVWR TO 13,400	880
262	DARKEST LEGAL TINT AVAIL	AKO ON BASE CAB- CALL FOR OTHER CABS	100
285	CUSTOM CLOTH SEAT WICHTR CNSDLE STRG	A73	_435
284	EMOTE KEYLESS ENTRY	PCR.	_1005_
311	EATS VINYL SEATS	HTQ NOT AVAILABLE 266 NO C	HARGE
312	EATS BUCKET SEATS- CLOTH	NOT AVAILABLE	
401	MRRS:REC/CMPR POR TWNG ("92")	DPN POWER \$310 MANUAL INCLUDED N	O CHARGE
408	REAR AXLE- ANTI SPIN	STANDARD	
411]	RANSMISSION: MANUAL WIOVERDRY	NOT AVAILABLE	
423 1	OOL BOX - ACROSS BED BOX(attachment)		366
424 1	OOL BOX - SIDE BED BOX(attachment)		348
429 T	HAILER BRAKE CONTROL-ELECTRIC	JL1	275
430 F	CKG:TOWING/RCYR HITCH(Alchmi)	R8F INCLUDES 429	585
432 T	OW HOOKS	STANDARD	
438 P	ACKAGE:SNOW PLOW (attchmt)		3667
439 C	em snow plow prep		
			_385

8/25/2017

Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

Class: P/U - 4x4

Body Code: F4

1I4X4IBUCK

Representative Models: 1: CHEVROLET

3500 PU

2: FORD

F350PU

3: RAM

3500 PU

4:GMC

3500 PU

A۷	/AILABLE OPTIONS:	CEM CODEACTUAL/ COMMENTS	PRICE
440	PACKAGE:OFF ROAD (Attachment)		350
443	PKG: STROBE LIGHT (Altechment)		280
444	ENGINE BLOCK HEATER	_K05	100
450	SKID PLATE-FUEL TNK,TRFR CS/DI	NZZ	150
454	AUXILARY BATTERY	K4B NOT AVAILABLE 217 AND 254	135
462	GOOSENECK HTCH (attchrnt)		881
456	SPRAY IN BEDLINER		450
472	EPACT AFV CREDIT: Specify	NOT AVAILABLE	
516	LEFT DOOR POST SPOTLIGHT (50W)		480
520	POWER LOCKS	STANDARD	
521	HEAVY DUTY ALTERNATOR	KW5	150
526	POWER MIRRORS	PCR INCLUDES 284 AND 530	1005
SND	POWER WINDOWS	PCR INCLUDES 284 AND 526	1005
541	DELETE DAYTIME/AUTO HEADLIGHTS	DEALER	230
599	AM/FM CD PLAYER	CD NOT AVAILABLE	
608	HYBRID GAS/PLECTRIC	NOT AVAILABLE	
620	UPPER TRIM LEVEL PKG: SPECIFY	IT.	4620
643	ADD DAYTIME RUNNING LIGHTS	STANDARD	
650	EXTRA KEYS & REMOTES	REMOTE \$80 KEY	41
693	MEETS 2010 FED EMISSIONS DIESEL ENG	_INCLUDED	
694	DIESEL ENG B20 COMPLIANT	REQUIRES 2017	
763	PHEV (PLUG IN HYBRID ELEC VEH)	NOT AVAILABLE	
780	UPFITTER SWITCHES	<u>9L7</u>	125
791	TOPPER FIBERGLASS 3 WINDOW (Attachment)		1567
B45	BLIND SPOT NOTIFICATION	Y65 REQUIRES 620	1775
887	BEV (BATTER/ELECTRIC)	NOT AVAILABLE	
982	EXT WARRANTY- POWER TRAIN 5/100,000	STANDARD INCLUDED NO.CH	LADOE

8/25/2017

Colorado State Fleet Managament 2018 VEHICLE SPECIFICATIONS

Designs invitation to 8ld

Class: P/U - 4x4

Body Code: F4

1I4X4TRUCK

Representative Models: 1: CHEVROLET

DEALER NAME: JOHN ELWAY CHEVROLET

DEALERPHONE: 720.284,5255

3: FAM

3500 PU 3500 PU 2:FOR0 4:GMC

F350 PU 3500PU

MAKE: CHEVY MODEL: SILVERADO DEM MODELN: _CK35903 TRM LEVEL: _WT___ AVAILABLE COLORS: Please altach manufacturer edor chart OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please stach separate sheet I necessary) PRICE 254 TANK BEHIND CAB 255 TANK BEHIND CAB STANDARD FACTORY WARRANTY (Altach detailed description); MILES. MONTHS Bumper to Bumper 36K 36 nier TevhO 100K ____60 Other OPTIONAL FACTORY WARRANTY (Atlach detailed description); MONTHS PRICE SEVERAL AVAILABLE CALL FOR DETAILS N/A MP.G CITY, EPA FUEL RATING: NI/A MPG HIGHWAY OEM MINIMUM FUEL RATED OCTANE: 85 DELIVERY: APPROX 60 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 50 DAYS) IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS:

BIDDER'S NAME:

PROPANE

Citally or employ	画甘	COLLEGE FOR		(0.00)
3500HD Truck 2WD & 4WD	109	Back of Cab	36	10,001-14,000
G3500 Express Cutaway	6.0 L	Aft Aule & Midship	62	10,001-14,000
G4500 Express Cutaway	109	Alt Axle & Midshp	62	14,000 - 33,000
2500HD Truck ZWD & 4WD	109	Back of Cab	딺	8501-10,000
3500 Low Cab Forward	J 0'9	Multiple Configurations Available	ns Available	•
4500 Low Cab Forward	9.0 L	Multiple Configurations Available	ns Available	•

NATURAL GAS

4500 Low Cab Forward	3500 Lovi Cab Fonvard	G3500 Cargo Van	G2500 Cargo Van	2500HD Truck 2WD & 4WD	3500 Cab Chassis ZWD & 4WD	G4500 Express Culaway	G3500 Express Cutaway	3300HD Truck 2WD 8 4WD	G3500 Passenger Van	G2500 Passenger Van	ाण्ड्रम् । जन्म
109	109	6.0 L	£.0L	9.C.L	9.0L	5.01	10.6	6.0L	109	90L	
ให้ม Uple Configurations Available	Multiple Configurations Available	Aft Axie & Midship	Alt Axle & Midship	Back of Cab	Back of Cab	Alt Axle & Midsh:p	Alt Axle & Midship	Back of Cab	Alt Avie & Midship	Aft Axie & Midship	(मा) किट्टिका
Available	Available	16	16	21	21	क	16	21	16	16	G.
		8501-10,000	8501-10,000	8501~10,000	10,001-:4,000	14,000 - 33,000	10,001-14,000	10,001 14,000	70,001-14,000	8501-10,000	GWN




POWER SOLUTIONS

201 M_{ITT}el Drive, Wood Dale, IL 60191 630.350.9400 www.psiengines.com



POWER SOLUTIONS



PS-GW SPECIALTY VEHICLE

CURRENT GIM APPLICATIONS



2500/3500 HD PICKUPS SILVERADO 6 SIERRA







3500/4500 HD TRUCKS

3500/4500 CUTAWAYS

EXPRESS & SAVANA 2500/3500 VANS



LOW CAB FORWARD

HOW IT WORKS

- PSI performs alternative fuel conversions including natural gas and propane on a range of GM vehicles.
- any GM dealerships. GM customers can seamlessly order and take delivery from
- system and integration hardware. GM will supply vehicles equipped with specialized version 6.0L V-8 engine to PSI, which in turn will provide the fuel
- a considerable value that no other aftermarket provider can offer. GMC's five-year/60,000-mile limited powertrain warranty All PSI Alternative fuel conversions are covered by PSI's 3-year/36,000-mile warranty in addition to Chevrolet and



FLEETS

OM DEALERS





BODY BUILDERS



SEED

A NEW GENERATION FOR PROPANE


common materials and components in the vehicle length fuel lines and in up near the engine where it is hottest, while utilizing simpler and more Bi-Phase Gen II maintains the heat resisting benefits of coaxial fuel lines the LP tank.

Bi-PhaseGen II has the unique and effective Bi Phase Liquid LP injector and

MORE ECONOMICAL







Page 2 of 52

#423 - PACKAGE: TOOLBOX - ACROSS BED BOX

Attach one copy of this form to each body code specification sheet that has an Available Option #423 including the following body codes:

E1,E2,E3,E4,E8,F1,F2,F3,F4,F8

An Installed TOOLBOX- ACROSS BED BOX PACKAGE should include the following:

- Delta brand or equivalent
- Either a gull-wing, double lid or chest-style, full-hinged, single lid crossover toolbox
- Painted white with all steel construction
- Torsion bar lift on lid(s)
- Removable tray
- Weather stripping around lid(s)

A gull-wing, double lid, tool box:

- · A lock on each lid with key
- Price to include complete installation.

Total Price for TOOL BOX- ACROSS BED BOX PACKAGE:

\$_	366				
	a _1t. t	_			

a chest-style, full-hinged, single lid crossover toolbox:

For Body F4

Page 3 of 52

#424 - PACKAGE: TOOL BOX- SIDE BED

Attach one copy of this form to each body code specification sheet that has an Available Option #424 including the following body codes:

E1,E2,E3,E4,E8,F1,F2,F3,F4,F8

An installed TOOLBOX - SIDE BED (Rail Mount) PACKAGE should include the following:

- Delta Brand Rail Mount Box or equivalent
- · A quantity of one, side-bed, rail mount, utility, tool box
- Toolbox must sit on top of the truck bed side rail
- · Painted white with aii steel construction
- A lock on the lid with key
- Removable tray
- Weather stripping around lid
- Price to include complete installation, rearward of an optional across bed box.

Total Price for 48" TOOLBOX - SIDE BED PACKAGE:	\$ 348
Total Price for 60" TOOLBOX - SIDE BED PACKAGE:	\$ 384
For Body F4	

Page 4 of 52

#430 - PACKAGE: OEM TOWING OPTION

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

C2,C3,C4,D1,D2,D3,D5,D8,E2,E3,E4,E8,F2,F3,F4,F8,K1,K2,K3,K5,K6,T1,T4,
T5

An installed **OEM** TOWING OPTION PACKAGE should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
 Heavy duty engine cooling
 Transmission cooling (automatic only)
- Trailerwiring harness
- HD turn signal flasher
- HD battery and Alternator.
- · Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to you the above listed specs:	r company's OEM TOWING OPTION package from
INCLUDES BRAKE CONTRO	L
Total Price for OEM TOWING PACKAGE:	\$ 585
For Body F4 Code:	
Total Price for T1 - OEM TOWING PACKAGE:	•

Page5of52

#438 - PACKAGE: SNOW PLOW

Attach one copy of this form to each body code specification sheet that has an Available Option #438 including the following body codes:

F3,F4,F8,H3, T1, T4,T5

An installed SNOW PLOW PACKAGE should include the following:

- Meyer Standard Series Snowplow model #ST 7.5 or equivalent (7 1/2 foot blade).
- To be installed on a full size, 4WD pickup (Ford, Chevy or Dodge) with a minimum GVW rating of 8500 lbs
- The plow mounting kit used must be specifically designed for use on this vehicle.
- Must have dual batteries with isolator as a power source for the plow.
- Either an all-steel moldboard or a polymer moldboard with a high carbon steel cutting edge blade.
- · Quick disconnect of front-end hardware, lights, and hydraulic unit.
- Hydraulic powered lift with electric, solenoid operated controls inside the cab that will allow the plow to be angled from side to side and lifted up and down.
- Additional headlights and directional lights above the plow. Must be a vibration free installation connecting to either the bumper or the plow hitch.
- Price to include complete installation.
- Audibie back up alarm (light bulb type acceptable)
- Includes standard factory warranty of at least one year parts/labor

Specify how normal use of snow plow will not cause vehic	le air bag to be engaged:
Please list additions and/or deletions to your company above listed specs:	s SNOW PLOW PACKAGE from the
Total Price for SNOW PLOW package with all steel moldboard:	\$ 3667
Total Price for SNOW PLOW package with polymer moldboard: For Body Code: F4	\$4420

Page6of52

#440 - PACKAGE: OEM OFF ROAD

Attach one copy of this form to each body code specification sheet that has an Available Option #440 including the following body code:

F1,F2,F3,F4,F8,K1,K2,K3,K5,K6,T1,T4,T5

and the other the other throughton the	(3,1(0,11,14,15)
An installed OEM OFF ROAD package should include the	e following:
 High pressure front and rear gas shocks H/D springs Mud and snow radial tires "LT 265/70R/18E ALL TERRAIN 	rated. Specify tire size:
 Skid plate group. Specify types: NZZ Front and rear tow hooks Limited Slip Rear Axle – Specify Ratio G80 All items to be covered at a minimum by the 3 year 	4.10 r 36,000 mlle factory warranty
Please list additions and/or deletions to your company's above listed specs: 9G3 OFF ROAD SUSPENSION PACKAGE (OP	OEM OFF ROAD PACKAGE from the
Total Price for the OEM OFF ROAD package: \$ 350 For Body Code: F4	

Page7of52

#443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

The STROBE LIGHT PACKAGE must include the following:

- · Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- · Base must be aluminum, not plastic.
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- · Complete installation with locations as follows;
- · Location for strobe light on pickups:
- On the roof of the pickup cab
- . The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- Location for strobe light on vans and sport utilities:
- · On the roof of the van or sport utility
- . The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make _	CODE 3	Model _	LSS222CA
List any above;	additions and/or deletio	ns of your bild from the	e STROBE LIGHT PACKAGE specs listed
Total Pri	ice for STROBE LIGHT GE:	\$	280

PageBof52

For Body	F4
Code:	F4

Page9of52

#462 - GOOSENECK TRAILER HITCH

Attach one copy of this form to each body code specification sheet that has an Available Option #462 including the following body codes:

E3,E4,E8,F3,F4,F8,T1, T4, T5

The GOOSENECK TRAILER PACKAGE must include the following: ONE 5TH WHEEL HITCH WITH FOLDING BALL (2 5/16") MOUNTED IN BED

- Must be retractable ball mount that allows for a clear and smooth pickup bed when not in use
- Capacity: 5000 lbs maximum vertical load
- 25,000 max gross trailer weight
- Weld two ½"steel cross plates (approx. 38" by 4") under the pickup floor and bolt the 5th wheel hitch to these cross pieces
- Weld two more 1/2" steel plates (approx. 3" by 10") at right angles under the tow cross plates and bolt these pieces to the framo
- Trailer wiring harness 7 way
- HD turn signal flasher

•	Handling package (describe:
_	

- HD battery
- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please above is	list addition sted specs:	s and/or	deletions	to your	company's	Gooseneck	trailer	package	from	the
Total P	rice for OEM	AIWOT N	IG PACKA	.GE: \$	881					
For 1	Body de:	F4								

Page 18 of 52

#791 - TOPPER FIBERGLASS 3 WINDOW

Attach one copy of this form to each body code specification sheet that has an Available Option #791 including the following body codes:

E1,E2,E3,E4,E8,F1,F2,F3,F4,F8

The TOPPER FIBERGLASS 3 WINDOW PACKAGE must include the following:

- Astro CR 1800 Topper or Approved Equals
- · Construction shall be cab height, fiberglass topper
- · Front shall be solld with full width, non-tinted front glass window
- Sides shall be solid with tinted glass windows on each side, sixty (60) inches to seventy (70) Inches length (plus or minus one (1) Inch and fourteen (14) Inches height (plus or minus one half (1/2 inch). Side windows must be centered from front to back of topper with locks and flip up and stay up with one hand operation
- Rear shall be locking, flip up, full width and full height with tinted glass door in the rear.
 Door must open, remain up and close with one hand operation, to include gas props.
- Keys shall be the same key which must flip side and rear flip up windows. Two keys shall be provided for each truck topper
- Topper shall include 3rd brake light
- Topper color must match truck color
- Warranty min. 3 years on structure, paint and lock cylinder, 5 years on gas props part and labor

List any additions and/or deletions specs listed above:	s on your bid from the HYDRAULIC LIFT GATE PACKAGE
Total Price for TOPPER	1567
For Body Code: F4	