W25/2017

Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Desiers invitation to Eld

Class: P/U - 4x4

Body Code: F8

3/4TCW CAB 4X4

Representative Models: 1: FORD

3;RAM

F250PU 2500PU

2; CHEVAOLET

4 GMC

2500 PU 2500PU



MAKE: CHEVY MODEL: SILVERADO	DEM MODEL II: CK25943 TRIM LEVEL: WT DEM CODE:
STANDARD SPECIFICATIONS:	OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS
104 PASS: 8 PERSONS MIN.	STANDARD
111 DOORS: 4 FULL SIZE SIDE DOORS	STANDARD
121 LONG BED	STANDARD
140 TIRES; ALL SEAS MAS RADIAL	STANDARD
146 FULL SIZE SPARE TIRE	STANDARD
184 WHEELBASE: 152.0 IN, MIN	167.7
197 ENG MIN CYL: 8	STANDARD
228 FUEL TANIC 30 GAL MIN	36
237 GVW FIATING: 8800 MIN	9900
298 CRUISE CONTROL/TILT	STANDARD
300 AR CONDITIONING- R134a	STANDARD
302 RADIO: AMUFM	STANDARD
307 POWER BRAKES & POWER STEERING	STANDARD
308 ABS BRAKES	STANDARD
310 SEATS: CLOTH SEATS	STANDARD
321 FLOORING: RUBBER	STANDARD
340 AIR BAG - DRIVER SIDE	STANDARD
350 STD ENG: SPECIFY	L96 6.0 V8
400 MIRRORS: RIGHT AND LEFT	STANDARD
404 INTERMITTENT WIPERS	STANDARD
410 TRANSMISSION:AUTOMATIC	STANDARD
415 FOUR-WHEEL DRIVE	STANDARD
418 AUTOMATIC LOCKING FRONT HUBS	STANDARD
459 STEP BMPR-500#TONGUE,5000#TRLR	STANDARD
752 AXLE RATIO: SPECIFY	GT5 4.10
863 BACKUP CAMERA	STANDARD
910 PRIMARY FUEL: UNLEADED	STANDARD
991 STD WANTY- BUMPER TO BUMPER 3/38	STANDARD

28,146 STANDARD VEHICLE BASE PRICE \$

8/25/2017

Colorado Stata Fleet Management 2018 VEHICLE SPECIFICATIONS Dealers Invitation to Old

Class: P/U - 4x4

Body Code: FB

34 TCW CAB 4X4

Representative Models: 1: FORD

F250PU

2; CHEVROLET

3:FIAM

2500PU

4: GMC

2500 PU 2500 PU

AVAILABLE OPTIONS:	OEM COD	EACTUAL/ COMMENTS	PRICE
122 SHORT BED	CK2574	3CREDIT	-90
123 BACKUPALARM	8S3		138
141 TIRES: ALL-TERRAIN, UST SIZE:	QXT	265/70R17E	200
143 TIRES: OPTION #1, LIST SIZE:	QGM	265/70R18E REQUIRES 18" WHEELS \$295	200
152 SPILT BENCH 40/20/40 FULL CONSOLE	AZ3	REQUIRES 599	435
216 NON-STD ENGINE OPTION A:	LC8		400
217 ENG OPTION: DIESEL	L5P	DURAMAX	7889
218 NON-STD ENGINE OPTION E:	NOT AV	/AILABLE	
229 HEAVY OUTY SUSPENSION SPECIFY TYPE:	9G3	REQUIRES 141 AND 450	275
239 GVW OPTION: SPECIFY	C7A	10,000# REQUIRES 217	
244 AXLE RATIO (MIN.) 4,10	STAND	ARD	
249 AXLE RATIO OPTION; SPECIFY	GT4	3.73	
252 CNG PREP PACKAGE	LC8		400
254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC	POWER	R SOLUTIONS OEM SEE NOTES PAGE 4	11330
255 ALT FUEL- DEM DEDICATED SPEC TANK LOC	POWER	R SOLUTION OEM SEE NOTES PAGE 4	10860
256 EB5 - QEM BI FLIEL	STAND		
282 DARKEST LEGALTINT AVAIL	AK0		200
284 REMOTE KEYLESS ENTRY	PCR		360
SEATS: VINYL SEATS	H2Q	NOT AVAILABLE 152 NO CH	
12 SEATS: BUCKET SEATS - CLOTH	A95	REQUIRES 620	1275
MRRS:REC/CMPR FOR TWNG (7"x9")	DPN	POWER REQUIRES 284 \$350 DF2	70
103 REAR WINDOW DEFROSTER	C49		225
REAR AXLE-ANTI SPIN	G80	STANDARD	
111 TRANSMISSION: MANUAL W/OVERDRY	NOT AV	/AILABLE	
23 TOOL BOX -ACROSS SED BOX(attachment)			366
24 TOOL BOX - SIDE BED BOX(ottachment)		<i>y</i>	444
29 TRAILER BRAKE CONTROL-ELECTRIC	JL1		275
30 PCKG:TOWING/RCVR HITCH(Alchml)	Z82		300
32 TOW HOOKS	STAND	ARD	
36 HEAVY DUTY COOLING	STAND	ARD	
38 PACKAGE:SNOW PLOW (allchmi)			3667
39 OEM SNOW PLOW PREP	VYU		385
40 PACKAGE:OFF ROAD (Attachment)		9	350
43 PKG: STROBE LIGHT (Attachment)			280
44 ENGINE BLOCK HEATER	K05		100

Pege3 of 4

8/25/2017

Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

Class P/U- 4x4

Body Code: F8

3/4 I CW CAB 4X4

Representative Models: 1: FORD

1: FORD 3: RAM F250PU

2 CHEVROLET

2500PU

4: GMC

2500 PU 2500 PU

MAKE:	CHEVY MODEL: SILVERAD	OEM MODEL #: OCK25943 FRM LEVEL: WT OEM CODE:			
AV	ALABLE OPTIONS:	OEM CODEACTUAL/ COMMENTS			
450	SKID PLATE-FUEL TNK, TRFR CS/DI	NZZ	150		
454	AUXILARY BATTERY	K4B NOT AVAILABLE 217	135		
462	GOOSENECK HITCH (attribute)		881		
468	SPRAY IN BEDLINER		450		
472	EPACT AFV CREDIT: Specify	NOT AVAILABLE	- 		
516	LEFT DOOR POST SPOTLIGHT (50W)		480		
520	POWER LOCKS	STANDARD	•		
526	POWER MIRRORS	PCR	360		
530	POWER WINDOWS	STANDARD			
541	DELETE DAYTME/AUTO HEADLIGHTS	DEALER	230		
599	AWRM CD PLAYER	NO CD AVAILABLE			
608	HYBRID GAS/ELECTRIC	NOT AVAILABLE			
820	UPPER TRIM LEVEL PKG: SPECIFY	LT	5675		
643	ADD DAYTIME RUNNING LIGHTS	STANDARD			
658	EXTRA KEYS & REMOTES	REMOTE \$80 KEY \$41			
693	MEETS 2010 FED EMISSIONS DIESEL ENG	INCLUDED			
694	DIESEL ENG 820 COMPLIANT	REQUIRES 217			
763	PHEV (PLUG IN HYBRID ELEC VEH)	NOT AVAILABLE			
780	UPFITTER SWITCHES	9L7	125		
791	TOPPER FIBERGLASS 3 WINDOW (Atlactvment)		1567		
845	BLIND SPOT NOTIFICATION	REQUIRES 620	2510		
847	FUEL TANK: 32 GAL W/CNG	INCLUDED WITH 254 - 21 GAL GGE			
887	BEV (BATTER/ELECTRIC)	NOT AVAILABLE			
962	EXTWARRANTY- POWERTRAINS/100,000	STANDARD INCLUDED NO CI	HARGE		

8/25/2017

Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

Class: P/U - 4x4

Body Code: F8

35 T CW CAB 4X4

Representative Models: 1: FORD

3: RAM

F250PU 2500PU

2 CHEVROLET

4 GMC

2500 PU 2500 PU

MAKE: CHEVY MODEL: SILVERADO CEM MODELI: CK25943 TRIM LEVEL: WT CEM CODE: AVAILABLE COLORS: Plaase atlach manufacturer color chart OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please stach separate sheet if necessary) PRICE 254 TANK BEHIND CAB 255 TANK BEHIND CAB STANDARD FACTORY WARRANTY (Attach detailed description): MILES **MONTHS** 36K 36 Bumper to Bumper 100K 60 OriveTrain Other OFTIONAL FACTORY WARRANTY (Attach detailed description): MILES MONTHS SEVERAL AVAILABLE CALL FOR DETAILS N/A EPA FUEL RATING: N/A M.P.G CITY. M.P.G HIGHWAY OEM MINIMUM FUEL RATED OCTANE: DELIVERY: APPROX 60 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 90 DAYS) IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS: DEALER NAME: JOHN ELWAY CHEVROLET MARK MCMUNN BIDDER'S NAME: DEALER PHONE: 720.284.5255 SIGNATURE:

PROPANE

4500 Low Cab Forward	3500 Low Cab Forward	2500HD Truck 2WD & 4WD	G4500 Express Cutaviay	G3500 Express Cutaway	3500HD Truck 2WD & 4WD	Vehicle Description
10.9	10.9	6.0L	6.0L	6.0 L	109	
Multiple Configurations Available	Multiple Configurations Available	Back of Cab	Aft Axle & Midsh p	Aft Ade & Midship	Back of Cab	Tank Location
15 Available	ıs Available	9E	62	62	36	GGE
		850 1-10,000	14,000 - 23,000	10,001-14,000	10.00 1- 14,000	GVW

NATURAL GAS

Vehicle Description	Engine	Tank Location	e e	GUM
G2300 Passenger Van	60L	Aft Axle & Midship	16	8501-10,000
G3500 Passenger Van	109	All Axle & Midship	ਨੀ	10,001-14,000
3509HD Truck 2WD & 4WD	6.0 L	Back of Cob	21	10,001-14,000
G3500 Express Cutaviay	6.01	Alt Arle & Midship	36	10,001-14,000
G4500 Express Culaway	6.0 L	Alt Arie & Midship	ಕ	16,000 - 33,000
3500 Cab Chasss 2WD & 4WD	60L	Back of Cab	21	10 001-14,000
2500HD Truck 2WD & 4WD	109	Back of Cab	21	8501-10,000
62500 Cargo Van	900	Alt Exle & Midship	6	8501-10,000
C3500 Cargo Van	109	Aft Axle & Midship	16	8501-10,000
3500 Low Cab Forward	109	Multiple Configurations Available	ns Available	
4500 Low Cab Forward	6.0 L	Multiple Configurations Available	15 Available	




INTERNATIONAL

201 Mittel Drive, Wood Dale, IL 60191 630.350.9400 vvvvv.psiengines.com



POWER SOLUTIONS



PSI-GM SPECIALTY VEHICLE MODIFIER (SVM)

CURRENT GM APPLICATIONS



2500/3500 HO PICKUPS SILVERADO 6 SIERRA







3500/4500 HD TRUCKS LOW CAB FORWARD

HOW IT WORKS

- gas and propane on a range of GM vehicles. PSI performs alternative fuel conversions including natural
- any GM dealerships. GM customers can seamlessly order and take delivery from
- system and integration hardware 6.0L V-8 engine to PSI, which in turn will provide the fuel GM will supply vehicles equipped with specialized version
- a considerable value that no other aftermarket provider GMC's five-year/60,000-mile limited powertrain warranty 3-year/36,000-mile warranty in addition to Chevrolet and All PSI Alternative fuel conversions are covered by PSI's can offer.



FLEETS

GM DEALERS





BODY BUILDERS



RES

A NEW GENERATION FOR PROPANE

Bi-Phase Gen II maintains the heat resisting benefits of coaxial fuel lines up near the engine where it is hottest, while utilizing simpler and more the LP tank. common materials and components in the vehicle length fuel lines and in

Bi-PhaseGen II has the unique and effective Bi Phase Liquid LP injector and tuel rails.


MORE ECONOMICAL



SIMPLIFIED INTEGRATION



ALCHER BELIABILITA



Page2of52

#423 - PACKAGE: TOOLBOX- ACROSS BED BOX

Attach one copy of this form to each body code specification sheet that has an Available Option #423 including the following body codes:

E1,E2,E3,E4,E8,F1,F2,F3,F4,F8

An Installed TOOLBOX -ACROSS BED BOX PACKAGE should include the following:

- Detta brand or equivalent
- Either a gull-wing, double lid or chest-style, full-hinged, single lid crossover toolbox
- Painted white with all steel construction
- Torsion bar lift on lid(s)
- Removable tray
- Weather stripping around lid(s)

A gull-wing, double lid, tool box:

- A lock on each lid with key
- · Price to include complete installation.

Total Price for TOOL BOX -ACROSS BED BOX PACKAGE:

\$	366	
71		

a chest-style, full-hinged, single lid crossover toolbox:

For Body	F8	-

444

Page 3 of 52

#424 - PACKAGE: TOOL BOX- SIDE BED

Attach one copy of this form to each body code specification sheet that has an Available Option #424 including the following body codes:

E1.E2.E3,E4,E8,F1,F2,F3,F4,F8

An installed TOOLBOX - SIDE BED (Rail Mount) PACKAGE should include the following:

- Delta Brand Rail Mount Box or equivalent
- A quantity of one, side-bed, rail mount, utility, tool box
- · Toolbox must sit on top of the truck bed side rail
- Painted white with all steel construction
- A lock on the tid with key
- Removable trav
- Weather stripping around lid
- Price to include complete installation, rearward of an optional across bed box.

Total Price for 48" TOOLBOX- SIDE BED PACKAGE:	\$ 348
Total Price for 60" TOOLBOX- SIDE BED PACKAGE:	\$ 384
For Body F8	

Page40152

#430 - PACKAGE: OEM TOWING OPTION

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

C2,C3,C4,D1,D2,D3,D5,D8,E2,E3,E4,E8,F2,F3,F4,F8,K1,K2,K3,K5,K6,T1,T4,
T5

An installed **OEM TOWING OPTION PACKAGE** should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
- · Heavy duty engine cooling
- Transmission cooling (automatic only)
- Trailer wiring harness
- HD turn signal flasher
- HD battery and Alternator.
- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your the above listed specs:	company's OEM TOWING OPTION package from
Z82	
Total Price for OEM TOWING PACKAGE:	\$ 300
For Body F8	
Total PriceforT1 -OEM TOWING PACKAGE:	\$

Page6 of 52

#440 - PACKAGE: OEM OFF ROAD

Attach one copy of this form to each body code specification sheet that has an Available Option #440 including the following body code:

F1,F2,F3,F4,F8,K1,K2,K3,K5,K6,T1,T4,T5

An installed OEM	OFF ROAD	package st	nould inclu	ide the fo	llowing:			
 H/D spring 	nd snow	rear gas si radial TERRAIN	hocks tires	"LT"	rated.	Specify	tire	size
Front andLimited Sli	group. Speci rear tow hooi p Rear Axle -	ks - Specify R	atio <u>G80</u>		4.10			
All iterns to Please list additionabove listed special			-	_		-	-	om the
	9G3 OFF	ROAD SUS	PENSION	(OPTIO	NAL FACT	ORY \$275)		
Total Price for the package:	ne OEM OFF	ROAD	\$	350				
For Body Code:	F8							

Page7of52

#443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

The STROBE LIGHT PACKAGE must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- · Base must be aluminum, not plastic.
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with locations as follows:
- Location for strobe light on pickups:
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- . The light must be also centered from one side to the other side of the roof.
- Location for strobe light on vans and sport utilities:
- On the roof of the van or sport utility
- · The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make	CODE 3	Model	LSS222CA	_
List any above:		s of your bid from the	STROBE LIGHT PACKAGE spec	cs listed
Total I	Price for STROBE LIGHT	s 2	280	

Page8of52

For Body	F8
Code:	

Page9of52

#462- GOOSENECK TRAILER HITCH

Attach one copy of this form to each body code specification sheet that has an Available Option #462 including the following body codes:

E3,E4,E8,F3,F4,F8, T1, T4, T5

The GOOSENECK TRAILER PACKAGE must include the following:
ONE 5TH WHEEL HITCH WITH FOLDING BALL (2 5/16") MOUNTED IN BED

- Must be retractable ball mount that allows for a clear and smooth pickup bed when not in use
- Capacity: 5000 lbs maximum vertical load
- 25,000 max gross trailer weight
- Weld two ½"steel cross plates (approx. 38" by 4") under the pickup floor and bolt the 5th wheel hitch to these cross pieces
- Weld two more 1/2" steel plates (approx. 3" by 10") at right angles under the tow cross plates and bolt these pieces to the frame
- Trailerwiring hamess— 7way
- HD turn signal flasher
 Handling package (describe)

Ligitalitis backage (describe:	
HD battery	

- HD battery
- Price to include complete installation.
- · All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to yo above listed specs:	our company's Gooseneck trailer package	from th	ne
Total Price for OEM TOWING PACKAGE:	\$ 881		
For Body F8			

Page 18 of 52

.

#791 - TOPPER FIBERGLASS 3 WINDOW

Attach one copy of this form to each body code specification sheet that has an Available Option #791 including the following body codes:

E1,E2,E3,E4,E8,F1,F2,F3,F4,F8

The TOPPER FIBERGLASS 3 WINDOW PACKAGE must include the following:

- Astro CR 1800 Topper or Approved Equals
- Construction shall be cab height, fiberglass topper
- Front shall be solid with full width, non-tinted front glass window
- Sides shall be solid with tinted glass windows on each side, sixty (60) inches to seventy (70) inches length (plus or minus one (1) inch and fourteen (14) inches height (plus or minus one half (1/2 inch). Side windows must be centered from front to back of topper with locks and flip up and stay up with one hand operation
- Rear shall be locking, flip up, full width and full height with tinted glass door in the rear. Door must open, remain up and close with one hand operation, to include gas props.
- Keys shall be the same key which must flip side and rear flip up windows. Two keys shall be provided for each truck topper
- Topper shall include 3rd brake light
- Topper color must match truck color
- Warranty min. 3 years on structure, paint and lock cylinder, 5 years on gas props part and labor

List any additions and/or de specs listed above;	eletions on yo	ur bid from the	∍ HYDRAULIC LIF	T GATE PACKAGE
Total Price for TOPPER FIBERGLASS W/3 WINDOV	VS:	1567		
For Body F8				