

2019 VEHICLE SPECIFICATIONS

2/28/2017

Dealers Invitation to Bid

ORIGINAL

Class: Maintenance Utility

Body Code: H3

UTILITY4X4

Representative Models: 1: FORD
3: GMC

F350
3500

2: CHEVROLET 3500
4: RAM 3500

MAKE: CHEVY MODEL: SILVERADO OEM MODEL #: CK35903 TRIM LEVEL: _____ OEM CODE: _____

STANDARD SPECIFICATIONS:

OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS

101	PASS: 3 PERSONS MIN.	STANDARD
110	DOORS: 2 SIDE DOORS	STANDARD
130	CAB/CHASSIS LESS BED	ZW9
140	TIRES: ALL SEAS M&S RADIAL	STANDARD
146	FULL SIZE SPARE TIRE	ZHQ
183	WHEELBASE: 131.0 IN. MIN	133.6
238	GVW RATING: 10000MIN	10.700
250	SINGLE REAR WHEELS	STANDARD
298	CRUISE CONTROL/TLT	STANDARD
300	AIR CONDITIONING - R134a	STANDARD
302	RADIO: AM/FM	STANDARD
307	POWER BRAKES & POWER STEERING	STANDARD
308	ABS BRAKES	STANDARD
310	SEATS: CLOTH SEATS	STANDARD
321	FLOORING: RUBBER	STANDARD
340	AIR BAG- DRIVER SIDE	STANDARD
350	STD ENG: SPECIFY	1.96 6.0 V8
400	MIRRORS: RIGHT AND LEFT	STANDARD
404	INTERMITTENT WIPERS	STANDARD
410	TRANSMISSION: AUTOMATIC	STANDARD
415	FOUR-WHEEL DRIVE	STANDARD
418	AUTOMATIC LOCKING FRONT HUBS	STANDARD
457	TRAILER WIRING FOR STEP BUMPER	STANDARD
485	UTIL. BDY-SINGLE REAR WHEEL (Atchmi)	INCLUDED
762	AXLE RATIO: SPECIFY	GT5 4.10
883	BACKUP CAMERA	STANDARD
910	PRIMARY FUEL: UNLEADED	STANDARD
991	STD WRNTY- BUMPER TO BUMPER 3/36	STANDARD

STANDARD VEHICLE BASE PRICE \$ 30,234

2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/28/2017

Class: Maintenance Utility

Body Code: H3

UTIL TRK4X4

Representative Models: 1: FORD
3: GMC

F350
3500

2: CHEVROLET 3500
4: RAM 3500

MAKE: CHEVY MODEL: SILVERADO OEM MODEL #: CK35903 TRIM LEVEL: _____ OEM CODE: _____

AVAILABLE OPTIONS;	OEM CODE ACTUAL/ COMMENTS	PRICE
097 CREW CAB (4 DOORS); SPECIFY CA	CK25943 55.6"	3927
119 EXT CAB; SPECIFY CA	CK25943 55.6"	2174
133 BACK UP ALARM	8S3	138
141 TIRES; ALL-TERRAIN, LIST SIZE;	QXT 265/70R17E	200
143 TIRES; OPTION #1, LIST SIZE;	QGM 265/70R18E REQUIRES 18" WHEELS \$395	200
147 MOUNTED SPARE TIRE		175
216 NON-STD ENGINE OPTION A;	LC8	400
217 ENG OPTION: DIESEL	L5P DURAMAX	7889
218 NON-STD ENGINE OPTION B;	NOT AVAILABLE	
229 HEAVY DUTY SUSPENSION SPECIFY TYPE;	C7W REQUIRES 217	
239 GVW OPTION; SPECIFY	C7W 11,400 REQUIRES 217	
244 AXLE RATIO (MIN.) 4.10	STANDARD	
249 AXLE RATIO OPTION; SPECIFY	GT4 3.73	100
252 CNG PREP PACKAGE	LC8	400
254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC	POWER SOLUTIONS OEM SEE ATTACHED	11330
255 ALT FUEL - OEM DEDICATED SPEC TANK LOC	POWER SOLUTIONS OEM SEE ATTACHED	10860
256 EB5 - OEM BI FUEL	STANDARD	
284 REMOTE KEYLESS ENTRY	PCR	965
311 SEATS: VINYL SEATS	H2Q	NO CHARGE
401 MFRS REC/CMFR FOR TWNG (7'x9')	DPN POWER REQUIRES 284 \$350 DF2	70
408 REAR AXLE - ANTI SPIN	STANDARD	
411 TRANSMISSION: MANUAL W/OVERDRV	NOT AVAILABLE	
429 TRAILER BRAKE CONTROL - ELECTRIC	JL1	275
438 HEAVY DUTY COOLING	STANDARD	
438 PACKAGE: SNOW FLOW (attachmt)		3667
439 OEM SNOW FLOW PREP	VYU	385
440 PACKAGE: OFF ROAD (Attachment)		350
443 PKG: STROBE LIGHT (Attachment)		280
444 ENGINE BLOCK HEATER	K05	100
450 SKID PLATE - FUEL TANK, TRFR CS/DI	NZZ	150
454 AUXILIARY BATTERY	K4B NOT AVAILABLE 217	135
472 EPA CT AFV CREDIT: Specify	NOT AVAILABLE	
486 UTIL BODY - DUAL REAR WHEELS (Attachmt)	9G4 CHANGES GVWR TO 13,400 ADD \$750	700
520 POWER LOCKS	STANDARD	
521 HEAVY DUTY ALTERNATOR	KW5	150

Colorado State Fleet Management
2018 VEHICLE SPECIFICATIONS

8/28/2017

Dealers Invitation to Bid

Class: Maintenance Utility

Body Code: H3

UTILTRK4X4

Representative Models: 1: FORD
3: GMC

F350
3500

2: CHEVROLET 3500
4: RAM 3500

MAKE: CHEVY MODEL: SILVERADO OEM MODEL #: CK35903 TRIM LEVEL: _____ OEM CODE: _____

AVAILABLE OPTIONS:	OEM CODE	ACTUAL/ COMMENTS	PRICE
526 POWER MIRRORS	PCR	INCLUDES 530	965
530 POWER WINDOWS	PCR	INCLUDES 526	965
541 DELETE DAYTIME/AUTO HEADLIGHTS	DEALER		240
599 AM/FM CD PLAYER		CD NOT AVAILABLE	
608 HYBRID GAS/ELECTRIC		NOT AVAILABLE	
620 UPPER TRIM LEVEL PKG; SPECIFY	LT		4420
643 ADD DAYTIME RUNNING LIGHTS		STANDARD	
658 EXTRA KEYS & REMOTES		REMOTE \$93 AND KEY \$41	
693 MEETS 2010 FED EMISSIONS DIESEL ENG		STANDARD	
694 DIESEL ENG 820 COMPLIANT		STANDARD	
763 PHEV (PLUG IN HYBRID ELEC VEH)		NOT AVAILABLE	
780 LPFITTER SWITCHES	9L7		125
845 BLIND SPOT NOTIFICATION	PCY	REQUIRES 620	830
887 BEV (BATTER/ELECTRIC)		NOT AVAILABLE	
982 EXT WARRANTY - POWER TRAIN 5/100,000	STANDARD	INCLUDED NO CHARGE	

PROANE


Vehicle Description	Engine	Tank Location	GGE	GVW
3500HD Truck 2WD & 4WD	6.0 L	Back of Cab	36	10,001 - 14,000
G3500 Express Cutaway	6.0 L	Aft Axle & Midship	62	10,001 - 14,000
G4500 Express Cutaway	6.0 L	Aft Axle & Midship	62	14,000 - 33,000
2500HD Truck 2WD & 4WD	6.0 L	Back of Cab	36	8501 - 10,000
3500 Low Cab Forward	6.0 L	Multiple Configurations Available		
4500 Low Cab Forward	6.0 L	Multiple Configurations Available		

NATURAL GAS

Vehicle Description	Engine	Tank Location	GGE	GVW
G2500 Passenger Van	6.0 L	Aft Axle & Midship	16	8501 - 10,000
G3500 Passenger Van	6.0 L	Aft Axle & Midship	16	10,001 - 14,000
3300HD Truck 2WD & 4WD	6.0 L	Back of Cab	21	10,001 - 14,000
G3500 Express Cutaway	6.0 L	Aft Axle & Midship	16	10,001 - 14,000
G4500 Express Cutaway	6.0 L	Aft Axle & Midship	16	14,000 - 33,000
3500 Cab Chassis 2WD & 4WD	6.0 L	Back of Cab	21	10,001 - 14,000
2500HD Truck 2WD & 4WD	6.0 L	Back of Cab	21	8501 - 10,000
G2500 Cargo Van	6.0 L	Aft Axle & Midship	16	8501 - 10,000
G3500 Cargo Van	6.0 L	Aft Axle & Midship	16	8501 - 10,000
3500 Low Cab Forward	6.0 L	Multiple Configurations Available		
4500 Low Cab Forward	6.0 L	Multiple Configurations Available		



POWER SOLUTIONS
INTERNATIONAL



PSI-GM SPECIALTY VEHICLE MODIFIER (SVM)



POWER SOLUTIONS
INTERNATIONAL

201 Mittel Drive, Wood Dale, IL 60191
630.350.9400 www.psiengines.com

CURRENT GM APPLICATIONS



SILVERADO & SIERRA
2500/3500 HD PICKUPS



EXPRESS & SAVANA
2500/3500 VANS
3500/4500 CUTAWAYS




LOW CAB FORWARD
3500/4500 HD TRUCKS



HOW IT WORKS


- PSI performs alternative fuel conversions including natural gas and propane on a range of GM vehicles.
- GM customers can seamlessly order and take delivery from any GM dealerships.
- GM will supply vehicles equipped with specialized version 6.0L V-8 engine to PSI, which in turn will provide the fuel system and integration hardware.
- All PSI Alternative fuel conversions are covered by PSI's 3-year/36,000-mile warranty in addition to Chevrolet and GMC's five-year/60,000-mile limited powertrain warranty a considerable value that no other aftermarket provider can offer.



GM DEALERS



FLEETS



BODY BUILDERS



OEMs

A NEW GENERATION FOR PROPANE

Bi-Phase Gen II maintains the heat resisting benefits of coaxial fuel lines up near the engine where it is hottest, while utilizing simpler and more common materials and components in the vehicle length fuel lines and in the LP tank.

Bi-Phase Gen II has the unique and effective Bi Phase Liquid LP injector and fuel rails.



MORE ECONOMICAL




SIMPLIFIED INTEGRATION



HIGHER RELIABILITY


PROPANE

1. Fuel Distribution Block
Configurable for Many Engines
2. Pressure Test Port
Easily Accessible for Tech
3. Coaxial Fuel Pipe
Supplies Fuel to Injectors & Returns Fuel to Tank
4. Supply and Return Ports
Easily Accessible for Assembly Line
5. Fuel Press/Temp Sensor
Engine Mounted for Better Accuracy
6. Fuel Rail Assembly
Configurable for Many Engines



NATURAL GAS

1. Fuel Pressure Regulator
6 Bar Set Point
2. Fuel Rail Assembly
Configurable for Many Engines
3. Bosch NG12-GP CNG Injector
Excellent Fuel Metering Control



Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 6 of 52

#440 - PACKAGE: OEM OFF ROAD

Attach one copy of this form to each body code specification sheet that has an Available Option #440 including the following body code:

F1, F2, F3, F4, F8, K1, K2, K3, K5, K6, T1, T4, T5

An installed OEM OFF ROAD package should include the following:

- High pressure front and rear gas shocks
- H/D springs
- Mud and snow radial tires "LT" rated. Specify tire size:
265-70R18E
- Skid plate group. Specify types: NZZ
- Front and rear tow hooks
- Limited Slip Rear Axle – Specify Ratio 680 4:10
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's OEM OFF ROAD PACKAGE from the above listed specs:

OPTIONAL 963 SUSPENSION 275

Total Price for the OEM OFF ROAD package:

\$

350

For Body Code:

H3

Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 7 of 52

#443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

The STROBE LIGHT PACKAGE must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- Base must be aluminum, not plastic.
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with locations as follows:
- Location for strobe light on pickups:
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- Location for strobe light on vans and sport utilities:
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make CODE 3 Model LSS222CA

List any additions and/or deletions of your bid from the STROBE LIGHT PACKAGE specs listed above:

Total Price for STROBE LIGHT PACKAGE:

\$

280

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 8 of 52

**For Body
Code:**

H3

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

#485 - UTILITY BODY- SINGLE REAR WHEELS
#486 - UTILITY BODY- DUAL REAR WHEELS

Attach one copy of this form to each body code specification sheet that has an Available Option #485 and #486 including the following body codes:

G3 and H3

An installed **UTILITY BODY PACKAGE** for a 1-ton vehicle should include the following:

- Approx. 96" long, standard compartment height, 48" floor width, 14" deep compartments.
- Inside finish painted.
- Tread plate rear bumper with recessed ball hitch plate, 5000-pound trailer rated, and 500-pound tongue.
- Recess stop, tall, turn and back up lights in rear compartment and metal light protectors installed over back of light inside rear compartment.
- Thick automotive door seals to protect compartment contents from all types of weather.
- Double sprung over center door closures to keep doors in positive open or closed position.
- Standard shelf package with approx. 250 lb capacity adjustable divider shelves, roll formed for greater strength with hemmed dividers on 4" centers.
- Striker plates that allow for proper door adjustment for a tight seal.
- Riveted paddle locks and continuous hinges with stainless steel pins on all compartment doors. One key and spare to fit all doors.
- Paint to match vehicle
- Price to include complete installation.
- Warranty: 1 year parts and labor
- Specify make & model # of utility body:

Please list additions and/or deletions to your factory's **UTILITY BODY PACKAGE** from the above listed specs:

ADD \$525 TO FURNISH AND INSTALL BACK UP CAMERA

OEM INTEGRATION KIT AND RE FLASH CHASSIS COMPUTER

Total Price for #485-UTILITY BODY PACKAGE-SINGLE REAR WHEELS: STD BASE BID

\$ STD 5362

for Body Code:

H3

Total Price for #486-UTILITY BODY PACKAGE-DUAL REAR WHEELS:

\$ 6062

for Body Code:

H3