Page 1 of 4

8/25/2017

Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers invitation to Bid

Class: SUV 4x4

26 25

Body Code: K3

EXPEDITION EL

PASS UTIL LARGE, 4X4 (9 PASS)

Representative Models: 1: CHEVROLET

3: FORD

SUBURBAN

2: TOYOTA 4: NISSAN

SECUCIA ARMADA

ORIGINAL

MAKE: CHEVY MODEL: SUBURBAN OEM MODEL #: CK15906 TRIM LEVEL: 1FL OEM CODE: STANDARD SPECIFICATIONS: OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS **STANDARD** 111 DOORS: 4 FULL SIZE SIDE DOORS 139 PASS: 8 PERSONS MIN. **STANDARD** 140 TIRES: ALL SEAS MAS RADIAL **STANDARD** 146 FULL SIZE SPARE TIRE STANDARD 179 WHEELBASE: 125.0 IN. MIN 130 196 ENG MIN CYL: 6 8 CYL 7500 235 GVW RATING: 7200 MIN 298 CRUISE CONTROL/TILT **STANDARD** 300 AIR CONDITIONING - R134a STANDARD STANDARD 302 RADIO: AM/FM STANDARD 305 AUXILIARY AIR CONDITIONING 306 AUXILIARY HEATING **STANDARD** 307 POWER BRAKES & POWER STEERING **STANDARD** 308 ABS BRAKES **STANDARD** 310 SEATS; CLOTH SEATS STANDARD 321 FLOORING: RUBBER STANDARD 340 AIR BAG - DRIVER SIDE STANDARD 350 STD ENG: SPECIFY 5.3 V8 400 MIRRORS: RIGHT AND LEFT **STANDARD 403 REAR WINDOW DEFROSTER STANDARD** 404 INTERMITTENT WIPERS **STANDARD** 410 TRANSMISSION: AUTOMATIC STANDARD 418 AUTOMATIC LOCKING FRONT HUBS **STANDARD** 520 POWER LOCKS STANDARD 530 POWER WINDOWS STANDARD 692 FOUR-WHEEL DR OR ALL WHEEL DR: SPECIFY FOUR WHEEL DRIVE 751 SEATS: FRONT BENCH OR BUCKET, SPECIFY BENCH 752 AXLE RATIO: SPECIFY 3.08 863 BACKUP CAMERA STANDARD **STANDARD** 910 PRIMARY FUEL: UNLEADED

8/25/2017

Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS**

Dealers invitation to Bid

Class; SUV 4x4

Body Code: K3

PASS UTIL LARGE, 4X4 (9 PASS)

Representative Models: 1: CHEVROLET

SUBURBAN

2. TOYOTA

SECUCIA

3 FORD

EXPEDITION EL

4: NISSAN

ARMADA

MAKE: CHEVY MODEL: SUBURABN	OEM MODEL #: CK15906 TRIM LEVEL: 1FL OEM CODE:
STANDARD SPECIFICATIONS:	OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS
991 STD WRNTY - BUMPER TO BUMPER 3/36	STANDARD
STANDA	SD VS VS VS P S S S S S S S S S S S S S S

AVAILABLE OPTIONS:	OEM CODEACTUAL / COMMENTS	PRICE		
102 PASS: 4 PERSONS MIN.	NOT AVAILABLE			
133 BACK UP ALARM	AFTERMARKET	138		
141 TIRES: ALL-TERRAIN, LIST SIZE:	_STANDARD	·····		
143 TIRES: OPTION #1, LIST SIZE:	RKX 265/65R18 ALL SEASON REQUIRES 430 OPT	ION 400		
216 NON-STD ENGINE OPTION A:	NOT AVAILABLE			
217 ENG OPTION: DIESEL	NOT AVAILABLE			
218 NON-STD ENGINE OPTION B:	NOT AVAILABLE			
239 GVW OPTION: SPECIFY	CK35906 11,000#	43454		
244 AXLE RATIO (MIN.) 4.10	GU6 3.42 REQUIRES 430 MAX TOW PACKAGE			
245 GVW FIATING: 9600	CK35906 11,000#	43454		
249 AXLE RATIO OPTION: SPECIFY	NOT AVAILABLE			
252 CNG PREP PACKAGE	NOT AVAILABLE			
254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC	NOT AVAILABLE			
255 ALT FUEL - OEM DEDICATED SPEC TANK LOC	NOT AVAILABLE	<u> </u>		
256 E85 - OEM BI FUEL	STANDARD			
282 DARKEST LEGAL TINT AVAIL	AKP	295		
284 REMOTE KEYLESS ENTRY	STANDARD			
309 CONSOLE BETWEEN BUCKET SEATS	A95	250		
311 SEATS: VINYL SEATS	H2G NO	CHARGE		
312 SEATS: BUCKET SEATS - CLOTH	A95	250		
318 OELETE LAST REAR SEAT	NOT AVAILABLE			
320 FLOORING: CARPET	B30	190		
330 SECURITY CAGE:LIST DESIGNALOCA	BEHIND DRIVER SEATING	785		
349 AUX OIL COOLER HD	STANDARD			
401 MRRS:REC/CMPR FOR TWNG (7*x9*)	NOT AVAILABLE			
402 REAR WIPER	STANDARD			
408 REAR AXLE - ANTI SPIN	STANDARD			
413 TWO-WHEEL DRIVE: FRONT	NOT AVAILABLE			

8/25/2017

Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

Class; SUV 4x4

Body Code: K3

PASS UTIL LARGE, 4X4 (9 PASS)

Representative Models: 1: CHEVROLET

SUBURBAN

2: TOYOTA

SEQUOIA

3: FORD

EXPEDITION EL

4: NISSAN

ARMADA

MAKE:	CHEVY MODEL: SUBURABN	OEM MODEL #: CK15906 TRIM LEVEL: 1FL OEM CODE:	
AV	AILABLE OPTIONS:	OEM CODEACTUAL / COMMENTS	PRICE
414	TWO-WHEEL DRIVE: REAR	CC10906 CREDIT (2	730)
430	PCKG:TOWING/RCVR HITCH(Atchml)	STANDARD SEE ATTACHED OPTIONAL	
432	TOW HOOKS	REQUIRES 440	120
440	PACKAGE,OFF ROAD (Attachment)		350
443	PKG: STROBE LIGHT (Attachment)		280
450	SKID PLATE-FUEL TNK,TRFR CS/DI	NZZ	150
453	ENGINE BLOCK HEATER	K05	100
472	EPACT AFV CREDIT: Specify	NOT AVAILABLE	,
516	LEFT DOOR POST SPOTLIGHT (50W)		480
525	POWER MIRRORS	STANDARD	
541	DELETE DAYTIME/AUTO HEADLIGHTS	DEALER	240
608	HYBRID GAS/ELECTRIC	NOT AVAILABLE	
620	UPPER TRIM LEVEL PKG: SPECIFY	LS	1430
643	ADD DAYTIME RUNNING LIGHTS	STANDARD	
658	EXTRA KEYS & REMOTES	REMOTE 165 KEY	41
763	PHEV (PLUG IN HYBRID ELEC VEH)	NOT AVAILABLE	
800	FLOOR MATS FRONT AND REAR	B30	190
B45	BLIND SPOT NOTIFICATION	PCW REQUIRES 620	695
887	BEV (BATTER/ELECTRIC)	NOT AVAILABLE	
982	EXT WARRANTY - POWER TRAIN 5/100,000	STANDARD INCLUDED AT NO CHARG	JE

8/25/2017

Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS**

Dealers Invitation to Bid

Class: SUV 4x4

Body Code: K3

PASS UTIL LARGE, 4X4 (9 PASS)

Representative Models: 1: CHEVROLET

SUBURBAN

2: TOYOTA

SEQUOIA

3: FORD

EXPEDITION EL

4: NISSAN

ARMADA

MAKE:	CHEVY	MODEL: _	SUBURBAN	OEM MODE	L#:	CK15906	TRIM LEVE	EL:	1FL	OEM CODE:	
	BLE COLORS: VEHICLE SPE		ttach manulacturer colo	er chart Base allach se	parale s	heet if necess	sary)				PRICE
	· · · · · · · · · · · · · · · · · · ·										-
STAND	ARD FACTORY Bumper to B		(Attach detailed descri MILES 36K	Ş.	омтнs 36						
	Drive Train	•	100K		60						
	Other			-		_					
			(Attach detailed descrip MILES .E CALL FOR DE	MC	ONTHS	PRIC	E				
EPA FUI	EL RATING:	15	M.P.G CITY,	_	22	M.P.	G HIGHWA	Y			
OEM MI	NIMUM FUEL R	IATED OCTA	NE: 85								
			FROM DEALER RECE	IPT OF ORDS	R FROM	M STATE (E.G	3. 90 DAYS)	*-		·	
DEALER	NAME:	JOHN E	LWAY CHEVRO	LET	E	IIDDER'S NAI	ME:	MA	RK MC	MUNN	9
DEALER	PHONE:	720.284	.5255			SIGNATUR	RE: /	11	AN	16n	

Page 4 of 52

#430 - PACKAGE: OEM TOWING OPTION

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

C2, C3, C4, D1, D2, D3, D5, D8, E2, E3, E4, E8, F2, F3, F4, F8, K1, K2, K3, K5, K6, T1, T4, T5

An installed **OEM TOWING OPTION PACKAGE** should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
 Heavy duty engine cooling
 Transmission cooling (automatic only)
 Trailer wiring harness
- HD battery and Alternator.

HD turn signal flasher

- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's OEM TOWING OPTION package from the above listed specs:

OPTIONAL HEAVY DUTY PACKAGE IN	CLUDES
PZX ALUMINUM WHEELS PKK 265/65R18 TIRES JL1 BRAKE CONTROLLER	
GU6 3.42 GEAR RATIO	
Total Price for OEM TOWING PACKAGE:	\$ 1100
For Body K3 Code:	
Total Price for T1 - OEM TOWING PACKAGE:	\$

Page 6 of 52

#440 - PACKAGE: OEM OFF ROAD

Attach one copy of this form to each body code specification sheet that has an Available Option #440 including the following body code:

F1, F2, F3, F4, F8, K1, K2, K3, K5, K6, T1, T4, T5

An installed OEM OFF RO	AD package should	include the following
-------------------------	-------------------	-----------------------

An installed O	EM OFF	ROAD pa	ckage sh	ould inclu	ude the f	ollowing:			
H/D spMud	rings and	ront and re snow LL TERRA	radial	nocks tires	"LT"	rated.	Specify	tire	size
Front a	ind rear t	o. Specify t ow hooks ar Axle – S	13		30	3.08	Ŧ		
All iterr Please list ad above listed s	ditions a pecs:	nd/or dele	tions to y	your com	-		factory warr	•	om the
	OPTION	IAL 9G3 SU	JSPENSI	ON \$379					
Total Price for package:	or the OE	M OFF RO	OAD	\$	350				
For Body Code:	ı	K 3							

Page 7 of 52

#443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

The STROBE LIGHT PACKAGE must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- · Base must be aluminum, not plastic.
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with locations as follows:
- Location for strobe light on pickups:
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- Location for strobe light on vans and sport utilities:
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make _	CODE 3	Model _	LSS222CA
List any above:	additions and/or deletions of y	our bid from the	e STROBE LIGHT PACKAGE specs listed
Total Pi	rice for STROBE LIGHT	\$ 2	30

Page 8 of 52

For	Body
Co	ode:

K3