

Colorado State Fleet Management
 2018 VEHICLE SPECIFICATIONS
 Dealers Invitation to Bid

ORIGINAL

Class: Trucks (1Ton & Less)

Body Code: P4

1 T CARGO BOX

Representative Models: 1: FORD
 3: FORD

T350 VAN
 E350 VAN

2: CHEVROLET
 4: RAM

G3500 VAN
 PROMASTER 3500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL #: CG33503 TRIM LEVEL: WT OEM CODE: _____

STANDARD SPECIFICATIONS:

OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS

100	PASS: 2 PERSONS MIN.	STANDARD
110	DOORS: 2 SIDE DOORS	STANDARD
125	ROLL UP REAR DOOR	INCLUDED
140	TIRES: ALL SEAS M&S RADIAL	STANDARD
146	FULL SIZE SPARE TIRE	ZHF
183	WHEELBASE: 131.0 IN. MIN	139"
196	ENG MIN CYL: 6	LV1 6CYL
238	GVW RATING: 10000 MIN	C7A 10,000
261	DUAL REAR WHEELS	STANDARD
298	CRUISE CONTROL/TILT	ZQ3 INCLUDED
300	AIR CONDITIONING - R134a	STANDARD
302	RADIO: AM/FM	STANDARD
307	POWER BRAKES & POWER STEERING	STANDARD
308	ABS BRAKES	STANDARD
310	SEATS: CLOTH SEATS	93G
321	FLOORING: RUBBER	INCLUDED
324	PLYWOOD LINING	INCLUDED
340	AIR BAG - DRIVER SIDE	STANDARD
350	STD ENG: SPECIFY	LV1 4.3 V6
400	MIRRORS: RIGHT AND LEFT	DHC
404	INTERMITTENT WIPERS	STANDARD
410	TRANSMISSION: AUTOMATIC	STANDARD
414	TWO-WHEEL DRIVE: REAR	STANDARD
488	12 FT ALUMINUM BOX	INCLUDED
535	FUEL TANK: 24 GAL MIN	31
752	AXLE RATIO: SPECIFY	GT4 3.73
883	BACKUP CAMERA	STANDARD
910	PRIMARY FUEL: UNLEADED	STANDARD
991	STD WRNTY - BUMPER TO BUMPER 3/36	STANDARD

STANDARD VEHICLE BASE PRICE \$ 29,608

**Colorado State Fleet Management
2018 VEHICLE SPECIFICATIONS**

Dealers Invitation to Bid

8/25/2017

Class: Trucks (1Ton & Less)

Body Code: P4

1 T CARGO BOX

Representative Models: 1: FORD
3: FORD

T350 VAN
E350 VAN

2: CHEVROLET G3500 VAN
4: RAM PROMASTER 3500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL #: CG33503 TRIM LEVEL: WT OEM CODE: _____

AVAILABLE OPTIONS:	OEM CODE	ACTUAL / COMMENTS	PRICE
133 BACK UP ALARM		AFTERMARKET	179
143 TIRES: OPTION #1, LIST SIZE:	XLP	LT245/75R16E REQUIRES 260	
218 NON-STD ENGINE OPTION A:	L96	6.0 V8	995
217 ENG OPTION: DIESEL	LWN	2.8 TURBO DIESEL	3716
218 NON-STD ENGINE OPTION B:		NOT AVAILABLE	
239 GVW OPTION: SPECIFY	C7N	12,300 REQUIRES 216	350
243 AXLE RATIO (MIN.) 3.73		STANDARD	
249 AXLE RATIO OPTION: SPECIFY	GU6	3.42 INCLUDED ONLY WITH 260	
252 CNG PREP PACKAGE	LC8	6.0 GASEOUS CNG/LPG INCLUDED WITH 255	1295
254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC		NOT AVAILABLE	
255 ALT FUEL - OEM DEDICATED SPEC TANK LOC		POWER SOLUTINS OEM SEE ATTACHED	11330
258 E85 - OEM BI FUEL	FHS	REQUIRES 216	200
260 SINGLE REAR WHEELS	R04	9900 GVWR INCLUDES 249,143 AND 487	
284 REMOTE KEYLESS ENTRY	ATG	REQUIRES 520 AND 530	170
311 SEATS: VINYL SEATS	93W		NO CHARGE
401 MRRS:REC/CMPR FOR TWNG (7"x9")	DHC		250
443 PKG: STROBE LIGHT (Attachment)			280
445 E-TRACK, 1 ROW OF E TRACK ON 3 WALLS			300
457 TRAILER WIRING FOR STEP BUMPER			200
470 PKG:HYDRAULIC LIFTGATE(atchml)		NO SHEET AVAILABLE 1,300#	3854
472 EPACT AFV CREDIT: Specify		NOT AVAILABLE	
487 10 FT ALUMINUM BOX			879
489 14 FT ALUMINUM BOX		INCLUDES 159" WB	2412
520 POWER LOCKS	AU3		250
526 POWER MIRRORS	ZQ2	INCLUDES 530	475
530 POWER WINDOWS	ZQ2	INCLUDES 526	475
541 DELETE DAYTIME/AUTO HEADLIGHTS		DEALER	230
599 AM/FM CD PLAYER	U18	US8	150
608 HYBRID GAS/ELECTRIC		NOT AVAILABLE	
643 ADD DAYTIME RUNNING LIGHTS		STANDARD	
658 EXTRA KEYS & REMOTES		REMOTE \$80 KEY \$41	
763 PHEV (PLUG IN HYBRID ELEC VEH)		NOT AVAILABLE	
845 BLIND SPOT NOTIFICATION		NOT AVAILABLE	
887 BEV (BATTER/ELECTRIC)		MOT AVAILABLE	
982 EXT WARRANTY - POWER TRAIN 5/100,000		STANDARD INCLUDED AT NO CHARGE	

2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

Class: Trucks (1Ton & Less)

Body Code: P4

1 T CARGO BOX

Representative Models: 1: FORD
3: FORD

T350 VAN
E350 VAN

2: CHEVROLET
4: RAM

G3500 VAN
PROMASTER 3500 VAN

MAKE: CHEVY MODEL: EXPRESS OEM MODEL #: CG33503 TRIM LEVEL: WT OEM CODE: _____

AVAILABLE COLORS: Please attach manufacturer color chart

OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please attach separate sheet if necessary) PRICE
LINE 255 - TANK LOCATION AFT AXLE & MIDSHIP SEE BROCHURE - INCLUDES 252 _____

STANDARD FACTORY WARRANTY (Attach detailed description):

	MILES	MONTHS
Bumper to Bumper	<u>36K</u>	<u>36</u>
Drive Train	<u>100K</u>	<u>60</u>
Other	_____	_____

OPTIONAL FACTORY WARRANTY (Attach detailed description):

	MILES	MONTHS	PRICE
<u>SEVERAL AVAILABLE CALL FOR DETAILS</u>	_____	_____	_____

EPA FUEL RATING: N/A M.P.G CITY, N/A M.P.G HIGHWAY

OEM MINIMUM FUEL RATED OCTANE: 85

DELIVERY: 60-120 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 90 DAYS)

IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS:

DEALER NAME: JOHN ELWAY CHEVROLET

BIDDER'S NAME: MARK MCMUNN

DEALER PHONE: 720.284.5255

SIGNATURE: 

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 7 of 52

#443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

The **STROBE LIGHT PACKAGE** must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- **Base must be aluminum, not plastic.**
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with **locations** as follows:
- **Location for strobe light on pickups:**
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- **Location for strobe light on vans and sport utilities:**
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make CODE 3 Model LSS222CA

List any additions and/or deletions of your bid from the STROBE LIGHT PACKAGE specs listed above:

Total Price for STROBE LIGHT PACKAGE:

\$

280

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 8 of 52

For Body
Code:

P4

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 10 of 52

#470 - PACKAGE: HYDRAULIC LIFT GATE 1,000#

Attach one copy of this form to each body code specification sheet that has an Available Option #470 including the following body codes:

P4, T1, T4, T5

The **HYDRAULIC LIFT GATE PACKAGE** must include the following:

- Eagle lift model #E38-86 or equivalent
- Cannot be operated unless key is in the On or Accessories position
- 1000 lb. lift gate capacity
- Painted black
- Safety locks to keep gate secured in stored position
- All controls located adjacent to lift
- Light kit
- Warranty: 2 years on pump and motor and 1 year on workmanship and parts

List any additions and/or deletions on your bid from the **HYDRAULIC LIFT GATE PACKAGE** specs listed above:

Total Price for **HYDRAULIC LIFT GATE**:

3854

For Body Code:

P4

▶ PROPANE


Vehicle Description	Engine	Tank Location	GGE	GVW
3500HD Truck 2WD & 4WD	6.0 L	Back of Cab	36	10,001 - 14,000
G3500 Express Cutaway	6.0 L	Aft Axle & Midship	62	10,001 - 14,000
G4500 Express Cutaway	6.0 L	Aft Axle & Midship	62	14,000 - 33,000
2500HD Truck 2WD & 4WD	6.0 L	Back of Cab	36	8501 - 10,000
3500 Low Cab Forward	6.0 L	Multiple Configurations Available		
4500 Low Cab Forward	6.0 L	Multiple Configurations Available		

▶ NATURAL GAS

Vehicle Description	Engine	Tank Location	GGE	GVW
G2500 Passenger Van	6.0 L	Aft Axle & Midship	16	8501 - 10,000
G3500 Passenger Van	6.0 L	Aft Axle & Midship	16	10,001 - 14,000
3500HD Truck 2WD & 4WD	6.0 L	Back of Cab	21	10,001 - 14,000
G3500 Express Cutaway	6.0 L	Aft Axle & Midship	16	10,001 - 14,000
G4500 Express Cutaway	6.0 L	Aft Axle & Midship	16	14,000 - 33,000
3500 Cab Chassis 2WD & 4WD	6.0 L	Back of Cab	21	10,001 - 14,000
2500HD Truck 2WD & 4WD	6.0 L	Back of Cab	21	8501 - 10,000
G2500 Cargo Van	6.0 L	Aft Axle & Midship	16	8501 - 10,000
G3500 Cargo Van	6.0 L	Aft Axle & Midship	16	8501 - 10,000
3500 Low Cab Forward	6.0 L	Multiple Configurations Available		
4500 Low Cab Forward	6.0 L	Multiple Configurations Available		



**POWER SOLUTIONS
INTERNATIONAL**



**PSI-GM SPECIALTY VEHICLE
MODIFIER (SVM)**



**POWER SOLUTIONS
INTERNATIONAL**

201 Mittel Drive, Wood Dale, IL 60191
630.350.9400 | www.psiengines.com

CURRENT GM APPLICATIONS



SILVERADO & SIERRA
2500/3500 HD PICKUPS



EXPRESS & SAVANA
2500/3500 VANS
3500/4500 CUTAWAYS



LOW CAB FORWARD
3500/4500 HD TRUCKS

HOW IT WORKS

- PSI performs alternative fuel conversions including natural gas and propane on a range of GM vehicles.
- GM customers can seamlessly order and take delivery from any GM dealerships.
- GM will supply vehicles equipped with specialized version 6.0L V-8 engine to PSI, which in turn will provide the fuel system and integration hardware.
- All PSI Alternative fuel conversions are covered by PSI's 3-year/36,000-mile warranty in addition to Chevrolet and GMC's five-year/60,000-mile limited powertrain warranty a considerable value that no other aftermarket provider can offer.



GM DEALERS



FLEETS



BODY BUILDERS



DEMS

A NEW GENERATION FOR PROPANE


Bi-Phase Gen II maintains the heat resisting benefits of coaxial fuel lines up near the engine where it is hottest, while utilizing simpler and more common materials and components in the vehicle length fuel lines and in the LP tank.

Bi-PhaseGen II has the unique and effective Bi Phase Liquid LP injector and fuel rails.

- ◆ MORE ECONOMICAL
- ◆ SIMPLIFIED INTEGRATION
- ◆ HIGHER RELIABILITY

PROPANE

- Fuel Distribution Block**
Configurable for Many Engines
- Pressure Test Port**
Easily Accessible for Tech
- Coaxial Fuel Pipe**
Supplies Fuel to Injectors & Returns Fuel to Tank
- Supply and Return Ports**
Easily Accessible for Assembly Line
- Fuel Press/Temp Sensor**
Engine Mounted for Better Accuracy
- Fuel Rail Assembly**
Configurable for Many Engines



NATURAL GAS

- Fuel Pressure Regulator**
6 Bar Set Point
- Fuel Rail Assembly**
Configurable for Many Engines
- Bosch NG12-CP CNG Injector**
Excellent Fuel Metering Control

