Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS**

Dealers Invitation to Bid

Page 1 of 2

8/11/2017

Class: Sedan/SW - Law

Body Code: A7

SEDAN LARGE, PATROL

Representative Models: 1: DODGE

3:

CHARGER

4:

ORIGINAL

MAKE	DODGE MODEL: CHARGER RWD	_ OEM MODE	EL#: LDDE48 TRIM LEVEL: POLICE OEM CODE: 27A
SI	ANDARD SPECIFICATIONS:	OEM CODE	INDICATE ACTUAL DEALER SPECIFICATIONS
103	PASS: 5 PERSONS MIN.	LDDE48	STANDARD 4 DOOR SEDAN
111	DOORS: 4 FULL SIZE SIDE DOORS	LDDE48	STANDARD
414	TWO-WHEEL DRIVE: REAR		STANDARD MODEL SPECIFIC
500	PACKAGE:POLICE LRGE (Attachmnt)		INCLUDED SEE ATTACHMENT
910	PRIMARY FUEL: UNLEADED		STANDARD
991	STD WRNTY - BUMPER TO BUMPER 3/36		STANDARD

STANDARD VEHICLE BASE PRICE \$ 30,208.00

AVAILABLE OPTIONS:		OEM CODEACTUAL / COMMENTS			
129	SMALL HUBCAPS	_wmh_	BRIGHT CENTER CABS	CREDIT	\$-40
158	SETINA PARTITION INSTALLED		DEALER SUBLET		\$724
159	MOLDED PLASTIC R.SEAT INSTALLED PTS		DEALER SUBLET		\$781
252	CNG PREP PACKAGE		NOT AVAILABLE		
254	ALT FUEL - OEM BI FUEL SPECIFY TANK LOC		NOT AVAILABLE		
255	ALT FUEL - OEM DEDICATED SPEC TANK LOC		NOT AVAILABLE		
256	E85 - OEM BI FUEL	XKN	REQUIRES LINE #291		N/C
259	EXTRA PAINT CHARGE	VARIES	OPT. COLORS SEE LIST FOR SPECIFIC	S	\$500
286	PUSH BUMBER PB400		DEALER SUBLET		\$368
287	PUSH BUMP PB400 W/PB5 FENDER PROTECTO		DEALER SUBLET		\$847
291	DELETE 5.7 HEMI ENGINE	ERB	BASE ENGINE 3.6L V6 VVT	CREDIT	\$-1985
292	DELETE POLICE PREP PKG	AYE	DELETE AYE PKG. FROM LINE #500	CREDIT	\$-1720
311	SEATS: VINYL SEATS		NOT AVAILABLE / REAR VINYL SEATS INCL	IN LINE #500	N/C
444	ENGINE BLOCK HEATER	NHK	OEM OPTION		\$95
505	RIGHT SPOTLIGHT WITH A RED LENS		DEALER SUBLET		\$455
507	RIGHT SPOTLIGHT WITH A CLEAR LENS		DEALER SUBLET		\$437
513	WIRING COAXIAL RADIO ANTENNA CABLE		DEALER SUBLET		\$141
528	PACKAGE: LIGHT BAR (attchmt not installed)		DEALER SUBLET SEE ATTACHMENT		\$1484
540	DELETE SPOTLIGHT LEFT SIDE		ADJUSTS LINE #500 AND INCL LED BULB	CREDIT	\$-187
602	INSIDE REAR DOOR HANDLES OPERATIONAL		ADJUSTS LINE #500	CREDIT	\$-67
626	DELETE STATE PATROL OPTIONS		DELETES LINE #500 NOTE DOES INCL LINE #291	CREDIT	\$-9121
645	DELETE LAYDOWN SPARE TIRE BRACKET		ADJUSTS LINE #500	CREDIT	\$-129
683	LIGHTBAR INSTALL		DEALER SUBLET		\$268

Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

Page 2 of 2

8/11/2017

Class: Sedan/SW - Law

Body Code: A7

SEDAN LARGE, PATROL

Representative Models: 1: DODGE

3:

CHARGER

2: 4:

MAKE: DODGE MODEL: CHARGER RWD	_ OEM M	ODEL#: LDDE	E48	TRIM LEVEL:	POLICE	OEM CODE:	27A		
AVAILABLE OPTIONS:	OEMC	ODEACTUAL / C	OMMENT	s			PRICE		
759 CLOTH FRONT/CLOTH REAR SEAT		DELETE	S OPTIC	N FROM LII	NE #500	CREDIT	\$-67		
B11 FLOORING: RUBBER		DELETES	ARPET C	PTION FROM I	LINE #500	CREDIT	\$-111		
887 BEV (BATTER/ELECTRIC)		NOT AVAILABLE							
960 12.1" IN DASH SCREEN (CHARGER ONLY)	AV2	OEM OP	OEM OPTION						
982 EXT WARRANTY - POWER TRAIN 5/100,000		STANDA	RD FOF	R GOVT. SAL	LES		N/C		
AVAILABLE COLORS: Please attach manufacturer colo OTHER VEHICLE SPECIFICATIONS / OPTIONS (P		h separate sheet	if necessa	ary)		-	PAICE		
STANDARD FACTORY WARRANTY (Attach detailed described des	ription):	MONTHS 36							
Drive Train 100,000	_	60							
Other	•	·							
OPTIONAL FACTORY WARRANTY (Attach detailed description MILES VARIES SEE DLR.	plion):	MONTHS	PRICE	: —					
EPA FUEL RATING: 17 M.P.G CITY, 26 M.P.G HIGHWAY									
OEM MINIMUM FUEL RATED OCTANE: 85 REGULAR	R UNLEA	ADED	_						
DELIVERY: 90-120 DAYS FROM DEALER REC	EIPT OF O	RDER FROM ST	ATE (E.G.	90 DAYS)					
1. EPA RATING WITH V6 ENGINE									
DEALER NAME: JOHN ELWAY CHY DODGE JEE	EP RAM	BIDD	ER'S NAM	E: ROBER	T MERRILL	-			
DEALER PHONE: 720-284-5256		s	IGNATUR	E: DPU	Oll	<u> </u>			

Page 15 of 52

#500 - PACKAGE: POLICE LARGE

MINIMUM SPECIFICATIONS FOR 2018 MODEL YEAR "A7" LARGE, 4-DOOR, REAR-WHEEL DRIVE and "A8" ALL WHEEL DRIVE PURSUIT PATROL VEHICLES

A7 - 2018 V-8, full-size, 4-door, rear wheel drive, pursuit-type police **OEM certified** patrol vehicle: Dodge Charger LDDE48

A8 - 2018 V-8, full-size, 4-door, all-wheel drive, pursuit-type police **OEM certified** patrol vehicle: Dodge Charger LDEE48

SPECIFICATIONS

Comply (cir	cle Y	or N)	
Air Bags (CG3)(CJ1):	(2)	N	Supplemental front seat mounted side airbags. Side curtain airbags
Air Conditioning (HAD):	8	N	Factory-installed dual zone air conditioning.
Alternator (BAJ):	(A)	N	High-output, 220 amp maximum, heavy-duty alternator.
Backup Camera (XAC):	(Y)	N	Parkview rear back up camera
Battery (BCF):	Y	= N	800 cca with battery rundown protection.
Bluetooth (XRB)	(Y)	N	Uconnect 5.0 Integrated voice command with Bluetooth
Brakes (BR9)(BPT):	Y	N	4 Wheel disc heavy-duty brakes with brake assist and ESC. Ready
Ш			alert braking.
Cooler, Engine Oil (NHA):	(2)	N	Auxiliary engine oil cooler.
Cooler, Power Steering	(Y)	N	External power steering fluid cooler.
Fluid (NHF):			External power steering hald society.
Cooler, Transmission:	(V)	N	External air-to-oil transmission oil cooler.
Cooling System (XDK):	W	N	Severe duty cooling system
Courtesy Light Inop.:	(Y)	N	Courtesy Light Inoperative
Cruise Control (NHM)	(3)	N	Speed control with telescoping steering column.
(SUE): Delete Daytime	(Ŷ)	N	Delete destine wante lights and sutematic headlights
Running Lights:	M	N	Delete daytime running lights and automatic headlights.
Differential:	(Y)	N	Ratio to be minimum RWD-2.62 AWD-3.07.
Engine (EZH):	TYS	N	5.7L Hemi multi displacement system and 370 HP @ 5,250 rpm, 395
Engine (EZH).			Ib-ft torque @4,200 rpm
Flooring (CKD):	Y	N	Standard carpet
Gauges (JAY):	(X)	N	Fuel gauge, temperature gauge, tachometer and engine hour meter mounted in dash in normal positions. Outside temperature display.
Grille (MFU)	(Ÿ)	N	Black grille with black honeycomb
Grille Lights (MEK):	(Y)	N	Whelen MICRON Series Red and Blue grille lights mounted behind
Jimo Eigino (marty)		•••	front grille. Part Numbers: (1) MCRNSR (RED), (1) MCRNSB (BLUE
1			Must be factory or GFX installed.
Heater, Defroster:	(Y)	N	Heavy duty fresh air heater and rear window defroster.
Lighting Controller	M	N	Whelen CanTrol siren and lighting control system. System to
			include a remote mounted photo cell that will be direct wired to
			the CanTrol inputs as per CSP/Whelen specs. CanTrol system
			to have interface cable pre wired from the rear of the vehicle to
			the console area for the CANCTL1 control head to be
			attached. Part number CanTrol CANWC1 w/ Control Head #
			CANCTL1, Photo Cell part number CANLITEB
			CANCILI, Photo Cell part humber CANLITED

Page 16 of 52

	16		
Lights, Front upper	(\mathcal{Y})	N	Whelen- ISFW35X FST series front Inner-Edge DUO WeCan.
Inner-Edge			RED & BLUE with FULL WHITE light from end to end. Make
Windshield light			sure light is flush against the windshield and there is no light bleeding
	<u></u>		into vehicle. Must be factory or GFX.
Lights, Rear Deck	(Y)	N	Whelen-IE35Z- Whelen 12 lamp RST Series rear lower Inner-Edge
(LN3):			with (6) RED and (6) BLUE flasher modules and (12) AMBER traffic
` '			advisor lights. This mounts on lower rear deck and is WeCAN
			controlled via the Whelen CANTROL system. Meets SAE
III			specifications. Must be factory or GFX installed.
Lights, Under Mirror	(Y)	N	Whelen under side view mirror lights-LINSV2R, LINSV2B with
Lights: (EWLME1)			bracket kit, installed-red driver's side, blue passenger side. Must be
3 (factory or GFX installed.
Lights, Side lights(LNZ)	(Y)	N	Mounted on "B" pillar, red light on right side, blue light on left side.
			Whelen MICRON Series RED & BLUE to be located behind rear
			each side windows. Part Numbers: (1) MCRNSR (RED), (1)
			MCRNSB (BLUE) Must be factory or GFX installed.
Locking System:	9	N	Single key locking system (different key for each vehicle). Remote
		••	keyless entry with four fobs.
Rear Door Emergency	(Y)	N	Deactivate rear door locks. Emergency rear door lock knob in the
Lock (CWK):			front of each rear door.
Map Light (LBG)	(3)	N	Front reading/map light.
Mirrors, Outside Heated	(Y)	N	Heated left and right outside mirrors, adjustable with remote control.
(NHJ):			
Pedals (XAP)	(3)	N	Power adjustable pedals,
Police Performance	8	N	With Brake Assist and all speed traction control and hill start assist
Electronic Stability			
program, (BNB)(GNG)			
Race track Flash:	(A)	N	"Race Track" rear tail light flashes with an outside/inside pattern.
(EALTB1)	<u> </u>		Flash reverse lights. Must be factory or GFX installed.
Radio, Commercial:	(0)	N	Standard commercial AM/FM radio, dual rear speakers
Safety Group (AWC)	\mathfrak{V}	N	Parksense rear park assist. Blind spot and cross path detection
Seats:	(A)	N	Heavy duty front power bucket seats (45/45) made of cloth with
	/S		power lumbar support. The rear seat to be made of vinyl.
Slicktop Police Package	0	N	CONSOLE (XWK)-24" Havis, the console is manufactured to
# 1: (AYE)(CUG)			precisely fit OEM dash trim. Includes cup holder. Includes brackets
			to accommodate a Motorola APEX 6500 VHF & DTR and Whelen
			lighting controller. Power Distribution Center (XWK)- All circuits will
			have a central attachment point at the trunk tray via the Power
			Distribution Center. Wire Harness (XPW)-Interfaces with power
	1		distribution center to provide seven light locations throughout the
i e	1		
			vehicle. Front corners, Grille, Windshield Visor Area, Outside mirrors
			"B" Pillars, Rear Deck (Package Shelf), Rear Corners. Additionally,
			"B" Pillars, Rear Deck (Package Shelf), Rear Corners. Additionally, interfaces with the PTIM now VSIM module will include Head Light
			"B" Pillars, Rear Deck (Package Shelf), Rear Corners. Additionally, interfaces with the PTIM now VSIM module will include Head Light Flash, Tail Light Flash, Horn Sense, Horn Mute, Head Light Sense
÷			"B" Pillars, Rear Deck (Package Shelf), Rear Corners. Additionally, interfaces with the PTIM now VSIM module will include Head Light Flash, Tail Light Flash, Horn Sense, Horn Mute, Head Light Sense and Park Sense. Various power & ground feeds will be routed to the
,			"B" Pillars, Rear Deck (Package Shelf), Rear Corners. Additionally, interfaces with the PTIM now VSIM module will include Head Light Flash, Tail Light Flash, Horn Sense, Horn Mute, Head Light Sense and Park Sense. Various power & ground feeds will be routed to the console for Radio, Radar, Computer, Camera, and Aux. These
*			"B" Pillars, Rear Deck (Package Shelf), Rear Corners. Additionally, interfaces with the PTIM now VSIM module will include Head Light Flash, Tail Light Flash, Horn Sense, Horn Mute, Head Light Sense and Park Sense. Various power & ground feeds will be routed to the console for Radio, Radar, Computer, Camera, and Aux. These circuits have appropriate gauge wire with fuse protection in the Powe
			"B" Pillars, Rear Deck (Package Shelf), Rear Corners. Additionally, interfaces with the PTIM now VSIM module will include Head Light Flash, Tail Light Flash, Horn Sense, Horn Mute, Head Light Sense and Park Sense. Various power & ground feeds will be routed to the console for Radio, Radar, Computer, Camera, and Aux. These

Page 17 of 52

			will be supplied and leads run to trunk. Trunk Tray(XWQ)- A slide of full width trunk equipment electronics tray will be provided. The tray measures 17.5" by 39.5" with a 100 lbs. capacity. Spare tire relocation bracket (TBH). Trunk Fan-A high volume trunk fan that operates via ignition will be installed in the rear package shelf area drawing heated or cooled air from the passenger compartment into the trunk area. Must be factory or GFX installed.
Second Siren Speaker:	8	N	A Second Whelen SA315P composite housing siren speaker with behind grille mounting bracket will be supplied and leads run to trunk Must be factory or GFX installed.
Speedometer (JCC):	(3)	N	160 MPH Speedometer to be calibrated and certified to be within 2% accuracy at all speeds.
Spotlight (LNX)(LNF):	8	N	Driver's-side LED spot light, 5" in diameter. Head to be mounted or door pillar in such a manner as to provide adequate clearance from steering wheel in all positions of light and tilt steering wheel.
Stealth Mode:	(Y)	N	Capable of going into stealth mode.
Steering:	(8)	N	Performance Steering. Heavy-duty power rack and pinion steering system.
Steering Wheel Control Switches	(3)	N	Steering wheel overlay wiring harness. GFX part number EAECA1.
Suspension System (SDB):	(3)	N	Front - Independent high arm SLA with dual ball joint lower, coil spring, sway bar. Rear – Independent multi-link, coil spring, sway ba
Tires and Wheels: (TWW)(TBW)(WEG)	(X)	N	Five heavy-duty steel wheels and five Goodyear RSA "speed rated" tires P225/60R18 BSW W rated performance tires. Full size spare. Tire pressure monitoring system.
Transmission (DGJ)(CV8)(AXR):	(8)	N	Minimum heavy-duty 5-speed automatic transmission with over-drive with column shifter and secure park
Trunk Release (JPC):	W	N	Power trunk release
Wheel Covers(MAF):	W	N	Full wheel covers- RWD (W8A), AWD (W8B)
Windows, Power (JP3):	(Y)	N	Power windows, driver and passenger operated only.

THE WARRANTY IS TO GO INTO EFFECT ON THE DATE THE VEHICLE IS PUT INTO SERVICE, NOT THE PURCHASE DATE. END USER WILL BE RESPONSIBLE FOR NOTIFING THE MANUFACTURER OF THE IN SERVICE DATE.

Delivery to be made to the Colorado State Patrol at 15203 W. 12th Ave., Golden, CO 80401. Per State Fleet Management instructions.

OTHER

Please list a description of any additions and/or deletions to your factory's POLICE PACKAGE from the above listed specs or list next to the item directly on the attached sheets described above:

Body Code: A7	7/A8	

ATTACH A COPY OF THIS FORM TO THE "DEALER'S INVITATION TO BID" FOR BODY CODE A7 or A8 WHICH HAS OPTION PACKAGE #500

Page 18 of 52

Since this Package is part of the Standard Specification for body code A7 or A8, the total cost for this package must be included in the "Standard Vehicle Base Price" as listed on page 1 of the Vehicle Specs for this body code.)

Page 19 of 52

#528 - Package Light Bar

Attach one copy of this form to each body code specification sheet that has an Available Option #528 in the following body codes:

A5, A7, A8, A9, F6, K2, K7, K8

Bid equipment for vehicle model being bid.

The LIGHT BAR PACKAGE must include the following:

- (Non-OEM) Whelen Liberty 2 Model !W8CSP1
 - o FRONT (Driver-Passenger)
 - RED Linear 12 diode LED corner module, RED Linear 6 diode LED outboard module, RED Linear-6 diode LED inboard module, (2) 12 Diode LED Take Down Lights, BLUE Linear-6 diode LED inboard module, BLUE Linear-6 diode LED outboard module, BLUE Linear-12 diode LED corner module.
 - o REAR (Driver-Passenger);
 - RED Linear 12 diode LED corner module, RED Linear 6 diode LED outboard module, RED Linear-6 diode LED inboard module, RED Linear 6-diode LED inboard module, BLUE Linear-6 diode LED inboard module, BLUE Linear-6 diode LED outboard module, BLUE Linear-12 diode LED corner module
 - o SIDES (Driver-Passenger)
 - Single 3-LED Vertical LED Alley Light Modules
- Light Bar Width
 - o 48"- Charger, Durango, Interceptor Sedan and Utility
 - o 55"- Tahoe, Expedition and Trucks
- Lenses
 - o All lenses shall be clear in color

List the make and model of Light Bar that is bid:

- Mounting kit
 - Mounting kit to match vehicle application from bid award.
- Delivery
 - Light bar to be delivered in factory shipping box and placed in the trunk of the new vehicle when delivered to Colorado State Patrol Garage (No Installation).

Make _	WHELEN	_ Model _	LIBERT	Y 2 IWBCS	P1	-	
List any	additions and/or deletions of y	our bid f	rom the l	JGHT BAR F	PACKAGE s	spec's listed abov	ve:
Total P	rice for PACKAGE: LIGHT BAR	R: \$ <u>148</u>	4.00	For Body Co	ode <u>A7/A8</u>		

2018 DODGE CHARGER POLICE AVAILABLE COLORS

Billet Clear Coat

Bright Silver Metallic Clear Coat

Destroyer Grey Clear Coat

Electric Blue Pearl Coat \$500.00 Chg. Line #259

Granite Pearl Coat

Indigo Blue \$500.00 Chg. Line #259

Maximum Steel Met. Clear Coat

Michigan State Police Blue \$500.00 Chg. Line #259

Midnight Blue Pearl Coat \$500.00 Chg. Line #259

Octane Red Pearl Coat

Pitch Black Clear Coat

Ranger Clear Coat \$500.00 Chg. Line #259

Sheriff's Tan \$500.00 Chg. Line #259

TorRed Clear Coat

White Gold Clear Coat \$500.00 Chg. Line #259

White Knuckle Clear Coat