### Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS**

**Dealers Invitation to Bid** 

Page 1 of 3

7/31/2017

Class: Sedart/SW - Law

Body Code: A8

SEDAN PURSUIT, PATROL

Representative Models: 1: DODGE

3:

CHARGER

2:

4:



MAKE	DODGE MODEL: CHARGER AWD	_ OEM MODE	EL #: LDEE48 TRIM LEVEL: POLICE OEM CODE: 29A
ST	ANDARD SPECIFICATIONS:	OEM CODE	INDICATE ACTUAL DEALER SPECIFICATIONS
110	110 DOORS: 2 SIDE DOORS		4 DOOR STANDARD
197	197 ENG MIN CYL: 8		5.7L HEMI V8 STANDARD
409	409 ALL WHEEL DRIVE		MODEL SPECIFIC
500	500 PACKAGE:POLICE LRGE (Attachmnt)		INCLUDED
910	910 PRIMARY FUEL: UNLEADED		STANDARD
991	STD WRNTY - BUMPER TO BUMPER 3/36		STANDARD

STANDARD VEHICLE BASE PRICE \$ 31,634.00

AV	AILABLE OPTIONS:	OEM CODEACTUAL / COMMENTS				
128	WHEEL COVERS	W8B	INCL IN LINE #500		N/C	
129	SMALL HUBCAPS	WBH	BRIGHT CENTER CAPS	CREDIT	\$-40	
158	SETINA PARTITION INSTALLED		DEALER SUBLET		\$724	
159	MOLDED PLASTIC R.SEAT INSTALLED PTS		DEALER SUBLET		\$781	
252	CNG PREP PACKAGE		NOT AVAILABLE			
254	ALT FUEL - OEM BI FUEL SPECIFY TANK LOC		NOT AVAILABLE			
255	ALT FUEL - OEM DEDICATED SPEC TANK LOC		NOT AVAILABLE			
256	E85 - OEM BI FUEL		NOT AVAILABLE			
259	EXTRA PAINT CHARGE	VARIES	OPT. COLORS SEE LIST FOR SPECIFICS	3	\$500	
286	PUSH BUMBER PB400		DEALER SUBLET		\$372	
287	PUSH BUMP PB400 W/PB5 FENDER PROTECTO		DEALER SUBLET		\$847	
291	DELETE 5.7 HEMI ENGINE		NOT AVAILABLE ON A8 SEE BODY COD	E A7		
292	DELETE POLICE PREP PKG	AYE	DELETE PKE AYE FROM LINE #500		\$-1720	
299	DELETE CRUISE CONTROL		NOT AVAILABLE			
311	SEATS: VINYL SEATS		FRONT CLOTH /REAR VINYL SEATS INCL IN LINE	E #500	N/C	
444	ENGINE BLOCK HEATER	NHK	OEM OPTION		\$95	
505	RIGHT SPOTLIGHT WITH A RED LENS		DEALER SUBLET		\$455	
507	RIGHT SPOTLIGHT WITH A CLEAR LENS		DEALER SUBLET		\$437	
513	WIRING COAXIAL RADIO ANTENNA CABLE		DEALER SUBLET		\$141	
528	PACKAGE: LIGHT BAR (attchmt not installed)		DEALER SUBLET		\$1484	
540	DELETE SPOTLIGHT LEFT SIDE		ADJUSTS LINE #500	CREDIT	\$-187	
551	FRONT SPEAKERS OPERATIVE		DEALER SUBLET		\$164	
571	UNDERCOVER LIGHTING PKG (ettachmt)		NOT APPLICABLE FOR A8		323	
,						

## Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS**

Dealers invitation to Bid

Page 2 of 3 7/31/2017

Class: Sedan/SW - Law

Body Code: A8

SEDAN PURSUIT, PATROL

Representative Models: 1: DODGE

CHARGER

2:

3:

4:

MAKE	DODGE MODEL: CHARGER AWD	_ OEM MOD	EL#: LDEE48 TRIM LEVEL: POLICE	OEM CODE:	29A
AV	AILABLE OPTIONS:	OEM COD	EACTUAL / COMMENTS		PRICE
602	INSIDE REAR DOOR HANDLES OPERATIONAL		DELETES OPTION FROM LINE #500	CREDIT	\$-67
626	DELETE STATE PATROL OPTIONS		RETURNS VEHICLE TO BASE SPEC	CREDIT	\$-7947
645	DELETE LAYDOWN SPARE TIRE BRACKET		DELETES OPTION FOR LINE #500	CREDIT	\$-129
683	LIGHTBAR INSTALL		DEALER SUBLET		\$268
759	CLOTH FRONT/CLOTH REAR SEAT	]	DELETES OPTION FORM LINE #500	CREDIT	\$-107
811	FLOORING: RUBBER		DELETES CARPET OPTION FORM LINE #500	CREDIT	\$-111
884	GFX RACETRACK FLASHER OPT		INCLUDED IN LINE #500		N/C
887	BEV (BATTER/ELECTRIC)		NOT AVAILALE		
960	12.1' IN DASH SCREEN (CHARGER ONLY)	AV2	OEM OPTION		\$2240
982	EXT WARRANTY - POWER TRAIN 5/100,000	8	STANDARD FOR FCA GOVT. SALES		N/C

## Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS** Dealers Invitation to Bid

7/31/2017

Page 3 of 3

Class: Sedan/SW - Law

Body Code: A8

SEDAN PURSUIT, PATROL

Representative Models: 1: DODGE

CHARGER

2:

4: MAKE. DODGE MODEL. CHARGER AWD DEM MODEL #. LDEE48 TRIME EVEL POLICE DEM CORE. 29A

				,0	
STANDARD FACTORY WARRANTY (	•	n):	****		
Bumper to Bumper	MILES 36,000	MONTHS 36			
Drive Train	100,000	60			
Other		<del></del>		1550	
VARIES SEE DLR.	Attach detalled description MILES	MONTHS	PRICE		
EPA FUEL RATING:15	_ M.P.G CITY,	23	M.P.G HIGHWAY		
DEM MINIMUM FUEL RATED OCTAN	E: REGULAR UNLI	EADED 85 OCT.			
DELIVERY: 90-120 DAYS F	ROM DEALER RECEIPT	OF ORDER FROM S	FATE (E.G. 90 DAYS)		

Page 15 of 52

## #500 - PACKAGE: POLICE LARGE

MINIMUM SPECIFICATIONS FOR 2018 MODEL YEAR "A7" LARGE, 4-DOOR, REAR-WHEEL DRIVE and "A8" ALL WHEEL DRIVE PURSUIT PATROL VEHICLES

A7 - 2018 V-8, full-size, 4-door, rear wheel drive, pursuit-type police **OEM certified** patrol vehicle: Dodge Charger LDDE48

A8 - 2018 V-8, full-size, 4-door, all-wheel drive, pursuit-type police **OEM certified** patrol vehicle: Dodge Charger LDEE48

#### **SPECIFICATIONS**

Comply (cir	cle_Y	or N)	
Air Bags (CG3)(CJ1):	$\odot$	N	Supplemental front seat mounted side airbags. Side curtain airbags
Air Conditioning (HAD):	Y	N	Factory-installed dual zone air conditioning.
Alternator (BAJ):	O	N	High-output, 220 amp maximum, heavy-duty alternator.
Backup Camera (XAC):	Y	N	Parkview rear back up camera
Battery (BCF):	Y	N	800 cca with battery rundown protection.
Bluetooth (XRB)	Y	N	Uconnect 5.0 Integrated voice command with Bluetooth
Brakes (BR9)(BPT):	(Y)	N	4 Wheel disc heavy-duty brakes with brake assist and ESC. Ready
			alert braking.
Cooler, Engine Oil	<b>(Y)</b>	N	Auxiliary engine oil cooler.
(NHA):			
Cooler, Power Steering	Ŷ	N	External power steering fluid cooler.
Fluid (NHF):			
Cooler, Transmission:	(Y)	N	External air-to-oil transmission oil cooler.
Cooling System (XDK):	Y	N	Severe duty cooling system
Courtesy Light Inop.:	(Y)	N	Courtesy Light Inoperative
Cruise Control (NHM)	(Y)	N	Speed control with telescoping steering column.
(SUE):			
Delete Daytime	Y	N	Delete daytime running lights and automatic headlights.
Running Lights:			
Differential:	(Y)	N	Ratio to be minimum RWD-2.62 AWD-3.07.
Engine (EZH):	Y	N	5.7L Hemi multi displacement system and 370 HP @ 5,250 rpm, 395
			lb-ft torque @4,200 rpm
Flooring (CKD):	(Y)	N	Standard carpet
Gauges (JAY):	Y	N	Fuel gauge, temperature gauge, tachometer and engine hour meter
			mounted in dash in normal positions. Outside temperature display.
Grille (MFU)	Ŷ	N	Black grille with black honeycomb
Grille Lights (MEK):	Y	N	Whelen MICRON Series Red and Blue grille lights mounted behind
-			front grille. Part Numbers: (1) MCRNSR (RED), (1) MCRNSB (BLUE
			Must be factory or GFX installed.
Heater, Defroster:	Y	N	Heavy duty fresh air heater and rear window defroster.
Lighting Controller	M	N	Whelen CanTrol siren and lighting control system. System to
			include a remote mounted photo cell that will be direct wired to
			the CanTrol inputs as per CSP/Whelen specs. CanTrol system
			to have interface cable pre wired from the rear of the vehicle to
			the console area for the CANCTL1 control head to be
			attached. Part number CanTrol CANWC1 w/ Control Head #
			CANCTL1, Photo Cell part number CANLITEB

Page 16 of 52

Lights, Front upper Inner-Edge Windshield light	M	N	Whelen- ISFW35X FST series front Inner-Edge DUO WeCan. RED & BLUE with FULL WHITE light from end to end. Make sure light is flush against the windshield and there is no light bleeding into vehicle. Must be factory or GFX.
Lights, Rear Deck (LN3):	8	N	Whelen-IE35Z- Whelen 12 lamp RST Series rear lower Inner-Edge with (6) RED and (6) BLUE flasher modules and (12) AMBER traffic advisor lights. This mounts on lower rear deck and is WeCAN controlled via the Whelen CANTROL system. Meets SAE specifications. Must be factory or GFX installed.
Lights, Under Mirror Lights: (EWLME1)	M	N	Whelen under side view mirror lights-LINSV2R, LINSV2B with bracket kit, installed-red driver's side, blue passenger side. Must be factory or GFX installed.
Lights, Side lights(LNZ)	(X)	N	Mounted on "B" pillar, red light on right side, blue light on left side.  Whelen MICRON Series RED & BLUE to be located behind rear each side windows. Part Numbers: (1) MCRNSR (RED), (1)  MCRNSB (BLUE) Must be factory or GFX installed.
Locking System:	(A)	N	Single key locking system (different key for each vehicle). Remote keyless entry with four fobs.
Rear Door Emergency Lock (CWK):	(Y)	N	Deactivate rear door locks. Emergency rear door lock knob in the front of each rear door.
Map Light (LBG)	(Y)	N	Front reading/map light.
Mirrors, Outside Heated (NHJ):	<b>(A)</b>	N	Heated left and right outside mirrors, adjustable with remote control.
Pedals (XAP)	<b>(Y)</b>	N	Power adjustable pedals,
Police Performance Electronic Stability program, (BNB)(GNG)	(A)	N	With Brake Assist and all speed traction control and hill start assist
Race track Flash: (EALTB1)	8	N	"Race Track" rear tail light flashes with an outside/inside pattern. Flash reverse lights. Must be factory or GFX installed.
Radio, Commercial:	V	N	Standard commercial AM/FM radio, dual rear speakers
Safety Group (AWC)	Y	N	Parksense rear park assist. Blind spot and cross path detection
Seats:	Y	N	Heavy duty front power bucket seats (45/45) made of cloth with power lumbar support. The rear seat to be made of vinyl.
Slicktop Police Package # 1: (AYE)(CUG)	(X)	N	CONSOLE (XWK)-24" Havis, the console is manufactured to precisely fit OEM dash trim. Includes cup holder. Includes brackets to accommodate a Motorola APEX 6500 VHF & DTR and Whelen lighting controller. Power Distribution Center (XWK)- All circuits will have a central attachment point at the trunk tray via the Power Distribution Center. Wire Harness (XPW)-Interfaces with power distribution center to provide seven light locations throughout the vehicle. Front corners, Grille, Windshield Visor Area, Outside mirrors "B" Pillars, Rear Deck (Package Shelf), Rear Corners. Additionally, interfaces with the PTIM now VSIM module will include Head Light Flash, Tail Light Flash, Horn Sense, Horn Mute, Head Light Sense and Park Sense. Various power & ground feeds will be routed to the console for Radio, Radar, Computer, Camera, and Aux. These circuits have appropriate gauge wire with fuse protection in the Powe Distribution Center. Siren Speaker(XWP)- A Whelen SA315P composite housing siren speaker with behind grille mounting bracket

Page 17 of 52

			will be supplied and leads run to trunk. Trunk Tray(XWQ)- A slide of
			full width trunk equipment electronics tray will be provided. The tray measures 17.5" by 39.5" with a 100 lbs. capacity. <b>Spare tire</b>
			relocation bracket (TBH). Trunk Fan-A high volume trunk fan that
			operates via ignition will be installed in the rear package shelf area
			drawing heated or cooled air from the passenger compartment into
0 10: 0 0 10:	3	8.1	the trunk area. Must be factory or GFX installed.
Second Siren Speaker:	(Y)	N	A Second Whelen SA315P composite housing siren speaker with
			behind grille mounting bracket will be supplied and leads run to trunk
	-		Must be factory or GFX installed.
Speedometer (JCC):	(Y)	N	160 MPH Speedometer to be calibrated and certified to be within 2%
			accuracy at all speeds.
Spotlight (LNX)(LNF):	(Y)	N	Driver's-side LED spot light, 5" in diameter. Head to be mounted or
			door pillar in such a manner as to provide adequate clearance from
			steering wheel in all positions of light and tilt steering wheel.
		B. 8	
Stealth Mode:	(Y)	N	Capable of going into stealth mode.
Stealth Mode: Steering:	$\overline{\Upsilon}$	N N	Performance Steering. Heavy-duty power rack and pinion steering
Steering:	Y	N	Performance Steering. Heavy-duty power rack and pinion steering system.
Steering: Steering Wheel Control	Y Y		Performance Steering. Heavy-duty power rack and pinion steering
Steering:	Y Y	N N	Performance Steering. Heavy-duty power rack and pinion steering system.  Steering wheel overlay wiring harness. GFX part number EAECA1.
Steering: Steering Wheel Control	Y	N	Performance Steering. Heavy-duty power rack and pinion steering system.
Steering: Steering Wheel Control Switches	\(\frac{\partial}{\partial}\)	N N	Performance Steering. Heavy-duty power rack and pinion steering system.  Steering wheel overlay wiring harness. GFX part number EAECA1.
Steering: Steering Wheel Control Switches Suspension System	Y Y	N N	Performance Steering. Heavy-duty power rack and pinion steering system.  Steering wheel overlay wiring harness. GFX part number EAECA1.  Front - Independent high arm SLA with dual ball joint lower, coil
Steering: Steering Wheel Control Switches Suspension System (SDB):	\(\frac{\partial}{\partial}\)	N N N	Performance Steering. Heavy-duty power rack and pinion steering system.  Steering wheel overlay wiring harness. GFX part number EAECA1.  Front - Independent high arm SLA with dual ball joint lower, coil spring, sway bar. Rear – Independent multi-link, coil spring, sway ba
Steering:  Steering Wheel Control Switches Suspension System (SDB): Tires and Wheels:	\(\frac{\partial}{\partial}\)	N N N	Performance Steering. Heavy-duty power rack and pinion steering system.  Steering wheel overlay wiring harness. GFX part number EAECA1.  Front - Independent high arm SLA with dual ball joint lower, coil spring, sway bar. Rear – Independent multi-link, coil spring, sway ba Five heavy-duty steel wheels and five Goodyear RSA "speed rated"
Steering:  Steering Wheel Control Switches Suspension System (SDB): Tires and Wheels:	\(\frac{\partial}{\partial}\)	N N N	Performance Steering. Heavy-duty power rack and pinion steering system.  Steering wheel overlay wiring harness. GFX part number EAECA1.  Front - Independent high arm SLA with dual ball joint lower, coil spring, sway bar. Rear – Independent multi-link, coil spring, sway ba Five heavy-duty steel wheels and five Goodyear RSA "speed rated" tires P225/60R18 BSW W rated performance tires. Full size spare.
Steering:  Steering Wheel Control Switches Suspension System (SDB): Tires and Wheels: (TWW)(TBW)(WEG)		N N N	Performance Steering. Heavy-duty power rack and pinion steering system.  Steering wheel overlay wiring harness. GFX part number EAECA1.  Front - Independent high arm SLA with dual ball joint lower, coil spring, sway bar. Rear – Independent multi-link, coil spring, sway ba Five heavy-duty steel wheels and five Goodyear RSA "speed rated" tires P225/60R18 BSW W rated performance tires. Full size spare. Tire pressure monitoring system.
Steering:  Steering Wheel Control Switches Suspension System (SDB): Tires and Wheels: (TWW)(TBW)(WEG)  Transmission		N N N	Performance Steering. Heavy-duty power rack and pinion steering system.  Steering wheel overlay wiring harness. GFX part number EAECA1.  Front - Independent high arm SLA with dual ball joint lower, coil spring, sway bar. Rear – Independent multi-link, coil spring, sway ba Five heavy-duty steel wheels and five Goodyear RSA "speed rated" tires P225/60R18 BSW W rated performance tires. Full size spare. Tire pressure monitoring system.  Minimum heavy-duty 5-speed automatic transmission with over-drive
Steering:  Steering Wheel Control Switches Suspension System (SDB): Tires and Wheels: (TWW)(TBW)(WEG)  Transmission (DGJ)(CV8)(AXR):		N N N	Performance Steering. Heavy-duty power rack and pinion steering system.  Steering wheel overlay wiring harness. GFX part number EAECA1.  Front - Independent high arm SLA with dual ball joint lower, coil spring, sway bar. Rear — Independent multi-link, coil spring, sway ba Five heavy-duty steel wheels and five Goodyear RSA "speed rated" tires P225/60R18 BSW W rated performance tires. Full size spare. Tire pressure monitoring system.  Minimum heavy-duty 5-speed automatic transmission with over-drive with column shifter and secure park

THE WARRANTY IS TO GO INTO EFFECT ON THE DATE THE VEHICLE IS PUT INTO SERVICE, NOT THE PURCHASE DATE. END USER WILL BE RESPONSIBLE FOR NOTIFING THE MANUFACTURER OF THE IN SERVICE DATE.

Delivery to be made to the Colorado State Patrol at 15203 W. 12<sup>th</sup> Ave., Golden, CO 80401. Per State Fleet Management instructions.

#### OTHER

Please list a description of any additions and/or deletions to your factory's POLICE PACKAGE from the above listed specs or list next to the item directly on the attached sheets described above:

Body Code: A7/A8	<del>-</del> · · <del>-</del> · ·	

ATTACH A COPY OF THIS FORM TO THE "DEALER'S INVITATION TO BID" FOR BODY CODE  $\overline{A7}$  or  $\overline{A8}$  WHICH HAS OPTION PACKAGE #500

Page 18 of 52

Since this Package is part of the Standard Specification for body code A7 or A8, the total cost for this package must be included in the "Standard Vehicle Base Price" as listed on page 1 of the Vehicle Specs for this body code.)

Page 19 of 52

#### #528 - Package Light Bar

Attach one copy of this form to each body code specification sheet that has an Available Option #528 in the following body codes:

A5, A7, A8, A9, F6, K2, K7, K8

Bid equipment for vehicle model being bid.

#### The LIGHT BAR PACKAGE must include the following:

- (Non-OEM) Whelen Liberty 2 Model IW8CSP1
  - o FRONT (Driver-Passenger)
    - RED Linear 12 diode LED corner module, RED Linear 6 diode LED outboard module, RED Linear-6 diode LED inboard module, (2) 12 Diode LED Take Down Lights, BLUE Linear-6 diode LED inboard module, BLUE Linear-6 diode LED outboard module, BLUE Linear-12 diode LED corner module.
  - o REAR (Driver-Passenger);
    - RED Linear 12 diode LED corner module, RED Linear 6 diode LED outboard module, RED Linear-6 diode LED inboard module, RED Linear 6-diode LED inboard module, Blue Linear 6-diode LED inboard module, BLUE Linear-6 diode LED inboard module, BLUE Linear-6 diode LED outboard module, BLUE Linear-12 diode LED corner module
  - o SIDES (Driver-Passenger)
    - Single 3-LED Vertical LED Alley Light Modules
- Light Bar Width
  - 48"- Charger, Durango, Interceptor Sedan and Utility
  - o 55"- Tahoe, Expedition and Trucks
- Lenses
  - o All lenses shall be clear in color

List the make and model of Light Bar that is bid:

- Mounting kit
  - Mounting kit to match vehicle application from bid award.
- Delivery
  - Light bar to be delivered in factory shipping box and placed in the trunk of the new vehicle when delivered to Colorado State Patrol Garage (No Installation).

Make _	WHELEN		LIBERTY	2 IWBCSP1			
List any	y additions and/or deletions of y	our bid 1	from the LIG	HT BAR PAC	KAGE sp	ec's listed above	): :
Total P	rice for PACKAGE: LIGHT BAR	· s 148	4.00 Fo	or Body Code	A7/A8		

#### 2018 DODGE CHARGER POLICE AVAILABLE COLORS

Billet Clear Coat

Bright Silver Metallic Clear Coat

Destroyer Grey Clear Coat

Electric Blue Pearl Coat \$500.00 Chg. Line #259

Granite Pearl Coat

Indigo Blue \$500.00 Chg. Line #259

Maximum Steel Met. Clear Coat

Michigan State Police Blue \$500.00 Chg. Line #259

Midnight Blue Pearl Coat \$500.00 Chg. Line #259

Octane Red Pearl Coat

Pitch Black Clear Coat

Ranger Clear Coat \$500.00 Chg. Line #259

Sheriff's Tan \$500.00 Chg. Line #259

TorRed Clear Coat

White Gold Clear Coat \$500.00 Chg. Line #259

White Knuckle Clear Coat