



Class: P/U - 4x4

Body Code: F4

1 T 4X4 TRUCK

Representative Models: 1: CHEVROLET 3500 PU 2: FORD F350 PU
3: RAM 3500 PU 4: GMC 3500 PU

MAKE: RAM MODEL: 3500 REG CAB OEM MODEL #: D28L62 TRIM LEVEL: TRADSMIN OEM CODE: 26A

STANDARD SPECIFICATIONS:

OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS

101	PASS: 3 PERSONS MIN.	STANDARD
110	DOORS: 2 SIDE DOORS	STANDARD
121	LONG BED	STANDARD 8' BED
140	TIRES: ALL SEAS M&S RADIAL	TCN LT275/70R18E BSW ALL SEASON STANDARD
146	FULL SIZE SPARE TIRE	TBB STANDARD
183	WHEELBASE: 131.0 IN. MIN	STANDARD 140"
238	GVW RATING: 10000 MIN	Z8A 10,300 GVWR
260	SINGLE REAR WHEELS	AR9 STANDARD
298	CRUISE CONTROL/TILT	NHM STANDARD
300	AIR CONDITIONING - R134a	HAA STANDARD
302	RADIO: AM/FM	RA1 STANDARD
307	POWER BRAKES & POWER STEERING	SBE STANDARD
308	ABS BRAKES	BRT STANDARD
310	SEATS: CLOTH SEATS	V9X8 INCLUDED
321	FLOORING: RUBBER	CK9 INCLUDED
340	AIR BAG - DRIVER SIDE	CG3 ADVANCED MULTISTAGE FRONT AIR BAGS STANDARD
350	STD ENG: SPECIFY	EZC 5.7L V8 HEMI
400	MIRRORS: RIGHT AND LEFT	LEG MAN. TRAILER TOW MIRRORS STANDARD
404	INTERMITTENT WIPERS	JHA STANDARD
410	TRANSMISSION: AUTOMATIC	DFP 6 SPEED AUTO STANDARD
415	FOUR-WHEEL DRIVE	STANDARD MODEL SPECIFIC
418	AUTOMATIC LOCKING FRONT HUBS	STANDARD
436	HEAVY DUTY COOLING	NMC STANDARD
459	STEP BMPR-500#TONGUE,5000#TRLR	STANDARD
752	AXLE RATIO: SPECIFY	DME 3.73 STANDARD
863	BACKUP CAMERA	XAC STANDARD
910	PRIMARY FUEL: UNLEADED	STANDARD
991	STD WRNTY - BUMPER TO BUMPER 3/36	STANDARD

STANDARD VEHICLE BASE PRICE \$ 24,446

**Colorado State Fleet Management
2018 VEHICLE SPECIFICATIONS**

Dealers Invitation to Bid

8/25/2017

Class: P/U - 4x4

Body Code: F4

1 T 4X4 TRUCK

Representative Models: 1: CHEVROLET 3500 PU 2: FORD F350 PU
3: RAM 3500 PU 4: GMC 3500 PU

MAKE: RAM MODEL: 3500 REG CAB OEM MODEL #: D28L62 TRIM LEVEL: TRADSMIN OEM CODE: 26A

AVAILABLE OPTIONS:	OEM CODEACTUAL / COMMENTS	PRICE
097 CREW CAB (4 DOORS): SPECIFY CA	D28L92 CREW CAB 8' BED 56.9 CA	3447
098 EXT CAB LONG BED 3 OR 4 DOOR	NOT AVAILABLE	
099 EXT CAB SHORT BED 3 OR 4 DOOR	NOT AVAILABLE	
122 SHORT BED	D28L91 CREW CAB 6' 4" BED 36.8 CA	3281
133 BACK UP ALARM	DEALER SUBLET	121
141 TIRES: ALL-TERRAIN, LIST SIZE:	TCP LT275/70R 18E OWL ON/OFF ROAD	245
143 TIRES: OPTION #1, LIST SIZE:	TV3 LT235/80R17E OWL ON/OFF RD REQ LINE 261	245
152 SPILT BENCH 40/20/40 FULL CONSOLE	CBE STANDARD	
216 NON-STD ENGINE OPTION A:	ESA 6.4L V8 MID DUTY HEMI	500
217 ENG OPTION: DIESEL	ETK 6.7L I6 CUMMINS TURBO DIESEL	7498
218 NON-STD ENGINE OPTION B:	28A 6.7L I6 CUMMINS TUR DIE W/ AISIN AUT TRN	13221
229 HEAVY DUTY SUSPENSION SPECIFY TYPE:	SEB AUTO LEVEL REAR AIR SUSPENSION	1595
239 GVW OPTION: SPECIFY	Z8N 13,700# GVWR REQ LINE#216,244 &261	NO CHARGE
244 AXLE RATIO (MIN.) 4.10	DMF 4.10 REAR AXLE RATIO REQ LINE 216&261	50
249 AXLE RATIO OPTION: SPECIFY	DMR 3.42 REAR AXLE REQ LINE #217	NO CHARGE
252 CNG PREP PACKAGE	NOT AVAILABLE	
254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC	NOT AVAILABLE	
255 ALT FUEL - OEM DEDICATED SPEC TANK LOC	NOT AVAILABLE	
256 E85 - OEM BI FUEL	NOT AVAILABLE	
261 DUAL REAR WHEELS	WLA REQUIRES LINE#216 OR 217	1295
262 DARKEST LEGAL TINT AVAIL	DEALER SUBLET SEE NOTES FRT WIND ONLY	135
266 CUSTOM CLOTH SEAT W/CNTR CNSOLE STRG	M9X8 INCLUDED WITH LINE#620	NO CHARGE
284 REMOTE KEYLESS ENTRY	GXM PWR&REMOTE GROUP REQ. LINE#520,526,530	615
311 SEATS: VINYL SEATS	SXX8 WORK GRADE VINYL GRAY	195
312 SEATS: BUCKET SEATS - CLOTH	MJX8 REQUIRES LINE #620	1195
401 MRRS:REC/CMR FOR TWNG (7'x9")	LEG STANDARD	
408 REAR AXLE - ANTI SPIN	DSA STANDARD	
411 TRANSMISSION: MANUAL W/OVERDRV	DEG REQUIRES LINE#217	NO CHARGE
423 TOOL BOX - ACROSS BED BOX(attachment)	DEALER SUBLET SEE ATTACHED	366
424 TOOL BOX - SIDE BED BOX(attachment)	DEALER SUBLET SEE ATTACHED	348
429 TRAILER BRAKE CONTROL-ELECTRIC	XHC OEM OPTION	295
430 PCKG:TOWING/RCVR HITCH(Alchmt)	STANDARD OEM SPEC MEETS ATTACHMENT	NO CHARGE
432 TOW HOOKS	XEA STANDARD	NO CHARGE
438 PACKAGE:SNOW PLOW (attachmt)	DEALER SUBLET REQUIRES LINE#439	3667
439 OEM SNOW PLOW PREP	AHD OEM HEAVY DUTY SNOW PLOW PREP	181

Colorado State Fleet Management
2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

Class: P/U - 4x4

Body Code: F4

1 T 4X4 TRUCK

Representative Models: 1: CHEVROLET 3500 PU 2: FORD F350 PU
3: RAM 3500 PU 4: GMC 3500 PU

MAKE: RAM MODEL: 3500 REG CAB OEM MODEL #: D28L62 TRIM LEVEL: TRADSMIN OEM CODE: 26A

AVAILABLE OPTIONS:	OEM CODEACTUAL / COMMENTS	PRICE
440 PACKAGE:OFF ROAD (Attachment)	OEM MEETS SPEC PER ATTACHMENT	340
443 PKG: STROBE LIGHT (Attachment)	DEALER SUBLET	280
444 ENGINE BLOCK HEATER	NHK OEM OPTION	95
450 SKID PLATE-FUEL TNK,TRFR CS/DI	ADB OEM OPTION	95
454 AUXILARY BATTERY	STANDARD WITH LINE #217 NOT AVAIL W/ GAS	NO CHARGE
462 GOOSENECK HITCH (attachmt)	DEALER SUBLET	881
468 SPRAY IN BEDLINER	XMF OEM OPTION	495
472 EPACT AFV CREDIT: Specify	NOT AVAILABLE	
516 LEFT DOOR POST SPOTLIGHT (50W)	DEALER SUBLET	480
520 POWER LOCKS	AJH INCLUDED WITH LINE#284	NO CHARGE
521 HEAVY DUTY ALTERNATOR	BAJ 220 AMP OEM OPTION	100
526 POWER MIRRORS	AJH INCLUDED WITH LINE#284	NO CHARGE
530 POWER WINDOWS	AJH INCLUDED WITH LINE #284	NO CHARGE
541 DELETE DAYTIME/AUTO HEADLIGHTS	DAYTIME HEADLAMPS ARE OPTIONAL	
599 AM/FM CD PLAYER	UA7 UCONNECT 3.0 W/ BLUETOOTH NO CD	195
608 HYBRID GAS/ELECTRIC	NOT AVAILABLE	
620 UPPER TRIM LEVEL PKG: SPECIFY	D28H62 SLT OEM TRIM PACKAGE	3759
643 ADD DAYTIME RUNNING LIGHTS	LM1 OEM OPTION	40
658 EXTRA KEYS & REMOTES	DEALER INSTALLED PER EACH KEY SET	217
693 MEETS 2010 FED EMISSIONS DIESEL ENG	STANDARD	
694 DIESEL ENG B20 COMPLIANT	STANDARD	
763 PHEV (PLUG IN HYBRID ELEC VEH)	NOT AVAILABLE	
780 UPFITTER SWITCHES	LHL OEM OPTIONS	145
791 TOPPER FIBERGLASS 3 WINDOW (Attachment)	DEALER SUBLET	1567
845 BLIND SPOT NOTIFICATION	NOT AVAILABLE	
887 BEV (BATTER/ELECTRIC)	NOT AVAILABLE	
982 EXT WARRANTY - POWER TRAIN 5/100,000	STANDARD	

Colorado State Fleet Management
2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

Class: P/U - 4x4

Body Code: F4

1 T 4X4 TRUCK

Representative Models: 1: CHEVROLET 3500 PU 2: FORD F350 PU
3: RAM 3500 PU 4: GMC 3500 PU

MAKE: RAM MODEL: 3500 REG CAB OEM MODEL #: D28L62 TRIM LEVEL: TRADSMIN DEM CODE: 26A

AVAILABLE COLORS: Please attach manufacturer color chart

OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please attach separate sheet if necessary) PRICE

STANDARD FACTORY WARRANTY (Attach detailed description):

	MILES	MONTHS
Bumper to Bumper	<u>36K</u>	<u>36</u>
Drive Train	<u>100K</u>	<u>60</u>
Other	<u> </u>	<u> </u>

OPTIONAL FACTORY WARRANTY (Attach detailed description):

	MILES	MONTHS	PRICE
<u>OPTIONS VARY CALL DEALER FOR DETAILS</u>	<u> </u>	<u> </u>	<u> </u>

EPA FUEL RATING: N/A M.P.G CITY, N/A M.P.G HIGHWAY

OEM MINIMUM FUEL RATED OCTANE: 85

DELIVERY: 90-120 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 90 DAYS)

IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS:

LINE #658 REQUIRES LINE #284 FOR REMOTES

DEALER NAME: JOHN ELWAY CHY DODGE JEEP RAM

BIDDER'S NAME: ROBERT MERRILL

DEALER PHONE: 720.284.5256

SIGNATURE: 

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 2 of 52

#423 - PACKAGE: TOOLBOX - ACROSS BED BOX

Attach one copy of this form to each body code specification sheet that has an Available Option #423 including the following body codes:

E1, E2, E3, E4, E8, F1, F2, F3, F4, F8

An installed **TOOLBOX - ACROSS BED BOX PACKAGE** should include the following:

- Delta brand or equivalent
- Either a gull-wing, double lid or chest-style, full-hinged, single lid crossover toolbox
- Painted white with **all steel** construction
- Torsion bar lift on lid(s)
- Removable tray
- Weather stripping around lid(s)
- A lock on each lid with key
- Price to include complete installation.

Total Price for TOOL BOX - ACROSS BED BOX PACKAGE:

- A gull-wing, double lid, tool box:

\$

- a chest-style, full-hinged, single lid crossover toolbox:

\$

For Body
Code:

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 3 of 52

#424 - PACKAGE: TOOL BOX - SIDE BED

Attach one copy of this form to each body code specification sheet that has an Available Option #424 including the following body codes:

E1, E2, E3, E4, E8, F1, F2, F3, F4, F8

An installed **TOOLBOX - SIDE BED (Rail Mount) PACKAGE** should include the following:

- Delta Brand Rail Mount Box or equivalent
- A quantity of one, side-bed, rail mount, utility, tool box
- Toolbox must sit on top of the truck bed side rail
- Painted white with **all steel** construction
- A lock on the lid with key
- Removable tray
- Weather stripping around lid
- Price to include complete installation, rearward of an optional across bed box.

Total Price for 48" TOOLBOX - SIDE BED PACKAGE:

\$

Total Price for 60" TOOLBOX - SIDE BED PACKAGE:

\$

For Body Code:

F4

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 4 of 52

#430 - PACKAGE: OEM TOWING OPTION

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

C2, C3, C4, D1, D2, D3, D5, D8, E2, E3, E4, E8, F2, F3, F4, F8, K1, K2, K3, K5, K6, T1, T4, T5

An installed **OEM TOWING OPTION PACKAGE** should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
- Heavy duty engine cooling
- Transmission cooling (automatic only)
- Trailer wiring harness
- HD turn signal flasher
- Handling package (describe: FRONT AND REAR HEAVY DUTY SHOCK
ABSORBERS STANDARD)
- HD battery and Alternator.
- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's OEM TOWING OPTION package from the above listed specs:

CLASS 5 HITCH AND 7 PON WIRING STANDARD. 160 AM ALTERNATOR AND 730

CCA BATTERY STANDARD. OEM STANDARD OPTIONS MEET SPEC

Total Price for OEM TOWING PACKAGE:

\$

NO CHARGE

For Body Code:

F4

Total Price for T1 - OEM TOWING PACKAGE:

\$

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 5 of 52

#438 - PACKAGE: SNOW PLOW

Attach one copy of this form to each body code specification sheet that has an Available Option #438 including the following body codes:

F3, F4, F8, H3, T1, T4, T5

An installed **SNOW PLOW PACKAGE** should include the following:

- Meyer Standard Series Snowplow model #ST 7.5 or equivalent (7 1/2 foot blade).
- To be installed on a full size, 4WD pickup (Ford, Chevy or Dodge) with a minimum GVW rating of 8500 lbs
- The plow mounting kit used must be specifically designed for use on this vehicle.
- Must have dual batteries with isolator as a power source for the plow.
- Either an all-steel moldboard or a polymer moldboard with a high carbon steel cutting edge blade.
- Quick disconnect of front-end hardware, lights, and hydraulic unit.
- Hydraulic powered lift with electric, solenoid operated controls inside the cab that will allow the plow to be angled from side to side and lifted up and down.
- Additional headlights and directional lights above the plow. Must be a vibration free installation connecting to either the bumper or the plow hitch.
- Price to include complete installation.
- Audible back up alarm (light bulb type acceptable)
- Includes standard factory warranty of at least one year parts/labor

Specify how normal use of snow plow will not cause vehicle air bag to be engaged:

IF THE TRUCK AND PLOW ARE A APPROVED APPLICATION WHICH REQUIRES

LINE #439 THE AIRBAGS SHOULD NOT DEPLOY UNDER NORMAL OPERATION

Please list additions and/or deletions to your company's **SNOW PLOW PACKAGE** from the above listed specs:

Total Price for SNOW PLOW package with all steel moldboard:

\$

Total Price for SNOW PLOW package with polymer moldboard:

\$

For Body Code:

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 6 of 52

#440 - PACKAGE: OEM OFF ROAD

Attach one copy of this form to each body code specification sheet that has an Available Option #440 including the following body code:

F1, F2, F3, F4, F8, K1, K2, K3, K5, K6, T1, T4, T5

An installed **OEM OFF ROAD** package should include the following:

- High pressure front and rear gas shocks
- H/D springs
- Mud and snow radial tires "LT" rated. Specify tire size:
LT 275/70R18E ON / OFF ROAD
- Skid plate group. Specify types: TRANSFER CASE / FNT SUSP
- Front and rear tow hooks
- Limited Slip Rear Axle – Specify Ratio 3.73
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's OEM OFF ROAD PACKAGE from the above listed specs:

THIS PACKAGE COMBINES LINES #141, #408, #432, #450

Total Price for the **OEM OFF ROAD** package:

\$

For Body Code:

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 7 of 52

#443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

The **STROBE LIGHT PACKAGE** must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- **Base must be aluminum, not plastic.**
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with **locations** as follows:
- **Location for strobe light on pickups:**
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- **Location for strobe light on vans and sport utilities:**
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make ECCO Model 7160A

List any additions and/or deletions of your bid from the STROBE LIGHT PACKAGE specs listed above:

Total Price for STROBE LIGHT PACKAGE:

\$

280

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 8 of 52

For Body
Code:

F4

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 9 of 52

#462 – GOOSENECK TRAILER HITCH

Attach one copy of this form to each body code specification sheet that has an Available Option #462 including the following body codes:

E3, E4, E8, F3, F4, F8, T1, T4, T5

The **GOOSENECK TRAILER PACKAGE** must include the following:
ONE 5TH WHEEL HITCH WITH FOLDING BALL (2 5/16") MOUNTED IN BED

- Must be retractable ball mount that allows for a clear and smooth pickup bed when not in use
- Capacity: 5000 lbs maximum vertical load
- 25,000 max gross trailer weight
- Weld two ½" steel cross plates (approx. 38" by 4") under the pickup floor and bolt the 5th wheel hitch to these cross pieces
- Weld two more ½" steel plates (approx. 3" by 10") at right angles under the tow cross plates and bolt these pieces to the frame
- Trailer wiring harness – 7 way
- HD turn signal flasher
- Handling package (describe: FRONT AND REAR HD SHOCKS
FRONT AND REAR STABILIZER BARS)
- HD battery
- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's Gooseneck trailer package from the above listed specs:

Total Price for OEM TOWING PACKAGE: \$

For Body
Code:

**Colorado State Purchasing Office (per SFM)
LIST AND EXPLANATIONS OF VEHICLE PACKAGES
FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS**

Page 18 of 52

#791 – TOPPER FIBERGLASS 3 WINDOW

Attach one copy of this form to each body code specification sheet that has an Available Option #791 including the following body codes:

E1, E2, E3, E4, E8, F1, F2, F3, F4, F8

The **TOPPER FIBERGLASS 3 WINDOW PACKAGE** must include the following:

- Astro CR 1800 Topper or Approved Equals
- Construction shall be cab height, fiberglass topper
- Front shall be solid with full width, non-tinted front glass window
- Sides shall be solid with tinted glass windows on each side, sixty (60) inches to seventy (70) inches length (plus or minus one (1) inch and fourteen (14) inches height (plus or minus one half (1/2 inch). Side windows must be centered from front to back of topper with locks and flip up and stay up with one hand operation
- Rear shall be locking, flip up, full width and full height with tinted glass door in the rear. Door must open, remain up and close with one hand operation, to include gas props.
- Keys shall be the same key which must flip side and rear flip up windows. Two keys shall be provided for each truck topper
- Topper shall include 3rd brake light
- Topper color must match truck color
- Warranty min. 3 years on structure, paint and lock cylinder, 5 years on gas props part and labor

List any additions and/or deletions on your bid from the **HYDRAULIC LIFT GATE PACKAGE** specs listed above:

Total Price for TOPPER
FIBERGLASS W/3 WINDOWS:

1567

For Body
Code:

F4

2018 RAM COLORS FOR E2, F2, F3, F4, G3, H3

<input type="checkbox"/>	PS2	Bright Silver Metallic Clear Coat	0	0
<input type="checkbox"/>	PW7	Bright White Clear Coat	0	0
<input type="checkbox"/>	PXR	Brilliant Black Crystal Pearl Coat	0	0
<input type="checkbox"/>	P61	Case IH Red		450
<input type="checkbox"/>	PRV	Delmonico Red Pearl Coat	0	0
<input type="checkbox"/>	PR4	Flame Red Clear Coat	0	0
<input type="checkbox"/>	PAU	Granite Crystal Met. Clear Coat	0	0
<input type="checkbox"/>	PX8	Low Vol Black Clear Coat		450
<input type="checkbox"/>	P12	Low Vol Bright Red		450
<input type="checkbox"/>	PYB	Low Vol Detonator Yellow Clear Coat		450
<input type="checkbox"/>	P06	Low Vol Hills Green		450
<input type="checkbox"/>	P64	Low Vol Light Cream		450
<input type="checkbox"/>	P62	Low Vol Omaha Orange		450
<input type="checkbox"/>	P81	Low Vol Power Tan		450
<input type="checkbox"/>	PGW	Low Vol Timberline Green Pearl Coat		450
<input type="checkbox"/>	P73	Low Vol Tree Green		450
<input type="checkbox"/>	P63	Low Vol Yellow		450
<input type="checkbox"/>	PAR	Maximum Steel Met. Clear Coat	0	0



P72 New Holland Blue

450



PBU True Blue Pearl Coat

**PLEASE NOTE CERTAIN LOW VOL. COLORS ARE RESTRICTED TO QUANTITIES
AND HAVE A CHARGE OF \$450.00**