8/25/2017

2018 VEHICLE SPECIFICATIONS Dealers invitation to Bid

Colorado State Fleet Management

ORIGINAL

Class: P/U - 4x4

Body Code: F8

3/4 T CW CAB 4X4

Representative Models: 1: FORD

3: RAM

F250 PU 2500 PU

2: CHEVROLET

4: GMC

2500 PU 2500 PU

RAM _ MODEL: 2500 CREW CAB_OEM MODEL #: DJ7L92 TRIM LEVEL: TRADSMINOEM CODE: 26A MAKE: STANDARD SPECIFICATIONS: OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS 104 PASS: 6 PERSONS MIN. STANDARD 111 DOORS: 4 FULL SIZE SIDE DOORS STANDARD 121 LONG BED STANDARD MODEL SPECIFIC 140 TIRES: ALL SEAS M&S RADIAL TWD LT245/70R17E BSW ALL SEASON TIRES STANDARD 146 FULL SIZE SPARE TIRE TBB STANDARD 169" WHEELBASE MODEL SPECIFIC 1B4 WHEELBASE: 152.0 IN, MIN 5.7L V8 HEMI VVT ENGINE STANDARD EZC 197 ENG MIN CYL: 8 226 FUEL TANK: 30 GAL MIN NFX 32 GALLON STANDARD 237 GVW RATING: 8800 MIN Z7C **GVW RATING 9000#** 298 CRUISE CONTROL/TILT NHM **STANDARD** 300 AIR CONDITIONING - R134a HAA STANDARD 302 RADIO: AM/FM RA1 STANDARD 307 POWER BRAKES & POWER STEERING SBE STANDARD 308 ABS BRAKES BRT__STANDARD 310 SEATS: CLOTH SEATS V9/X8 INCLUDED 321 FLOORING: RUBBER CKJ **STANDARD** CG3 ADVANCED MULTISTAGE FRONT AIRBAGS STAND. 340 AIR BAG - DRIVER SIDE 350 STD ENG: SPECIFY **5.7L V8 HEMI** 400 MIRRORS: RIGHT AND LEFT LE4 STANDARD **404 INTERMITTENT WIPERS** JHA **STANDARD** 410 TRANSMISSION: AUTOMATIC DFP **6 SPEED AUTOMATIC STANDARD** 415 FOUR-WHEEL DRIVE STANDARD MODEL SPECIFIC 418 AUTOMATIC LOCKING FRONT HUBS STANDARD 459 STEP BMPR-500#TONGUE.5000#TRLR STANDARD 752 AXLE RATIO: SPECIFY DME 3.73 REAR AXLE RATIO STANDARD XAC **STANDARD** 863 BACKUP CAMERA 910 PRIMARY FUEL, UNLEADED **STANDARD STANDARD** 991 STD WRNTY - BUMPER TO BUMPER 3/36

> 25351.00 STANDARD VEHICLE BASE PRICES

8/25/2017

Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS**

Dealars Invitation to Bid

Class; P/U - 4x4

Body Code: FB

3/4 T CW CAB 4X4

Representative Models: 1: FORD

F250 PU

2: CHEVROLET

3: RAM

2500 PU

4: GMC

2500 PU 2500 PU

| | /AILABLE OPTIONS: | OEM COD | EACTUAL/ COMMENTS | PRICE |
|-----|---|----------|--|----------|
| 122 | SHORT BED | DJ7L91 | CREW CAB 6' 4" BED CREDIT | -170 |
| 133 | BACK UP ALARM | DEALER | SUBLET | 121 |
| 141 | TIRES: ALL-TERRAIN, LIST SIZE: | NO ALL | TERRAIN OEM TIRE AVAILABLE | |
| 143 | TIRES: OPTION #1, LIST SIZE: | TCP | LT275/70R18E OWL ON/OFF ROAD | 245 |
| 152 | SPILT BENCH 40/20/40 FULL CONSOLE | CBE | STANDARD | |
| 216 | NON-STD ENGINE OPTION A: | ESA | 6.4L HEAVY DUTY HEMI W/MDS | 500 |
| 217 | ENG OPTION; DIESEL | ETK | 6.7L I6 CUMMINS TURBO DIESEL | 8198 |
| 216 | NON-STD ENGINE OPTION B: | EZF | 5.7L V8 HEMI CNG BI-FUEL ENGINE | 9684 |
| 229 | HEAVY DUTY SUSPENSION SPECIFY TYPE: | SEB | AUTO LEVEL REAR SUSPENSION | 1595 |
| 239 | GVW OPTION: SPECIFY | Z7F | 10,000# GVW REQUIRES LINE#216 OR 217 | NO CHAR |
| 244 | AXLE RATIO (MIN.) 4.10 | DMF | 4.10 REAR AXLE REQUIRES LINE #408 | 125 |
| 249 | AXLE RATIO OPTION; SPECIFY | DMR | 3.42 REAR AXLE REQUIRES LINE#217 NO C | HARGE |
| 252 | CNG PREP PACKAGE | NOT AVA | AILABLE SEE LINE #218 | |
| 254 | ALT FUEL - OEM BI FUEL SPECIFY TANK LOC | SEE LINI | E# 218 CNG IN BED BEHIND CAB | |
| 255 | ALT FUEL - OEM DEDICATED SPEC TANK LOC | NOT AV | AILABLE | |
| 256 | E85 - OEM BI FUEL | NOT AV | AILABLE | |
| 262 | DARKEST LEGAL TINT AVAIL | GAC | OEM TINTED GLASS STANDARD SEE NOTES | 3 |
| 284 | REMOTE KEYLESS ENTRY | GXM | OEM OPTION | 190 |
| 311 | SEATS: VINYL SEATS | SXX8 | WORK GRADE VINYL GRAY | 195 |
| 312 | SEATS: BUCKET SEATS - CLOTH | MJX8 P | REMIUM CLOTH BUCKET SEATS REQ. LINE #6 | 520 1195 |
| 401 | MRRS:REC/CMPR FOR TWNG (7"x9") | GPG | POWER BLACK TRAILER TOW MIRRORS | 195 |
| 403 | REAR WINDOW DEFROSTER | GFA | OEM OPTION | 195 |
| 408 | REAR AXLE - ANTI SPIN | DSA | OEM OPTION | 445 |
| 411 | TRANSMISSION: MANUAL W/DVERDRV | G56 | REQUIRES LINE#217 NO CHAR | RGE |
| 423 | TOOL BOX - ACROSS BED BOX(attachment) | DEALER | SUBLET | 366 |
| 424 | TOOL BOX - SIDE BED BOX(attachment) | DEALER | SUBLET | 348 |
| 429 | TRAILER BRAKE CONTROL-ELECTRIC | XHC | OEM OPTION | 295 |
| 430 | PCKG:TOWING/RCVR HITCH(Atchmt) | OEM ME | ETS SPEC SEE ATTACHMENT NO CHARGE | |
| 432 | том ноокз | XEA | REQUIRES LINE #450 NO CHA | ARGE |
| 436 | HEAVY DUTY COOLING | NMC | STANDARD NO CHA | |
| 438 | PACKAGE:SNOW PLOW (attchmt) | DEALER | SUBLET REQUIRES LINE# 439 | 3667 |
| 439 | OEM SNOW PLOW PREP | AHD | OEM OPTION | 195 |
| | PACKAGE:OFF ROAD (Attachment) | ОЕМ МЕ | ETS SPEC PER ATTACHMENT | 835 |
| 440 | | | | |
| | PKG: STROBE LIGHT (Attachment) | DEALER | SUBLET | 280 |

Page 3 of 4

8/25/2017

Colorado State Flast Management 2018 VEHICLE SPECIFICATIONS

Dealers invitation to Bid

Class: P/U - 4x4

Body Code: F8

3/4 T CW CAB 4X4

Representative Models: 1: FORD

3: RAM

F250 PU 2500 PU

2: CHEVROLET

4: GMC

2500 PU 2500 PU

| MAKE | RAM MODEL: 2500 CREW CAB | OEM MODEL #: DJ7L92 TRIM LEVEL: TRADSMNOEM CODE: | 26A |
|------|---|--|-----------|
| AV | AILABLE OPTIONS: | OEM CODEACTUAL / COMMENTS | PRICE |
| 450 | SKID PLATE-FUEL TNK,TRFR CS/DI | ADB OEM PROTECTION GROUP | 145 |
| 454 | AUXILARY BATTERY | STANDARD WITH LINE#217 N/A WITH GAS ENGINE | NO CHARGE |
| 462 | GOOSENECK HITCH (attchmi) | DEALER SUBLET | 881 |
| 468 | SPRAY IN BEDLINER | XMF OEM OPTION | 495 |
| 472 | EPACT AFV CREDIT: Specify | NOT AVAILABLE | |
| 516 | LEFT DOOR POST SPOTLIGHT (50W) | DEALER SUBLET | 480 |
| 520 | POWER LOCKS | JPB STANDARD | |
| 526 | POWER MIRRORS | GT6 STANDARD | |
| 530 | POWER WINDOWS | JP3 STANDARD | |
| 541 | DELETE DAYTIME/AUTO HEADLIGHTS | DAYTIME HEADLIGHTS ARE OPTIONAL NO CHARGE | |
| 599 | AWFM CD PLAYER | UA1 UCONNECT 3.0 W/ BLUETOOTH NO CD | 195 |
| 608 | HYBRID GAS/ELECTRIC | NOT AVAILABLE | |
| 620 | UPPER TRIM LEVEL PKG: SPECIFY | DJ7H92 SLT TRIM SEE DEALER FOR DETAILS | |
| 643 | ADD DAYTIME RUNNING LIGHTS | LM1 OEM OPTION | 40 |
| 658 | EXTRA KEYS & REMOTES | DEALER INSTALLED PER EACH KEY SET | 217 |
| 693 | MEETS 2010 FED EMISSIONS DIESEL ENG | STANDARD | |
| 694 | DIESEL ENG 820 COMPLIANT | STANDARD | |
| 763 | PHEV (PLUG IN HYBRID ELEC VEH) | NOT AVAILABLE | |
| 780 | UPFITTER SWITCHES | LHL OEM STANDARDS | 145 |
| 791 | TOPPER FIBERGLASS 3 WINDOW (Attachment) | DEALER SUBLET | 1567 |
| 845 | BLIND SPOT NOTIFICATION | NOT AVAILABLE | |
| 847 | FUEL TANK: 32 GAL W/CNG | NOT AVAILABLE | |
| 887 | BEV (BATTER/ELECTRIC) | NOT AVAILABLE | |
| 982 | EXT WARRANTY - POWER TRAIN 5/100,000 | STANDARD NO CHAF | ≀GE |

8/25/2017

Colorado Stale Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers invitation to Bid

Class: P/U - 4x4

Body Coda: F8

3/4 T CW CAB 4X4

Representative Models: 1: FORD

1: FORD 3: RAM F250 PU 2500 PU 2: CHEVROLET 4: GMC 2500 PU 2500 PU

MODEL: 2500 CREW CAB OEM MODEL #: DJ7L92 TRIM LEVEL: TRADSMNDEM CODE: 26A MAKE: RAM **AVAILABLE COLORS:** Please attach manufacturer color chart OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please attach separate sheet if necessary) PRICE STANDARD FACTORY WARRANTY (Attach detailed description): MILES **MONTHS** 36K 36 Bumper to Bumper 100K 60 Drive Train Other OPTIONAL FACTORY WARRANTY (Attach detailed description): MILES **MONTHS** PRICE VARIES CALL DEALER FOR OPTIONS N/A N/A EPA FUEL RATING: M.P.G CITY, M.P.G HIGHWAY 85 **OEM MINIMUM FUEL RATED OCTANE:** DELIVERY: 90-120 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 90 DAYS) **IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS:** LINE #658 REQUIRES LINE #284 DEALER NAME: JOHN ELWAY CHY DODGE JEEP RAM ROBERT MERRILL BIDDER'S NAME: 720.284.5256 DEALER PHONE: SIGNATURE:

Page 2 of 52

#423 - PACKAGE: TOOLBOX - ACROSS BED BOX

Attach one copy of this form to each body code specification sheet that has an Available Option #423 including the following body codes:

E1, E2, E3, E4, E8, F1, F2, F3, F4, F8

An installed TOOLBOX - ACROSS BED BOX PACKAGE should include the following:

- Delta brand or equivalent
- Either a gull-wing, double lid or chest-style, full-hinged, single lid crossover toolbox
- Painted white with all steel construction
- Torsion bar lift on lid(s)
- Removable tray
- Weather stripping around lid(s)

A gull-wing, double lid, tool box:

- A lock on each lid with key
- Price to include complete installation.

Total Price for TOOL BOX - ACROSS BED BOX PACKAGE:

| \$ 366 | | | |
|-----------|--|--|--|
| | | | |

a chest-style, full-hinged, single lid crossover toolbox:

| For Body | F8 | |
|----------|----|--|

445

Page 3 of 52

#424 - PACKAGE: TOOL BOX - SIDE BED

Attach one copy of this form to each body code specification sheet that has an Available Option #424 including the following body codes:

E1, E2, E3, E4, E8, F1, F2, F3, F4, F8

An installed TOOLBOX - SIDE BED (Rail Mount) PACKAGE should include the following:

- Delta Brand Rail Mount Box or equivalent
- A quantity of one, side-bed, rail mount, utility, tool box
- Toolbox must sit on top of the truck bed side rail
- Painted white with all steel construction
- A lock on the lid with key
- Removable tray
- Weather stripping around lid
- Price to include complete installation, rearward of an optional across bed box.

| Total Price for 48 PACKAGE: | 3" TOOLBOX - SIDE BEI | \$ 348 |
|-----------------------------|-----------------------|-----------|
| Total Price for 66 PACKAGE: | " TOOLBOX - SIDE BEI | \$ 384 |
| For Body Code: | F8 | |

Page 4 of 52

#430 - PACKAGE: OEM TOWING OPTION

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

C2, C3, C4, D1, D2, D3, D5, D8, E2, E3, E4, E8, F2, F3, F4, F8, K1, K2, K3, K5, K6, T1, T4, T5

An installed **OEM TOWING OPTION PACKAGE** should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
- Heavy duty engine cooling
- Transmission cooling (automatic only)
- Trailer wiring harness
- HD turn signal flasher

115.1

- HD battery and Alternator.
- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's OEM TOWING OPTION package from the above listed specs:

| CLASS 5 HITCH AND 7 PIN WIRING IS STANDARD. A60 AMP ALTERNATOR AND | |
|--|--|
| 730 CCA BATTERY IS STNADARD. OEM STANDARD OPTIONS MEET SPEC. | |
| | |
| Total Price for OEM TOWING PACKAGE: \$ NO CHARGE | |
| For Body Code: F8 | |
| Total Price for T1 - OEM TOWING PACKAGE: \$ | |

Page 6 of 52

#440 - PACKAGE: OEM OFF ROAD

Attach one copy of this form to each body code specification sheet that has an Available Option #440 including the following body code:

| F1, F2, F3, F4, F8, K1, K2, K3, K5, K6, T1, T4, T5 | | | | | | |
|--|--|--|--|--|--|--|
| An installed OEM OFF ROAD package should include the following: | | | | | | |
| High pressure front and rear gas shocks H/D springs Mud and snow radial tires "LT" rated. Specify tire size: LT275/70R18E ON / OFF ROAD | | | | | | |
| Skid plate group. Specify types: TRANSFER CASE FRONT SUP Front and rear tow hooks Limited Slip Rear Axle – Specify Ratio 3.73 All items to be covered at a minimum by the 3 year 36,000 mile factory warranty | | | | | | |
| Please list additions and/or deletions to your company's OEM OFF ROAD PACKAGE from the above listed specs: THIS PACKAGE COMBINES LINES #143, #408, #432 AND #450 TO MEET OEM | | | | | | |
| OFF ROAD SPEC | | | | | | |
| Total Price for the OEM OFF ROAD package: \$835 | | | | | | |
| For Body F8 | | | | | | |

Page 7 of 52

#443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

The STROBE LIGHT PACKAGE must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- Base must be aluminum, not plastic.
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with locations as follows:
- Location for strobe light on pickups:
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- Location for strobe light on vans and sport utilities:
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

| one and/or dolations of a | | |
|---------------------------|-------------------|-----------------------------------|
| ons and/or deledons or y | your bid from the | STROBE LIGHT PACKAGE specs listed |
| r STROBE LIGHT | | |
| | r STROBE LIGHT | |

Page 8 of 52

| For Body F8 | For Body Code: | F8 |
|-------------|-------------------|----|
|-------------|-------------------|----|

Page 9 of 52

#462 - GOOSENECK TRAILER HITCH

Attach one copy of this form to each body code specification sheet that has an Available Option #462 including the following body codes:

E3, E4, E8, F3, F4, F8, T1, T4, T5

The GOOSENECK TRAILER PACKAGE must include the following: ONE 5TH WHEEL HITCH WITH FOLDING BALL (2 5/16") MOUNTED IN BED

- Must be retractable ball mount that allows for a clear and smooth pickup bed when not in use
- · Capacity: 5000 lbs maximum vertical load
- 25,000 max gross trailer weight
- Weld two ½"steel cross plates (approx. 38" by 4") under the pickup floor and bolt the 5th wheel hitch to these cross pieces
- Weld two more ½" steel plates (approx. 3" by 10") at right angles under the tow cross plates and bolt these pieces to the frame
- Trailer wiring harness 7 way
- HD turn signal flasher
- Handling package (describe: FRONT AND REAR HEAVY DUTY SHOCK ABSORBERS FRONT AND REAR STABILIZER BARS
- HD battery
- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

| Please list addi above listed spe | | letions to you | r company's (| Gooseneck trail | er package | from the |
|-----------------------------------|--------------|----------------|---------------|-----------------|------------|----------|
| | | | 200 | | | |
| Total Price for 6 | DEM TOWING I | PACKAGE: | \$ 881 | | | |
| For Body Code: | F8 |] | | | | |

Page 18 of 52

#791 - TOPPER FIBERGLASS 3 WINDOW

Attach one copy of this form to each body code specification sheet that has an Available Option #791 including the following body codes:

E1, E2, E3, E4, E8, F1, F2, F3, F4, F8

The TOPPER FIBERGLASS 3 WINDOW PACKAGE must include the following:

- Astro CR 1800 Topper or Approved Equals
- Construction shall be cab height, fiberglass topper
- Front shall be solid with full width, non-tinted front glass window
- Sides shall be solid with tinted glass windows on each side, sixty (60) inches to seventy (70) inches length (plus or minus one (1) inch and fourteen (14) inches height (plus or minus one half (1/2 inch). Side windows must be centered from front to back of topper with locks and flip up and stay up with one hand operation
- Rear shall be locking, flip up, full width and full height with tinted glass door in the rear. Door must open, remain up and close with one hand operation, to include gas props.
- Keys shall be the same key which must flip side and rear flip up windows. Two keys shall be provided for each truck topper
- Topper shall include 3rd brake light
- Topper color must match truck color
- Warranty min. 3 years on structure, paint and lock cylinder, 5 years on gas props part and labor

| List any additional specs listed about | | on your bid from t | the HYDRAULIC LI | FT GATE PACKAGE |
|--|-----------------------|--------------------|------------------|-----------------|
| Total Price for T | OPPER V/3 WINDOWS: | 1567 | | |
| For Body Code: | F8 | | | |

2018 RAM COLORS FOR E2, F2, F3, F4, G3, H3

| | Bright Silver Metallic | | |
|-----|--|---|-----|
| PS2 | Clear Coat | 0 | 0 |
| PW7 | Bright White Clear Coat | 0 | 0 |
| PXR | Brilliant Black Crystal Pearl Coat | 0 | 0 |
| P61 | Case IH Red | | 450 |
| PRV | Delmonico Red Pearl Coat | 0 | 0 |
| PR4 | Flame Red Clear Coat | 0 | 0 |
| PAU | Granite Crystal Met. Clear Coat | 0 | 0 |
| PX8 | Low Vol Black Clear Coat | | 450 |
| P12 | Low Vol Bright Red | | 450 |
| PYB | Low Vol Detonator Yellow Clear Coat | | 450 |
| P06 | Low Vol Hills Green | | 450 |
| P64 | Low Vol Light Cream | | 450 |
| P62 | Low Vol Omaha Orange | | 450 |
| P81 | Low Vol Power Tan | | 450 |
| PGW | Low Vol Timberline Green Pearl Coat | | 450 |
| P73 | Low Vol Tree Green | | 450 |
| P63 | Low Vol Yellow | | 450 |
| PAR | Maximum Steel Met. Clear Coat | 0 | 0 |

| P72 | New Holland Blue | 450 |
|-----|----------------------|-----|
| PBU | True Blue Pearl Coat | |

PLEASE NOTE CERTAIN LOW VOL. COLORS ARE RESTRICTED TO QUANITIES AND HAVE A CHARGE OF \$450.00