### Colorado State Fleet Management **2016 VEHICLE SPECIFICATIONS** Dealers Invitation to Bid



Page 1 of 4

8/28/2017

Class: Maintenance Utility

**Body Code: H3** 

**UTIL TRK 4X4** 

Representative Models: 1: FORD

F350

2: CHEVROLET

3500

3: GMC

3500

4: RAM

3500

MAKE: RAM MODEL: 3500 REG C	AB OEM MODEL #: D28L62 TRIM LEVEL: TRADSMNDEM CODE: 26A		
STANDARD SPECIFICATIONS;	OEM CODE INDICATE ACTUAL DEALER SPECIFICATIONS		
101 PASS: 3 PERSONS MIN.	STANDARD		
110 DOORS: 2 SIDE DOORS	STANDARD		
130 CAB/CHASSIS LESS BED	PICKUP BOX DELETE		
140 TIRES: ALL SEAS M&S RADIAL	TCN LT275/70R18E BSW ALL SEASON		
146 FULL SIZE SPARE TIRE	TBE INCLUDED		
183 WHEELBASE: 131,0 IN. MIN	140" MODEL SPECIFIC		
238 GVW RATING: 10000 MIN	Z8A 10,300#		
250 SINGLE REAR WHEELS	STANDARD MODEL SPECIFIC		
298 CRUISE CONTROL/TILT	NHM STANDARD		
300 AIR CONDITIONING - R134a	HAA STANDARD		
302 RADIO: AWFM	RA1 STANDARD		
307 POWER BRAKES & POWER STEERING	SBE STANDARD		
308 ABS BRAKES	BRT STANDARD		
310 SEATS: CLOTH SEATS	V9/X8 INCLUDED		
321 FLOORING: RUBBER	CK9 INCLUDED		
340 AIR BAG - DRIVER SIDE	CG3 ADVANCED MULTISTAGE FRONT AIR BAGS STANDARD		
350 STD ENG: SPECIFY	EZC 5.7L V8 HEMI VVT		
400 MIRRORS: RIGHT AND LEFT	LEG MANUAL TRAILER TOW MIRRORS		
404 INTERMITTENT WIPERS	JHA STANDARD		
410 TRANSMISSION: AUTOMATIC	DFP 6 SPEED AUTO TRANS STANDARD		
415 FOUR-WHEEL DRIVE	STANDARD MODEL SPECIFIC		
418 AUTOMATIC LOCKING FRONT HUBS	STANDARD		
457 TRAILER WIRING FOR STEP BUMPER	XFU STANDARD		
485 UTIL BDY-SINGLE REARWHEEL(Attchmt)	DEALER SUBLET INCLUDED		
752 AXLE RATIO: SPECIFY	DME 3.73 REAR AXLE STANDARD		
863 BACKUP CAMERA	XAC STANDARD		
910 PRIMARY FUEL: UNLEADED	STANDARD		
991 STD WRNTY - BUMPER TO BUMPER 3/36	STANDARD		

29,593 STANDARD VEHICLE BASE PRICE 5

### Page 2 of 4

### Colorado Stale Fleet Management **2018 VEHICLE SPECIFICATIONS**

#### Dealers Invitation to Bid

8/28/2017

Class: Maintenance Utility

Body Code: H3

**UTIL TRK 4X4** 

Representative Models: 1: FORD

F350

2; CHEVROLET

3500

3: GMC 3500 4: RAM 3500

MAKE: RAM MODEL: 3500 REG CAB	OEM MODEL #: D28L62 TRIM LEVEL: TRADSMNOEM CODE	: 26A
AVAILABLE OPTIONS:	OEM CODEACTUAL / COMMENTS	PRICE
097 CREW CAB (4 DOORS), SPECIFY CA	DJ7L92 CREW CAB LONG BED 56.90 CA	3467
119 EXT CAB: SPECIFY CA	NOT AVAILABLE	_3407
133 BACK UP ALARM	DEALER SUBLET	121
141 TIRES; ALL-TERRAIN, LIST SIZE:	TCP LT275/70R18 ON/OFF ROAD	245
143 TIRES; OPTION #1, LIST SIZE:	NOT AVAILABLE	
147 MOUNTED SPARE TIRE	DEALER SUBLET	225
216 NON-STD ENGINE OPTION A:	ESA 6.4L V8 MID DUTY HEMI MDS ENGINE	500
217 ENG OPTION: DIESEL	ETK 6.7L I6 CUMMINS TURBO DIESEL	7498
218 NON-STD ENGINE OPTION B;	NOT APPLICABLE	
229 HEAVY DUTY SUSPENSION SPECIFY TYPE:	NOT AVAILABLE WITH BED DELETE	
239 GVW OPTION; SPECIFY	Z8A 11,500# GVW REQUIRES LINE# 217 NO CHA	RGE
244 AXLE RATIO (MIN.) 4.10	DMF 4.10 REQUIRES LINE #216, #408, #486 NO CHA	RGE
249 AXLE RATIO OPTION: SPECIFY	DMR 3.42 REQUIRES LINE 3217 NO CHAR	RGE
252 CNG PREP PACKAGE	NOT AVAILABLE	
254 ALT FUEL - CEM BI FUEL SPECIFY TANK LOC	NOT AVAILABLE	
255 ALT FUEL - OEM DEDICATED SPEC TANK LOC	NOT AVAILABLE	
256 EB5 - OEM BI FUEL	NOT AVAILABLE	<del></del>
284 REMOTE KEYLESS ENTRY	GXM POWER&REMOTE GROUP INCL #520,526 &530	615
311 SEATS: VINYL SEATS	SXX8 WORK GRADE VINYL GRAY	195
401 MRRS:REC/CMPR FOR TWNG (7*x9*)	GP1 POWER BLACK TOW MIRRORS REQ LINE#620	695
408 REAR AXLE - ANTI SPIN	DSA ANTI-SPIN REAR DIFF STANDARD NO C	CHARGE
411 TRANSMISSION: MANUAL W/OVERDRV	G56 REQUIRES LINE#217 NO C	CHARGE
429 TRAILER BRAKE CONTROL-ELECTRIC	XHC OEM OPTION	295
435 HEAVY DUTY COOLING	NMC STANDARD NO C	CHARGE
438 PACKAGE:SNOW PLOW (attchmt)	DEALER SUBLET REQUIRES LINE #439	3667
439 OEM SNOW PLOW PREP	AHD OEM OPTION	195
440 PACKAGE:OFF ROAD (Attachment)	OEM MEETS SPEC SEE ATTACHMENT	340
443 PKG: STROBE LIGHT (Attachment)	DEALER SUBLET	280
444 ENGINE BLOCK HEATER	NHK OEM OPTION	95
450 SKID PLATE-FUEL TNK,TRFR CS/DI	ADB OEM OPTION PROTECTION GROUP	95
454 AUXILARY BATTERY	STD. W/ LINE#217 N/A WITH GAS ENGINES NO C	CHARGE
472 EPACT AFV CREDIT: Specify	NOT AVAILABLE	
486 UTIL BDY-DUAL REAR WHEELS(Attchmi)	REQ WLA OPTION INCLUDED DEALER SUBLET	6020
520 POWER LOCKS	JPB INCLUDED W/ LINE #284 NO C	HARGE
521 HEAVY DUTY ALTERNATOR	BAD 180 AMP OEM OPTION	95

### Colorado Stata Fleet Management 2018 VEHICLE SPECIFICATIONS Dealers Invitation to Bld

8/28/2017

Page 3 of 4

Class: Maintenance Utility

Body Code: H3

UTIL TRK 4X4

Representative Models: 1: FORD

3; GMC

F350 3500

2: CHEVROLET 4: FIAM

3500 3500

MAKE	RAM MODEL: 3500 REG CAB	OEM MODEL #: D28L62 TRIM LEVEL: TRADSMNOEM CODE:	26A
AV	AILABLE OPTIONS:	OEM CODEACTUAL / COMMENTS	PRICE
526	POWER MIRRORS	GT6 INCLUDED W/ LINE#284 NO CH	IARGE
530	POWER WINDOWS	JPY INCLUDED W/ LINE #284 NO.CH	ARGE
541	DELETE DAYTIME/AUTO HEADLIGHTS	DAYTIME HEADLIGHTS ARE OPTIONAL	MACE
599	AMFM CD PLAYER	RH1 AM/FM 3.0 RADIO STD. CD PLAYER OPTIONAL	295
608	HYBRID GAS/ELECTRIC	NOT AVAILABLE	
620	UPPER TRIM LEVEL PKG: SPECIFY	DJ7H62 SLT PACKAGE SEE DLR FOR DETAILS	3871
543	ADD DAYTIME RUNNING LIGHTS	LM1 OEM OPTION	40
658	EXTRA KEYS & REMOTES	DEALER INSTALLED PER EACH KEY SET	217
693	MEETS 2010 FED EMISSIONS DIESEL ENG	STANDARD	
694	DIESEL ENG B20 COMPLIANT	_STANDARD	·——
763	PHEV (PLUG IN HYBRID ELEC VEH)	NOT AVAILABLE	
780	UPFITTER SWITCHES	LHL OEM OPTION	145
845	BLIND SPOT NOTIFICATION	NOT AVAILABLE	
B87	BEV (BATTER/ELECTRIC)	NOT AVAILABLE	
982	EXT WARRANTY - POWER TRAIN 5/100,000	STANDARD	

#### Page 4 of 4

### Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS**

#### Dealers Invitation to Bid

**UTIL TRK 4X4** 

Body Code: H3

8/28/2017

Representative Models: 1: FORD F350 2: CHEVROLET 3500 3: GMC 3500 4: RAM 3500 MODEL: 3500 REG CAB DEM MODEL #: D28L62 MAKE: RAM TRIM LEVEL: TRADSMNOEM CODE: 26A AVAILABLE COLORS: Please attach manufacturer color chart OTHER VEHICLE SPECIFICATIONS / OPTIONS (Please attach separate sheet if necessary) PAICE OPTION CODE WLA IS REQUIRED FOR LINE #486 DUAL REAR WHEELS 1295 STANDARD FACTORY WARRANTY (Attach detailed description): MILES MONTHS 36K 36 **Bumper to Bumper** 100K 60 **Drive Train** Other OPTIONAL FACTORY WARRANTY (Attach detailed description); **EHTINOM** PRICE VARIES CALL DEALER FOR OPTIONS N/A N/A EPA FUEL RATING: M.P.G CITY,

90-150 DAYS FROM DEALER RECEIPT OF ORDER FROM STATE (E.G. 90 DAYS) **IDENTIFY ANY EXCEPTIONS TO SPECIFICATIONS:** 

85

DEALER NAME: JOHN ELWAY CHY DODGE JEEP RAM

BIDDER'S NAME:

ROBERT MERRILL

**DEALER PHONE:** 720.284.5256

**OEM MINIMUM FUEL RATED OCTANE:** 

Class: Maintenance Utility

SIGNATURE:

M.P.G HIGHWAY

# Colorado State Purchasing Office (per SFM) LIST AND EXPLANATIONS OF VEHICLE PACKAGES FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 7 of 52

### #443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

### The STROBE LIGHT PACKAGE must include the following:

- Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 ioules
- Minimum of 60 double flashes per minute
- Base must be aluminum, not plastic.
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with locations as follows:
- Location for strobe light on pickups:
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- Location for strobe light on vans and sport utilities:
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make	ECCO	Model	7160A	
List any a above:	dditions and/or deletion	s of your bid from the S	TROBE LIGHT PAC	CKAGE specs listed
Total Pric	ce for STROBE LIGHT	280		

# Colorado State Purchasing Office (per SFM) LIST AND EXPLANATIONS OF VEHICLE PACKAGES FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 8 of 52

For Body	Lio
Code:	H3

# Colorado State Purchasing Office (per SFM) LIST AND EXPLANATIONS OF VEHICLE PACKAGES FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 15 of 52

### #485 - UTILITY BODY - SINGLE REAR WHEELS #486 - UTILITY BODY - DUAL REAR WHEELS

Attach one copy of this form to each body code specification sheet that has an Available Option #485 and #486 including the following body codes:

G3 and H3

An installed UTILITY BODY PACKAGE for a 1-ton vehicle should include the following:

- Approx. 96" long, standard compartment height, 48" floor width, 14" deep compartments.
- Inside finish painted.
- Tread plate rear bumper with recessed ball hitch plate, 5000-pound trailer rated, and 500-pound tongue.
- Recess stop, tail, turn and back up lights in rear compartment and metal light protectors installed over back of light inside rear compartment.
- Thick automotive door seals to protect compartment contents from all types of weather.
- Double sprung over center door closures to keep doors in positive open or closed position.
- Standard shelf package with approx. 250 lb capacity adjustable divider shelves, roll formed for greater strength with hemmed dividers on 4" centers.
- Striker plates that allow for proper door adjustment for a tight seal.
- Riveted paddle locks and continuous hinges with stainless steel pins on all compartment doors. One key and spare to fit all doors.
- Paint to match vehicle
- Price to include complete installation.
- Warranty: 1 year parts and labor
- Specify make & model # of utility body:

Please list additions and/or de listed specs:	letions to your factor	ory's UTILITY BOI	OY PACKAGE from the above	
Total Price for #485-UTILITY BODY PACKAGE-SINGLE REAR WHEELS: STD BASE BID			\$ STD	
	for Body Code:	Н3		
Total Price for #486-UTILITY E	otal Price for #486-UTILITY BODY PACKAGE-DUAL REAR HEELS:		<b>\$</b> 6020	
	for Body Code:	H3		

## 2018 RAM COLORS FOR E2, F2, F3, F4, G3, H3

	PS2	Bright Silver Metallic Clear Coat	0	0
	PW7	Bright White Clear Coat	0	0
27 10	PXR	Brilliant Black Crystal Pearl Coat	0	0
	P61	Case IH Red		450
	PRV	Delmonico Red Pearl Coat	0	0
	PR4	Flame Red Clear Coat	0	0
	PAU	Granite Crystal Met. Clear Coat	0	0
	PX8	Low Vol Black Clear Coat		450
	P12	Low Vol Bright Red		450
	PYB	Low Vol Detonator Yellow Clear Coat		450
	P06	Low Vol Hills Green		450
	P64	Low Vol Light Cream		450
2	P62	Low Vol Omaha Orange		450
and all the second	P81	Low Vol Power Tan		450
	PGW	Low Vol Timberline Green Pearl Coat		450
	P73	Low Vol Tree Green		450
	P63	Low Vol Yellow		450
	PAR	Maximum Steel Met. Clear Coat	0	0

P72	New Holland Blue	450
PBU	True Blue Pearl Coat	

PLEASE NOTE CERTAIN LOW VOL. COLORS ARE RESTRICTED TO QUANITIES AND HAVE A CHARGE OF \$450.00