

#### Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

Dealers Invitation to Bid

8/25/2017

Class: Small Van

Body Code: D1

PASS VAN MINI (5 PASS)

Representative Models: 1: FORD

TRANSIT CONNECT

2: RAM

PROMASTER CITY

3: CHEVROLET

CITY EXPRESS

4: NISSAN

NV200

MAKE: FORD MODEL: TRANSIT CONNECT WAS	OEM MOI	DEL #: S8F TRIM LEVEL: XLT OEM CODE: 210A
STANDARD SPECIFICATIONS:	OEM COD	E INDICATE ACTUAL DEALER SPECIFICATIONS
103 PASS: 5 PERSONS MIN.	103	5 PASSENGER
113 SLIDING, RIGHT-SIDE DOOR	113	YES
140 TIRES: ALL SEAS M&S RADIAL	140	YES
146 FULL SIZE SPARE TIRE	146	YES
160 WINDOWS ALL AROUND (VAN)	160	YES
173 WHEELBASE: 103.0 IN. MIN	173	YES
190 GVW RATING: 4750	190	4,820 GVW
195 ENG MIN CYL: 4	195	YES
298 CRUISE CONTROL/TILT	298	STANDARD EQUIPMENT
300 AIR CONDITIONING - R134a	300	STANDARD EQUIPMENT
302 RADIO: AM/FM	58W	AM/FM RADIO
307 POWER BRAKES & POWER STEERING	307	YES
308 ABS BRAKES	308	YES
310 SEATS: CLOTH SEATS	310	YES
320 FLOORING: CARPET	320	YES
342 AIR BAG - DRIVER & PASSENGER	342	YES
350 STD ENG: SPECIFY	350	2.5L DURATEC
400 MIRRORS: RIGHT AND LEFT	400	YES
403 REAR WINDOW DEFROSTER	403	YES
410 TRANSMISSION: AUTOMATIC	410	YES
413 TWO-WHEEL DRIVE: FRONT	413	YES
752 AXLE RATIO: SPECIFY	752	3.21 STANDARD AXLE
863 BACKUP CAMERA	58W	INCLUDED
910 PRIMARY FUEL: UNLEADED	910	YES
991 STD WRNTY - BUMPER TO BUMPER 3/36	991	YES

STANDARD VEHICLE BASE PRICE \$ 22,628.00

AVAILABLE OPTIONS:	OEM CODEACTUAL / COMMENTS	PRICE
109 SLIDING, LEFT-SIDE DOOR	109 STANDARD EQUIPMENT	
126 EXTENDED BODY	S9E REQUIRES S9E XL UPGR	ADE 2000.00
133 BACK UP ALARM	SBG AUDIBLE BACKUP ALARI	

## Original

#### Colorado State Fleet Management **2018 VEHICLE SPECIFICATIONS** Dealers invitation to Bid

Page 2 of 3

8/25/2017

Class: Small Van

Body Code: D1

PASS VAN MINI (5 PASS)

Representative Models: 1: FORD

TRANSIT CONNECT

2. FIAM

PROMASTER CITY

3: CHEVROLET

**CITY EXPRESS** 

4: NISSAN

NV200

MAKE: FORD MODEL: TRANSIT CONNECT WAGON	OEM MO	DEL #: S8F TRIM LEVEL: XLT OEM CODE:	210A
AVAILABLE OPTIONS:	ОЕМ СС	DEACTUAL / COMMENTS	PRICE
134 SIDE AIR BAGS	134	YES	
143 TIRES: OPTION #1, LIST SIZE:	143	NOT AVAILABLE	-
216 NON-STD ENGINE OPTION A:	216	NOT AVAILABLE	-
217 ENG OPTION: DIESEL	217	NOT AVAILABLE	S. 1
252 CNG PREP PACKAGE	252	STANDARD EQUIPMENT PREP ENGINE	
254 ALT FUEL - OEM BI FUEL SPECIFY TANK LOC	254	95 GGE BEHIND 2ND ROW	13000.00
255 ALT FUEL - OEM DEDICATED SPEC TANK LOC	255	NOT AVAILABLE	1000000
256 E85 - OEM BI FUEL	256	FFN STANDARD - FEDERAL STATES	
262 DARKEST LEGAL TINT AVAIL	SBG	DARKEST LEGAL TINT UP TO 5 WINDOWS	285.00
284 REMOTE KEYLESS ENTRY	284	STANDARD EQUIPMENT	200.00
306 AUXILIARY HEATING	306	NOT AVAILABLE	
311 SEATS: VINYL SEATS	311	NOT AVAILABLE	
321 FLOORING: RUBBER	18F	VINYL FLOORS FRONT & REAR	495.00
330 SECURITY CAGE:LIST DESIGN/LOCA	330		433.00
430 PCKG:TOWING/RCVR HITCH(Alchmt)	53T	CLASS I SEE ATTACHMENT	395.00
436 HEAVY DUTY COOLING	436	STANDARD COOLING ONLY	030.00
443 PKG: STROBE LIGHT (Attachment)	443	STROBE LIGHT SEE ATTACHMENT	393.00
444 ENGINE BLOCK HEATER	41H	ENGINE BLOCK HEATER	35.00
472 EPACT AFV CREDIT: Specify	472	NOT AVAILABLE	00.00
520 POWER LOCKS	520	STANDARD EQUIPMENT	
523 DISABLE ALL REAR DOOR LOCKS	523	NOT AVAILABLE	
526 POWER MIRRORS	526	STANDARD EQUIPMENT	
530 POWER WINDOWS	530	STANDARD EQUIPMENT	
541 DELETE DAYTIME/AUTO HEADLIGHTS	541	NOT STANDARD EQUIPMENT	
599 AM/FM CD PLAYER	58W	INCLUDED IN BASE PACKAGE	
608 HYBRID GAS/ELECTRIC	608	NOT AVAILABLE	
611 STOW AWAY SEATING	611	YES	
620 UPPER TRIM LEVEL PKG: SPECIFY	620	XLT 210A UPGRADE	
643 ADD DAYTIME RUNNING LIGHTS	942	DAYTIME RUNNING LIGHTS	45.00
658 EXTRA KEYS & REMOTES	87R	2 ADDITIONAL FACTORY KEYS ONLY	65.00
763 PHEV (PLUG IN HYBRID ELEC VEH)	763	NOT AVAILABLE	
800 FLOOR MATS FRONT AND REAR	SBG	WEATHER TECH FLOOR MATS	250.00
B45 BLIND SPOT NOTIFICATION	85D	BLIND SPOT NOTIFICATION	575.00
854 MEDIUM ROOF	854	NOT AVAILABLE	2.0.00
855 HIGH ROOF	855	NOT AVAILABLE	-



#### Colorado State Fleet Management 2018 VEHICLE SPECIFICATIONS

#### Dealers Invitation to Bid

8/25/2017

Class: Small Van

Body Code: D1

PASS VAN MINI (5 PASS)

Representative Models: 1: FORD

TRANSIT CONNECT

2: RAM

PROMASTER CITY

3 CHEVROLET

**CITY EXPRESS** 

4: NISSAN

NV200

AVAILABLE OPTIONS:	O	M CODEACTUAL / C	OMMENTS	PRICE
887 BEV (BATTER/ELECTRIC)	88	NOT AVA	II ADI E	V 11 40 14
982 EXT WARRANTY - POWER TO			\$0 DEDUCTIBLE POWERTRAIN	2874.00
	ach manufacturer color cha	rt		
OTHER VEHICLE SPECIFICATIONS	/ OPTIONS (Please	attach separate sheet	If necessary)	PRICE
STANDARD FACTORY WARRANTY	•			
Bumper to Bumper	MILES 36,000	MONTHS 36		
Drive Train	60,000			
		_60		
Other ROADSIDE	60,000	_60		
OPTIONAL FACTORY WARRANTY (A	Attach detailed description): MILES	MONTHS	PRICE	
EPA FUEL RATING: 19	_ M.P.G CITY,	27	M.P.G HIGHWAY	
OFM MANAGER BASES ASS.	_ 11_23			
OEM MINIMUM FUEL RATED OCTAN	E: 85		_	
DELIVERY: 90-300 DAYS F	ROM DEALER DECEIDT (	NE OPDER SROW ST	TE /E C. 00 DAVO	
		r onder From 3 17	TIE (E.G. 90 DAYS)	
IDENTIFY ANY EXCEPTIONS TO SPE	CIFICATIONS			
DEALER NAME: SPRADLEY BARR FO				

JOHN WIENEKE

COMMERCIAL ACCOUNTS MANAGER

SPRADLEY BARR FORD LINCOLN OF GREELEY INC

4901 W 29H STREET

GREELEY, CO 80634

970-506-3621

jwieneke@sbgford.com

# Colorado State Purchasing Office (per SFM) LIST AND EXPLANATIONS OF VEHICLE PACKAGES FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 4 of 52

#### #430 - PACKAGE: OEM TOWING OPTION

Attach one copy of this form to each body code specification sheet that has an Available Option #430 including the following body codes:

C2, C3, C4, D1, D2, D3, D5, D8, E2, E3, E4, E8, F2, F3, F4, F8, K1, K2, K3, K5, K6, T1, T4, T5

An installed **OEM TOWING OPTION PACKAGE** should include the following:

- Frame mounted receiver hitch with a class 3 (class 4 for T1, T4, T5) rating that accepts a 2" square receiver
- Heavy duty engine cooling
- Transmission cooling (automatic only)
- Trailer wiring harness
- HD turn signal flasher
- HD battery and Alternator.
- Price to include complete installation.
- All items to be covered at a minimum by the 3 year 36,000 mile factory warranty

Please list additions and/or deletions to your company's OEM TOWING OPTION package from the above listed specs:

REQUIRE	S 53B/59B TRAILER TO	W PAC	CKAGE	_
Total Price for	OEM TOWING PACKAGE:	\$	1,040.00	
For Body Code:	C2,C3,C4, D2,D3,D5			
Total Price for PACKAGE:	T1 - OEM TOWING	s	N/A	

Original

# Colorado State Purchasing Office (per SFM) LIST AND EXPLANATIONS OF VEHICLE PACKAGES FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 7 of 52

#### #443 - STROBE LIGHT

Attach one copy of this form to each body code specification sheet that has an Available Option #443 including the following body codes:

All C's, D's, E's, F's, G's, H's & K's, P4, PE

#### The STROBE LIGHT PACKAGE must include the following:

- · Roof mount of strobe on truck, van or sport utility vehicle
- Dual flash strobe with amber shield
- Class 2 light, SAE spec: J1318 or DFS750-A North American Signal spec or equivalent.
- Minimum: 15 joules
- Minimum of 60 double flashes per minute
- Base must be aluminum, not plastic.
- Switch in cab
- Height: between 3 1/2 inches to 6 inches, measured to top of light housing
- Warranty: 1-year parts and labor
- Complete installation with locations as follows:
- Location for strobe light on pickups:
- On the roof of the pickup cab
- The light must be centered between the front of the roof and the rear of the roof.
- The light must be also centered from one side to the other side of the roof.
- Location for strobe light on vans and sport utilities:
- On the roof of the van or sport utility
- The light must be centered from one side to the other side of the roof
- The light must also be two feet from the rear of the roof.

List the make and model of strobe that is bid:

Make	ECCO, NORTH AMERICAN	Model _	AMBER STROBE
List an above:		bid from th	e STROBE LIGHT PACKAGE specs listed
	Price for STROBE LIGHT	200	3.00

Original

# Colorado State Purchasing Office (per SFM) LIST AND EXPLANATIONS OF VEHICLE PACKAGES FOR THE 2018 MODEL YEAR FLEET VEHICLE PROPOSALS

Page 8 of 52

For Body Code:

ALL

## 2018 MY TRANSIT CONNECT PRICE LIST (PRICE LEVEL CODE 815)

PROPRIETARY

Original

MODEL	SERIES	BASE VEHICLE PRICE	SUGGESTED RETAIL
Cargo Van	S6E	Van XL SWB (180 Degree Swing-Out Rear Cargo Doors)	\$ 23,120
	E6E	Van XL SWB (Rear Liftgate)	23,120
	S7E	Van XL LWB (180 Degree Swing-Out Rear Cargo Doors)	24,120
	E7E	Van XL LWB (Rear Liftgate)	24,120
	S6F	Van XLT SWB (180 Degree Swing-Out Rear Cargo Doors)	24,645
	E6F	Van XLT SWB (Rear Liftgate)	24,645
	S7F	Van XLT LWB (180 Degree Swing-Out Rear Cargo Doors)	25,645
	E7F	Van XLT LWB (Rear Liftgate)	25,645
Wagon	S9E	Wagon XL LWB (180 Degree Swing-Out Rear Cargo Doorsr)	25,805
	E9E	Wagon XL LWB (Rear Liftgate)	25,805
	SBF	Wagon XLT SWB (180 Degree Swing-Out Rear Cargo Doors)	25,810
	E8F	Wagon XLT SWB (Rear Liftgate)	25,810
	S9F	Wagon XLT LWB (180 Degree Swing-Out Rear Cargo Doors)	27,810
	E9F	Wagon XLT LWB (Rear Liftgate)	27,810
	E8G	Titanium SWB Wagon	28,435
	E9G	Titanium LWB Wagon	30,435
ALL MODELS	_	Destination and Delivery	1,120

MODEL	OPTION	TIRES	SUGGESTED RETAIL
XLT	64F	16 in. Alloy Wheels	\$ 495
TITANIUM	64E	17 in. Alloy Wheel (Titanium)	420
XLT WAGON	64E	17 in Alloy Wheels (XLT Wagon)	620
TITANIUM	64V	17 in. Premium Alloy Wheel (Titanium)	495
XLT WAGON	64V	17 in. Premium Alloy Wheels (XLT Wagon)	695
	U64	17 in. Premium Alloy Wheels (XLT Wagon) - Discount	(695)

MODEL	TRIM TYPE	SEATS	SUGGESTED RETAIL
XL CARGO VAN	90M 90N	6-Way Manual Driver Seat & 4-Way Manual Passenger Seat 6-Way Manual Driver Seat & 4-Way Manual Passenger Seat (XL Van)	\$ 95 140
XLT CARGO VAN	90N	6-Way Manual Driver Seat & 4-Way Manual Passenger Seat (XLT Van)	50
XLT WAGON	8	6-Way Power Driver and 4-Way Manual Passenger Seat with Leather Seats	1,550
XL	6	Full Cloth Seats ilo Vinyl	100

## 2018 MY TRANSIT CONNECT PRICE LIST (PRICE LEVEL CODE 815)

PROPRIETARY Original

	(PRICE LEVEL CODE 815)			
	OPTION CODE	OTHER OPTIONS	SUGGESTED RETAIL	
AVAILABLE ON ALL	47F	Titanium Premium Package (Wagon)	\$ 2,345	
MODELS UNLESS OTHERWISE NOTED	U7F 47G	Titanium Premium Package (Wagon) - Discount	(590)	
OTTLERWISE NOTED	U7G	XLT Premium Package (Wagon)  XLT Premium Package (Wagon) - Discount	3,030	
	55A	Fixed Rear Glass	(705) 295	
	59F	2nd Row Fixed Glass on Both Sides, LWB	70	
	59C	2nd Row Fixed Glass on Both Sides, SWB	70	
l i	59G	2nd Row Fixed Glass on Passenger's Side Only - LWB	35	
f <b>f</b>	59D	2nd Row Fixed Glass on Passenger's Side Only - SWB	35	
	94F 60M	Cornering Fog Lamps	125	
	60R	Aircraft Style Mid-Vehicle Overhead Console Aircraft Style Rear Overhead Console	95	
<b>   </b>	94A	Autolamps	60 125	
	85D	Blind Spot Information System (BLIS ) with Cross Traffic Alert	575	
	60V	Cargo Net Kit Vertical	50	
	98G	CNG/Propane Gaseous Engine Prep Package	315	
	525	Cruise Control	225	
1	942 576	Daytime Running Lights	45	
	43D	Dual-Zone Electronic Automatic Temperature Control Electric Rear-window Defroster	275	
<b> </b>	41H	Engine Block Heater	150 35	
	76S	Forward and Reverse Sensing Systems (Vans)	495	
1		Forward and Reverse Sensing Systems (Wagons)	200	
	18F	Front (and 2nd Row on Wagon) Vinyl Floor Cover	195	
	96F	Front and Rear Splash Guards / Mud Flaps	140	
		Front and Rear Splash Guards / Mud Flaps (Use with 64E)	N/C	
	87R 60L	Key Fobs (2 Additional) Large Exterior Mirrors (XL Van)	65	
	""	Large Exterior Mirrors (XLT Van)	195	
1	87K	MyKey	65 5	
1		MyKey (Std on XLT and Titanium)	N/C	
	68B	Optional Roof with Hole for Signage	425	
	43M	Panoramic Fixed-Glass Vista Roof®	1,295	
		Panoramic Fixed-Glass Vista Roof® - incl. in Titanium	N/C	
	65D	Premium Package		
	030	Perimeter Anti-Theft Alarm System Perimeter Anti-Theft Alarm System (incl. in Remote Start 66F)	195 N/C	
1 1	545	Power Adjust, Heated Exterior Mirrors with Manual Fold (XL)	130	
1		Power Adjust, Heated Exterior Mirrors with Manual Fold (XL	N/C	
1		Van with 60L, XLT)		
1	546	Power Adjust, Power Fold, Heated Exterior Mirrors (XLT	180	
1 1		Wagon)	ŀ	
	924	Privacy Glass  - S6E or S7E with 59D/G less 55A (One Pane)		
1		- S6E or S7E with 55A less 59D/G; E6E or E7E (Two Panes)	125	
1	ŀ	- S6E or S7E with 59D/G and 55A, E6E or E7E with 59D/G	190 250	
		(Three Panes)	200	
]	i	S6E, S7E with 55A, and 59C/F; E6E or E7E with 59C/F	315	
		(Four Panes)	- 1-	
[	4014	- E9E or S9E - XL Wagon (Six Panes)	435	
	43W	Quickclear Windshield Defroster (XL)	375	
	76D	Quickclear Windshield Defroster (XLT, and Titanium) Rear Cargo Area Light – LED	300	
	18P	Rear Cargo Vinyl Floor Cover	70 95	
	76R	Reverse Sensing System	295	
		Reverse Sensing System (Use with 76S)	N/C	
	61B	Roof Rails	135	
		Roof Rails (Use with 43M)	N/C	
	61X	Roof Rails including Crossbars	195	
	21B 21M	2nd Row Fold-Flat Bucket Seats (XLT Wagon) Second Row 60/40 Bench (Titanium)	N/C	
	94B	Smokers Package (one ash cup in Van; two ash cups in	N/C 25	
]	- :-	Wagon)	25	
	86T	Taxi Package	1,635	
	518	Tire Repair Kit (in place of full spare)	(70)	
	65P	Rear Cargo Area Cover	80	
	53T	Trailer Tow Package	395	
	47C 16V	Ford Telematics™ powered by Telogis® Floor Mats - Molded All-Weather Front	925	
	16V 164	Floor Mats - Molded All-Weather Front & Rear	60	
	66F	Remote Start & Perimeter Alarm	75 495	
		AUDIO		
3/16/17 6:37 PM		ACDIO B		

3/16/2017		2018 MY TRANSIT CONNECT		PORRIETARY
0. 10.2011			Р	ROPRIETARY
		PRICE LIST (PRICE LEVEL CODE 815)		Orig
	582	AM/FM Stereo Receiver with Single CD (XL Van/Wagon)	350	ı
ł	584	AM/FM, CD, and SYNC® (XL Van/Wagon)	745	
1	1	AM/FM, CD, and SYNC® (XLT Van)	325	
	58W	AM/FM, CD, SYNC®, and Rear View Camera (XL Van/Wagon)	970	
1		AM/FM, CD, SYNC®, and Rear View Camera (XLT Van)	550	1
	585	AM/FM, CD, SYNC®, SiriusXM® Satellite Radio, and HD Radio (XLT Van)	520	
ŀ	58U	AM/FM, CD, and Rear View Camera (XL Van/Wagon)	575	
	1	AM/FM, CD, and Rear View Camera (XLT Van)	250	
1	58Y	SYNC3®, Rear View Camera, AM/FM, CD, SiriusXM®	1,360	
		Satellite Radio, HD Radio, and Nav (XLT Van)		
	1	SYNC3®, Rear View Camera, AM/FM, CD, SiriusXM®	875	
		Satellite Radio, HD Radio, and Nav (XLT Wagon)	<b> </b>	
	58Z	SYNC® 3 with Rear View Camera (XLT Van)	795	
1		SYNC® 3 with Rear View Camera (XLT Wagon)	310	
<u></u>	86G	Upfitter Wiring Harness	65	
	OPTION			i l
	CODE	FLEET OPTIONS	SUGGESTED	
AVAILABLE ON ALL	916	Engine Governor – 65 MPH Speed Limiter	\$ 50	
MODELS UNLESS	917	Engine Governor – 75 MPH Speed Limiter	50	
OTHERWISE NOTED	476	Engine Governor – 65 MPH (Not available with 47F or 47G)	50	
	477	Engine Governor – 75 MPH (Not available with 47F or 47G)	50	
	87D	Third Row Delete	(155)	
	47H	Floor Cover – Carpet (includes 1st, 2nd and 3rd row) - Fleet Only	115	
	_	Fleet Marketing Credit (no code required; automatic w/ valid FIN)	0	

Original



SPRADLEY BARR GREELEY 4901 29th Street, Greeley, Colorado, 80634 Office: 970-506-3621

## **Customer Proposal**

Prepared by:

John Wieneke Office: 970-506-3621 Date: 09/19/2017

Vehicle: 2018 Transit Connect XLT

Passenger Wagon



STATE OF COLORADO 2018 (D1) 5 PASS MINI VAN BASE VEHICLE



### **Selected Options**

Code

Description

**Base Vehicle** 

S8F

Base Vehicle Price (S8F)

**Packages** 

210A

Order Code 210A

Includes side door/rear door privacy glass.

- Engine: 2.5L Duratec 14 - Engine: 2.5L Duratec 14
Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles shipped to Federal Emissions States or Cross Border State dealers and is only available with a Federal emissions system (FFV system not available with code 425 and requires code 936 or 423 if applicable for California Emissions State dealer destinations).
- Transmission: 6-Speed SelectShift Automatic

- 3.21 Axle Ratio

- GYWR: 4,820 lbs - Tires: P215/55R16 97H XL AS Includes full-size spare. - Wheels: 16" Steel w/Full Wheel Covers

- Cloth Front Bucket Seats

Includes 6-way power driver seat (fore/aft, up/down & power recline) with manual lumbar and 4-way manual passenger seat (fore/aft, lever recline, non fold-flat) with manual lumbar.

**Powertrain** 

997

Engine: 2.5L Duratec I4

Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles shipped to Federal Emissions States or Cross Border State dealers and is only available with a Federal emissions system (FFV system not available with code 425 and requires code 936 or 423 if applicable for California

Emissions State dealer destinations)

Transmission: 6-Speed SelectShift Automatic

3.21 Axle Ratio

GVWR: 4.820 lbs

446

**STDAX** 

208

Wheels & Tires

T55

Tires: P215/55R16 97H XL AS

Includes full-size spare.

**STDWL** 

Wheels: 16" Steel w/Full Wheel Covers

Seats & Seat Trim

7

Cloth Front Bucket Seats

Includes 6-way power driver seat (fore/aft, up/down & power recline) with manual lumbar and 4-way manual passenger seat (fore/aft, lever recline, non fold-flat) with manual lumbar.

Other Options

PAINT

Monotone Paint Application

105WB

105" Wheelbase

58W

Radio: AM/FM w/Single CD & Rear View Camera



## Selected Options (cont'd)

Code	Description
	Includes 4.2" LCD multi-function display with steering wheel controls, audio input jack, 4 front and 2 rear speakers. Includes: - SYNC Voice Activated Communication & Entertainment Includes 911 Assist, VHR, SYNC services, AppLink, Bluetooth, steering wheel controls, USB port and auxiliary input jack 4-Spoke Leather-Wrapped Steering Wheel Includes satin chrome shells Compass Display
Emissions	
425	50-State Emissions System (Fleet)
423	California Emissions System Not Required
	Dealers ordering a vehicle with a 2.5L engine without a 50-State Emissions System and which is being shipped to a California Emissions State dealer are also required to use Code 423 to attest either that the vehicle is not being registered in a California Emissions State or that Code 936 is applicable. Note: In Maine, Rhode Island and Vermont, dealers cannot use Code 423 for customers outside of California Emissions States locations (except Public Service/Emergency Vehicles - Code 936).
936	California Emission Exemption
•	For public service/emergency vehicles. This exemption may only apply in certain California Emissions states. Ordering dealer is responsible to contact the proper state authorities for clarification on qualifying exempted vehicles for registration. Only available on vehicles sold for authorized public service or emergency service use.
Interior Colors	
7B_02	Charcoal Black
Primary Colors	
Z2_01	Frozen White

## Selected Equipment & Specs

#### **Dimensions**

Exterior length: 173.9" \* Exterior width: 72.2" \* Exterior height: 72.6" \* Wheelbase: 104.8" \* Front track: 61.4" \* Rear track: 61.7" \* Turning radius: 18.1' \* Min ground clearance: 6.0" \* Front legroom: 41.5" \* Rear legroom: 37.6" \* Front headroom: 46.8" \* Rear headroom: 45.1" \* Front hiproom: 54.2" \* Rear hiproom: 58.3" \* Front shoulder room: 57.7" \* Rear shoulder room: 58.5" \* Passenger volume: 120.7cu.ft. \* Cargo volume: 46.9cu.ft. \* Cargo volume seats folded: 77.1cu.ft. \* Maximum cargo volume: 77.1cu.ft.

#### **Powertrain**

169hp 2.5L DOHC 16 valve I-4 engine with iVCT variable valve control, SMPI \* Recommended fuel : regular unleaded \* SULEV II \* 6 speed automatic transmission with overdrive \* Front-wheel drive \* Fuel Economy City: 19 mpg \* Fuel Economy Highway: 27 mpg \* Capless fuel filler

#### Suspension/Handling

Front independent strut suspension with anti-roll bar, gas-pressurized shocks \* Rear semi-independent torsion beam suspension with anti-roll bar, gas-pressurized shocks \* Electric power-assist rack-pinion Steering \* Front and rear 16 x 6.5 steel wheels \* P215/55HR16 BSW AS front and rear tires

#### **Body Exterior**

4 doors \* Sliding left rear passenger \* Sliding right rear passenger \* Driver and passenger power remote heated folding door mirrors \* Black door mirrors \* Body-coloured bumpers \* Body-coloured bodyside \* Roof rack rails only \* Clearcoat paint \* Front and rear 16 x 6.5 wheels

#### Convenience

Manual air conditioning \* Cruise control with steering wheel controls \* Power windows \* Front and rear 1-touch up \* Front and rear 1-touch down \* Remote power door locks with illuminated entry \* Extra FOB controls trunk/hatch/door/tailgate \* Manual tilt steering wheel \* Manual telescopic steering wheel \* Day-night rearview mirror with auto-dimming \* Internet access \* Wireless phone connectivity \* 1 1st row LCD monitor \* Front and rear cupholders \* Dual visor mirrors \* Full floor console \* Full overhead console \* Driver and passenger door bins \* Rear door bins

#### Seats and Trim

Seating capacity of 5 \* Front bucket seats \* 6-way power driver seat adjustment \* Manual driver lumbar support \* Power height adjustable driver seat \* 4-way passenger seat adjustment \* Manual passenger lumbar support \* Centre front armrest with storage \* Removable 60-40 folding rear split-bench seat \* Cloth seat upholstery \* Leather/metal-look steering wheel

#### **Entertainment Features**

AM/FM stereo radio with radio data system \* Single CD player \* MP3 decoder \* Auxiliary audio input \* SYNC external memory control \* Steering wheel mounted radio controls \* 12 speakers \* Wireless streaming \* Integrated roof antenna

#### Lighting, Visibility and Instrumentation

Halogen aero-composite headlights \* Delay-off headlights \* Fully automatic headlights \* Front fog lights \* Variable intermittent front windshield wipers \* Rain sensing wipers \* Fixed interval rear windshield wiper \* Rear window defroster \* Fixed rearmost windows \* Deep tinted windows \* Front reading lights \* Tachometer \* Compass \* Outside temperature display \* Camera(s) - rear \* Low tire pressure warning \* Parking sensors \* Trip odometer

#### Safety and Security

4-wheel ABS brakes \* Brake assist with hill hold control \* 4-wheel disc brakes \* AdvanceTrac w/Roll Stability Control Electronic stability control \* ABS and driveline traction control \* Dual front impact airbag supplemental restraint system \* Dual seat mounted side impact airbag supplemental restraint system \* Safety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system \* Airbag supplemental restraint system occupancy sensor \* Perimeter/approach lighting \* Power remote door locks with \* SecuriLock immobilizer \* MyKey restricted driving mode \* Manually adjustable front head restraints \* 3 manually adjustable rear head restraints

#### **Dimensions**

General Weights



Selected Equipment	& Specs	(cont'd)
--------------------	---------	----------

Front GAWR		·	-	
Towing capacity Towing capacity Towing capacity Tography Capacity Toff Road Min ground clearance Interior cargo Cargo volume Askimum cargo volume Length Toff.7 "  Cargo volume seats fokled Toff.7 " Minimum width Toff.7 "  Height Heig	Front GAWR Payload	2716 lbs. 1130 lbs.	Rear GAWR	4820 lbs. 2578 lbs. 2095 lbs.
Towing capacity 2000 lbs.  Fuel Tank type Capacity 16 gal. Capless fuel filler 19 Capacity 16 gal. Caples fuel filler 19 Cargo volume seats folded 17.1 ct. 49 Cargo volume seats fo	•			
Capacity 16 gal. Capless fuel filler 19 Min ground clearance 6 " Load floor height 2 Interior cargo Cargo volume 46.9 cu.ft. Height 49. Length 76.7 " Minimum width 46. Minimum cargo volume 77.1 cu.ft. Length 76.7 " Minimum width 46. Minimum width	<del>-</del>	2000 lbs.		
Min ground clearance 6 " Load floor height 22  Interior cargo Cargo volume 46.9 cu.ft. Height 49. Length 76.7 " Minimum width 46.  Powertrain  Engine Type Block material Aluminum Injection Sequential MPI Orientation Transverse Valves per cylinder 4 Variable valve control VCT  Engine Spec Bore 3.50" Compression ratio 9.3. Bore Displacement 152 cu.in. Stroke 3.5.  Engine Power  SAEJ1349 AUG2004 compliant Yes Torque 171 ftlb @ 4,500 RPM  Alternator Amps 175  Battery Amp hours 60 Cold cranking amps 5  Transmission Electronic control Yes Transmission Gear Ratios 1st 4.584 2nd 2.94  Transmission Extras  Transmission Extras  Transmission Extras  Transmission Extras  Transmission Extras	Fuel Tank type			
Min ground clearance 6 " Load floor height 22  Interior cargo Cargo volume 46.9 cu.ft. Height 49. Length 77.1 cu.ft. Height 49. Length 76.7 " Minimum width 46.9  Powertrain  Engine Type Block material Aluminum Injection Sequential MPI Liters 2. Orientation Transverse Valves per cylinder 4. Variable valve control VCT  Engine Spec Bore 3.50" Compression ratio 9.3 Bore 3.50" Compression ratio 9.3 Engine Power  SAEJ1349 AUG2004 compliant Yes Torque 171 ftlb @ 4,500 RPM  Alternator Amps 175  Battery Amp hours 60 Run down protection Yes Transmission Electronic control Yes Type Automatic  Transmission Gear Ratios  1st 4,584 2nd 2.94  Transmission Extras  Transmission Extras  Transmission Extras  Transmission Extras  Transmission Extras  Transmission Extras	Capacity	16 gal.	Capless fuel filler	Yes
Interior cargo	Off Road			
Cargo volume 46.9 cu.ft. Maximum cargo volume 77.1 cu.ft. Height 49. Length 76.7 " Minimum width 46. M	Min ground clearance	6 "	Load floor height	24 "
Maximum cargo volume Length 77.1 cu.ft. Length 76.7 " Height 49.  Powertrain  Engine Type Block material Aluminum Injection Sequential MPI Liters 2. Orientation Transverse Valves per cylinder Variable valve control IVCT  Engine Spec Bore 3.50" Compression ratio 9.7. Bore 3.50" Compression ratio 9.7. Engine Power SAEJ1349 AUG2004 compliant Torque 171 ftlb @ 4,500 RPM  Alternator Amps 175  Battery Amp hours 60 Cold cranking amps 55 Run down protection Yes Transmission Electronic control Yes Speed Transmission Gear Ratios 1st 4.584 2nd 2.9 Transmission Extras	Interior cargo			
Engine Type  Block material Aluminum Head material Aluminum Head material Aluminum Injection Sequential MPI Liters 2  Orientation Fransverse Recommended fuel Regular unlead Valves per cylinder 4  Variable valve control IVCT  Engine Spec  Bore 3.50" Compression ratio 9.7  Bore 3.50" Stroke 3.5  Engine Power  SAEJ1349 AUG2004 compliant Yes Torque 171 ftib @ 4,500 RPM  Alternator  Amps 175  Battery  Amp hours 60 Cold cranking amps 5  Run down protection Yes Transmission  Electronic control Yes Speed  Transmission Gear Ratios  1st 4.584 2nd 2.94  3rd 1.912 4th 1.44  Fransmission Extras  Transmission Extras	Maximum cargo volume	77.1 cu.ft.	Height	ded 77.1 cu.ft. 49.0 " 46.9 "
Block material Aluminum Head material Aluminum Head material Aluminum Aluminum Ignition Electro Injection Sequential MPI Liters 2. Recommended fuel Regular unlead Valves per cylinder 4 Variable valve control IVCT  Engine Spec Bore 3.50" Compression ratio 9.7 Stroke 3.5 Strok	Powertrain			
Block material Aluminum Head material Aluminum Head material Aluminum Aluminum Ignition Electro Injection Sequential MPI Liters 2. Recommended fuel Regular unlead Valves per cylinder 4 Variable valve control IVCT  Engine Spec Bore 3.50" Compression ratio 9.7 Stroke 3.5 Strok	Enaine Type			
Valves per cylinder Variable valve control         4 IVCT         Valvetrain         DOI           Engine Spec Bore Displacement         3.50" 152 cu.in.         Compression ratio Stroke         9.7 3.5           Engine Power SAEJ1349 AUG2004 compliant Torque         Yes 171 ftlb @ 4,500 RPM         Output         169 HP @ 6,000 RF           Alternator Amps         175         Dois of the complex of t	Block material Head material Injection	Aluminum Sequential MPI	Ignition Liters	[-4 Electronic 2.5L Regular unleaded
Bore   3.50"   Compression ratio   9.7		4		DOHC
Bore   3.50"   Compression ratio   9.7     Displacement   152 cu.in.   Stroke   3.50     Engine Power   SAEJ1349 AUG2004 compliant   Yes   Torque   171 ftlb @ 4,500 RPM     Alternator   Amps   175     Battery   Amp hours   60   Cold cranking amps   5     Run down protection   Yes   Lock-up   Yes     Transmission   Electronic control   Yes   Speed   Yes     Type   Automatic     Transmission Gear Ratios   1.912   4th   1.44     5th   1   6th   0.74     Transmission Extras   1.912   4th   1.44     Transmission Extras   1.912   4th   1.44     Transmission Extras   1.943     Transmission Extras   1.9	_	1001		
Displacement   152 cu.in.   Stroke   3.5		3 50"	Compression main	0.7.4
Engine Power  SAEJ1349 AUG2004 compliant Yes Output 169 HP @ 6,000 RF Torque 171 ftlb @ 4,500 RPM  Alternator Amps 175  Battery Amp hours 60 Cold cranking amps 5 Run down protection Yes  Transmission Electronic control Yes Lock-up Overdrive Yes Speed Type Automatic  Transmission Gear Ratios  1st 4.584 2nd 2.94 3rd 1.912 4th 1.44 5th 1 6th 0.74  Reverse Gear ratios 2.943  Transmission Extras				3.94"
SAEJ1349 AUG2004 compliant Torque  171 ftlb @ 4,500 RPM  Alternator Amps  175  Battery Amp hours Run down protection Electronic control Overdrive Type Automatic  Transmission Gear Ratios  1st 3rd 3rd 5th 1.912 5th Reverse Gear ratios  171 ftlb @ 4,500 RPM  Output 169 HP @ 6,000 RP	Engine Power			5.5 1
Amps       175         Battery       4mp hours       60       Cold cranking amps       5         Run down protection       Yes       Lock-up       Yes         Transmission       Yes       Lock-up       Yes         Overdrive       Yes       Speed       Yes         Type       Automatic       Automatic       2.9d         Transmission Gear Ratios       4.584       2nd       2.9d         3rd       1.912       4th       1.4d         5th       1       6th       0.7d         Reverse Gear ratios       2.943       2.943			Output	169 HP @ 6,000 RPM
Battery         60         Cold cranking amps         5           Run down protection         Yes         Cold cranking amps         5           Transmission         Yes         Lock-up         Yes           Overdrive         Yes         Speed         Yes           Type         Automatic         Automatic         2.9d           Transmission Gear Ratios         4.584         2nd         2.9d           3rd         1.912         4th         1.4d           5th         1         6th         0.7d           Reverse Gear ratios         2.943         0.7d	Alternator			
Amp hours Run down protection Yes  Transmission Electronic control Overdrive Type Automatic  Transmission Gear Ratios  1st 3rd 3rd 5th 1 5th Reverse Gear ratios  1st 1 2.943  Transmission Extras	Amps	175		
Run down protection         Yes           Transmission         Yes         Lock-up         Yes           Overdrive         Yes         Speed         Yes         Type         Automatic         Yes         Type         Automatic         Yes         Type         Automatic         Yes         Type         Yes	Battery			
Electronic control         Yes         Lock-up         Yes           Overdrive         Yes         Speed         Type         Automatic           Transmission Gear Ratios           1st         4.584         2nd         2.94           3rd         1.912         4th         1.44           5th         1         6th         0.74           Reverse Gear ratios         2.943         Transmission Extras			Cold cranking amps	590
Overdrive         Yes         Speed           Type         Automatic           Transmission Gear Ratios           1st         4.584         2nd         2.91           3rd         1.912         4th         1.4           5th         1         6th         0.74           Reverse Gear ratios         2.943           Transmission Extras	Transmission			
Overdrive Type         Yes Automatic         Speed           Transmission Gear Ratios         4.584         2nd         2.90           3rd         1.912         4th         1.44           5th         1         6th         0.74           Reverse Gear ratios         2.943         0.74	Electronic control	Yes	Lock-up	Yes
Transmission Gear Ratios         1st       4.584       2nd       2.90         3rd       1.912       4th       1.44         5th       1       6th       0.74         Reverse Gear ratios       2.943         Transmission Extras	= · = · • · · •			6
1st       4.584       2nd       2.91         3rd       1.912       4th       1.44         5th       1       6th       0.74         Reverse Gear ratios       2.943         Transmission Extras				
3rd 1.912 4th 1.44 5th 1 6th 0.74 Reverse Gear ratios 2.943  **Transmission Extras**				
5th 1 6th 0.74 Reverse Gear ratios 2.943  Transmission Extras				2.964
Reverse Gear ratios 2.943  Transmission Extras		A		0.746
	Reverse Gear ratios	2.943		J.1. 40
Sequential shift control SelectShift				
·	Sequential shift control	SelectShift		

Drive Type	Frants		
Туре	Front-wheel		
Drive Feature			
Traction control	ABS and driveline		
Drive Axle	_		
Ratio	3.21		
Exhaust			
Material	Stainless steel	System type	Single
Emissions			
CARB	SULEV II	EPA	Tier 2 Bin 4
fuel Economy			
City	_19 mpg	Highway	27 mpg
Fuel type	Gasoline	Combined	22 mpg
Fuel Economy (Alternate	•		
City	14 mpg	Highway	19 mpg
Fuel type	E85	Combined	16 mpg
Acceleration			
0-60 mph (s)	9.11		
1/4 Mile			
Seconds	16.8	Speed	85 mph
Skid Pad			
Lateral acceleration (g)	0.8		
Slalom			
Speed	59 mph		
Green Values			
Energy Impact Score (Barre	ls per year) 15.0	Carbon FP / Tailpipe and o	
Energy Impact Score (Barre	ls per year) 4.7	tons per year)	8.0
Driveability			
Brakes			
ABS	4-wheel	ABS channels	4
Туре	4-wheel disc	Vented discs	Front
Brake Assistance			
Brake assist	Yes	Hill hold control	Yes
Suspension Control			
Ride	Regular	Electronic stability control anti-roll	Stability control with
Front Suspension			
Independence Anti-roll bar	Independent Regular	Туре	Strut
Front Spring	-		

## Selected Equipment & Specs (cont'd)

	pinoni or opodo (done)	-/	
Туре	Coil	Grade	Regular
Front Shocks			· ·
Туре	Gas-pressurized		
Rear Suspension			
Independence Anti-roll bar	Semi-independent Regular	Туре	Torsion beam
Rear Spring			
Туре	Coil	Grade	Regular
Rear Shocks	_		
Туре	Gas-pressurized		
Steering			
Activation	Electric power-assist	Туре	Rack-pinion
Steering Specs	_		
# of wheels	2		
Exterior			
Front Wheels			
Diameter	16"	Width	6.50"
Rear Wheels			
Diameter	16"	Width	6.50"
Spare Wheels			
Wheel material	Steel		
Front and Rear Wi	heels		
Material	Steel	Covers	Full wheel
Front Tires			
Aspect	55 B0W	Diameter	16"
Sidewalls Tread	BSW AS	Speed	H
Width	215mm	Туре	Р
Rear Tires			
Aspect	55	Diameter	16"
Sidewalls	BSW	Speed	H
Tread Width	AS 215mm	Туре	Р
Spare Tire	215011111		
Mount	Underbody w/crankdown	Туре	Eull eine
Wheels	ondorbody wordingdwii	туре	Full-size
Front track	61.4"	Rear track	64 78
Turning radius	18.1'	Wheelbase	61.7" 104.8"
Body Features			
Body material	Fully galvanized steel	Side impact beams	Yes
Body Doors			
Door count	4	Left rear passenger	Sliding
		<del>-</del>	9

1	(	• /	
Right rear passenger	Sliding	Rear cargo	Split swing-out
Exterior Dimensions			
Length	173.9"	Body width	72.2"
Body height Side door opening width	72.6" 24.1"	Side door opening height	44.9"
Rear door opening width	47.0"	Rear door opening height Rear door opening degree	45.1" 180.0
		real door opening degree	100.0
Safety			
Airbags			
Driver front-impact Occupancy sensor	Yes Yes	Driver side-impact	Seat mounted
Occupancy sensor	165	Overhead Safety Canop and 2nd row	by System curtain 1st
Passenger front-impact	Yes	Passenger side-impact	Seat mounted
Seatbelt			
Rear centre 3 point	Yes	Height adjustable	Front
Pre-tensioners	Front	Pre-tensioners (#)	2
Security			
Immobilizer	SecuriLock	Restricted driving mode	MyKey
Seating			
Passenger Capacity			
Capacity	5		
Front Seats			
Split	Buckets	Туре	Bucket
Driver Seat		••	
Fore/aft	Power	Height adjustable	Power
Reclining	Power	Way direction control	6
Lumbar support	Manual		
Passenger seat			
Fore/aft	Manual	Reclining	Manual
Way direction control	4	Lumbar support	Manual
Front Head Restraint	Manager	_	
Control	Manual	Туре	Adjustable
Front Armrest			
Centre	Yes	Storage	Yes
Rear Seats			
Descriptor Folding	Split-bench 60-40	Facing	Front
Type	Removable	Folding position	Tumble forward
Rear Head Restraints	7 (31113 (411))		
Control	Manual	Туре	Adinatable
Number	3	1 Abe	Adjustable
Rear Armrests			
Centre	Yes		

Front Seat Trim Material	Cloth	Donale mente del	G
	Cioui	Back material	Cloth
Rear Seat Trim Group  Material	Cloth	Book material	0
Convenience	Clott	Back material	Carpet
AC And Heat Type Air conditioning	Manual		
•	Mailuai		
Audio System	Single	CD leasting	ftt-
MP3 decoder	Single MP3 decoder	CD location Auxiliary audio input	In-dash Yes
Radio	AM/FM stereo	Radio data system	Yes
Radio grade	Regular	Seek-scan	Yes
External memory control	SYNC		
Audio Speakers			
Speaker type	Regular	Speakers	12
Audio Controls			
Speed sensitive volume	Yes	Steering wheel controls	Yes
Voice activation	Yes	Wireless streaming	Yes
Audio Antenna			
Туре	Integrated roof		
Video Features			
Turn-by-turn navigation directio	ns Yes		
LCD Monitors			
1st row	1	Primary monitor size (inches)	4.2
Cruise Control		,	
	ring wheel controls		
Convenience Features	<b>3</b>		
Driver foot rest	Yes	Retained accessory power	Yes
12V DC power outlet	3	Wireless phone connectivity	Bluetooth
Internet access	Selective service	•	
Door Lock Activation			
Туре	Power	Remote	Keyfob (all doors)
Integrated key/remote	Yes	Auto locking	Yes
Door Lock Type			
Tailgate/rear door lock Include	ed with power door		
locks		:2	

Instrumentation Gauges
Tachometer
Yes Engine temperature
Yes

Yes

**Analog** 

Door Locks Extra FOB Controls
Trunk/hatch/door/tailgate

Instrumentation Type

Display



	S		
Oil pressure	Yes	Battery	Yes
Lights on	Yes	Key	Yes
Low fuel Trunk/liftgate ajar	Yes Yes	Door ajar	Yes
Low tire pressure	Yes	Brake fluid	Yes
Instrumentation Displays			
Clock	In-radio display	Compass	Yes
Exterior temp Redundant digital speedom	Yes neter Yes	Systems monitor Camera(s) - rear	Yes Yes
Instrumentation Feature	103	Calliela(5) - leal	res
Trip odometer	Yes	Parking sensors	Rear
Steering Wheel Type			Noai
Material	Leather/metal-look	Tilting	Manual
Telescoping	Manual	· ····································	Mailiai
Front Side Windows			
Window 1st row activation	Power		
Windows Rear Side			
2nd row activation	Power	3rd row activation	Fixed
Window Features			
1-touch down	Front and rear	1-touch up	Front and rear
Tinted	Deep		. roncana roan
Front Windshield			
Wiper	Variable intermittent	Rain detecting wipers	Yes
Rear Windshield			
Wiper	Fixed interval	Defroster	Yes
Window	Fixed		
Interior			
Driver Visor			
Mirror	Yes		
Passenger Visor			
Mirror	Yes		
Rear View Mirror			
Day-night	Yes	Auto-dimming	Yes
Trim Door		•	
Trim insert	Cloth		
Headliner			
Coverage	Full	Material	Cloth
Floor Trim			Cloth
FIOOI IIIIII			
Coverage	Ful!	Covering	Carnet
	Full Carpet front and rear	Covering	Carpet

Gear shift knob	Urethane	Interior accents	Chrome
Lighting			
Dome light type Illuminated entry	Delay Yes	Front reading Variable IP lighting	Yes Yes
Floor Console Storage			
Storage	Yes	Туре	Full
Overhead Console Storage			
Storage	Yes	Туре	Full
Conversation mirror	Yes	•	
Storage			
Driver door bin	Yes	Front Beverage holder(s)	Yes
Glove box	Yes	Passenger door bin	Yes
Seatback storage pockets Rear door bins	2 Yes	Rearyes	Yes
Cargo Space Trim	100		
Floor	Carpet	Trunk lid/rear cargo door	Plastic
Cargo Space Feature	Ourpet	Truth harrest cargo door	Plastic
Tie downs	Yes	Link	
	162	Light	Yes
Legroom Front	44 58	_	
	41.5"	Rear	37.6"
Headroom			
Front	46.8"	Rear	45.1"
Hip Room			
Front	54.2"	Rear	58.3"
Shoulder Room			
Feest	C7 78	_	=0 ="
Front	57.7"	Rear	58.5"
Interior Volume	57.7"	Rear	58.5"





## Warranty - Standard Equipment & Specs

#### Warranty

Basic Distance	36000 miles	Months	36 months
Powertrain Distance	60000 miles	Months	
Corrosion Perforation			60 months
Distance Roadside Assistance	Unlimited miles	Months	60 months
Distance	60000 miles	Months	60 months

### 2018 TRANSIT CONNECT

PROPRIETARY

# 2018 TRANSIT CONNECT PROPRIET COLOR & TRIM AVAILABILITY Original

INTERIOR COLOR / MATERIAL	All comments of		100000000000000000000000000000000000000	Avail	ability	THE RESIDENCE OF	The state of the state of
		XL	XL	XLT	XLT	XLT	Titanium
	argo Van				AND DESCRIPTION		THE THE
Passenge	er Wagon			• 500			
Pewter Vinyl	Seats	EK		_			
Charcoal Bla Seats – XL F			6B		_	_	_
Charcoal Bla Seats – XLT		_		7B	-	_	_
Medium Stor Seats – XLT				_	7L	_	_
Medium Stor Leather Seat				_	_	8L	8L
EXTERIOR COLOR	CODE		442800	Avail	ability		
School Bus Yellow  * Available only on Passenger Wagon with the Taxi Package (86T)	ВУ	••	••	_	_		
Shadow Black	Gi	100000					
Guard Metallic * Available only on Passenger Wagon	HN	•*	•*	••	•	•	•
Deep Impact Blue Metallic  * Available only on Passenger Wagon	J4		•	••			
Aagnetic Metallic  * Available only on Passenger Wagon	J7	••	•*	••	••	•	•
lace Red	PO			Marie Control		STATE OF THE PARTY OF	
iolar Metallic * Available only on Passenger Wagon	S4	•*	•*	••	••	•	
iliver Metallic	TY		•				
Park Blue	UV	•	•	•	•		
rozen White	72	C. 12			CANADA MARKANIA	STATE OF THE PARTY	APPROXIMATE AND ADDRESS.